Polymer Chemistry Edition

Polymer Letters Edition

Polymer Physics Edition

Index Supplement, 1985 Volume 23

JOURNAL OF POLYMER SCIENCE

Contents

Author Index to Volume 23 ..... I1
Subject Index to Volume 23 ..... I23

an Interscience® Publication
published by JOHN WILEY & SONS
JPLCAT 23(S) I1–I36 (1985)
ISSN 0360–6376

an Interscience® Publication
published by JOHN WILEY & SONS
JPYBAN 23(S) I1–I36 (1985)
ISSN 0360–6834

an Interscience® Publication
published by JOHN WILEY & SONS
JPLPAY 23(S) I1–I36 (1985)
ISSN 0098–1273

The *Journal of Polymer Science* is published as follows: *Polymer Chemistry Edition*, monthly; *Polymer Physics Edition*, monthly; *Polymer Letters Edition*, monthly; *Polymer Symposia*, irregularly.

Published monthly (one volume per year) by John Wiley & Sons, Inc. Copyright © 1985 by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright Law without the permission of the copyright owner is unlawful: Second-class postage paid at New York, New York and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc., 21 Congress St., Salem, MA 01970. (The fee for articles published prior to 1978 is $1.00 per article.) This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1986): $950.00 per volume. Postage and handling outside U.S.A.: $125.00 by surface; $680.00 by air. Please allow 4 weeks for change of address. Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher.

The contents of this journal are indexed by the following: *Applied Mechanics Reviews*, *Chemical Abstracts*, *Current Contents/Physical, Chemical and Earth Sciences*, *Science Citation Index*, *Engineering Index*, *RAPRA Abstracts*, and *Chemical Titles*.

Postmaster: Send address changes to Subscription Department, Periodicals Division, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Inquiries concerning **advertising** should be forwarded to Dora Castiblanco, Advertising, Periodicals Division, John Wiley & Sons Publishing, 605 Third Ave., New York, NY 10158.

Claims for undelivered copies will only be accepted after the following issue has been received. Please enclose mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Author Index to Volume 23

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 23, 1985. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Abd, R. See Brown, R. A., 451P
Abe, T. See Nonaka, T., 1537C
Abe, Y.
—; Shintani, N.; Magome, T.; Misono, T.: Preparation of Polysiloxanes from Silicic Acid. VIII. A Polysiloxane with a Good Spinnability, 447L
Abhiraman, A. S. See Desai, P., 213L, 653P
—; Song, J. W.: Formation of Highly Ordered Poly(ethylene terephthalate) Fibers, 613L
Achar, B. N.
—; Fohlen, G. M.; Parker, J. A.: Curing of Epoxy Resins with Metal(II)4,4′,4″,4‴-Tetraamino Phthalocyanines-Modification with Elastomers, 389C
—; Fohlen, G. M.; Parker, J. A.: Heat-Resistant Poly(metal Phthalocyanine)imide Copolymers Using Benzenetetracarboxylic Dianhydride, 801C
—; Fohlen, G. M.; Parker, J. A.: Synthesis and Characterization of the New Thermosetting Monomers and Phthalocyanine Polymers with Ester–Imide Linkages, 1677C
Adolf, D.
—; Tirrell, M.; Prager, S.: Molecular Weight Dependence of Healing and Brittle Fracture in Amorphous Polymers above the Entanglement Molecular Weight, 413P
Agarwal, P. K. See Peiffer, D. G., 1869P
Aharoni, S. M. See Murthy, N. S., 2549P
Akano, N. See Saegusa, Y., 2727C
Akbulut, U. See Toppare, L., 303C
—; Toppare, L.; Turker, L.: Electropolymerization Potential–FMO Relations, 1631C
Akihara, I. See Morishima, Y., 651L
Akiyama, K. See Nagai, K., 3053C
Akiyama, N. See Higashi, F., 3095C
Akovali, G. See Demirel, G., 2377C
Aldissi, M.
Synthesis of Polyacetylene in Ordered Media, 167L
Ali, S. A. See Hasan, M. U., 1847C
Altieri, M. S. See Wiff, D. R., 1165P
Ambrovic, P. See Klimova, M., 105P
Amemiya, S. See Kamogawa, H., 2413C
Analytical solution See Viollaz, P., 143P
Andeen, C. G. See Fontanella, J. J., 113P
Andersen, H. C. See Fredrickson, G. H., 591P
Anderson, B. C. See Frazer, A. H., 2791C; Frazer, F. H., 2779C
Anderson, J. L. See Long, T. D., 191P
Andrechak, J. A. See Strauss, U. P., 1063C
Andruzzi, F. See Segre, A. L., 2611P
Ang, T. See Chien, J. C. W., 723C
Anwaruddin, Q. See Salamone, J. C., 655L
Arai, Y.
—; Watanabe, M.; Sanui, K.; Ogata, N.: Effect of Polycondensation Methods on Molecular Weight Distribution of Nylon 610, 3093C
Araki, T. See Tsukube, H., 467L
Ariff, M.
—; Jainuddin, M. D.; Gopalan, V.; Rao, K. V.: Aqueous Polymerization of Acrylonitrile by Ascorbic Acid–Peroxodisulfate Redox System, 2063C
Arora, K. S.
—; Overberger, C. G.: Carbazole-Substituted Dehydroalanine Main Chain Polymers. Synthesis and Characterization of Poly[Methyl 2-(9-Carbazolyl) Acetylaminopropenoate] and Poly[2-(9-Carbazolyl)Acetylaminopropenoic Acid], 3007C
Arunachalam, V. See Kothandaraman, H., 425L
Asada, Y. See Kamogawa, H., 1517C
Asikoglu, B.
—; Kilic, S.; Baysal, B. M.: Thermal Polymerization of *N-tert*-Butylacrylamide in 1,4-Dioxane, 1017C
Asua, J. M. See Forcada, J., 1955C
Atkinson, J. D. See Goh, C. J., 695P
Avdeev, N. N. See Popova, E. D., 1485P
Axelson, D. E. See Dekmezian, A., 367P
—; Blake, S. L.: Multinuclear (^{13}C, ^{15}N) NMR Study of Polyethyleneimine-Based Polymers, 2507C

Babilis, D.
—; Dais, P.; Margaritis, L. H.; Paleos, C. M.: Polymerization of Oriented Monomers. VIII. Polymerization of Allyl and Diallyl Vesicle-Forming Quaternary Ammonium Salts, 1089C
Babu, G. N. See Dhal, P. K., 319C; Lu, P. H., 1421C
Baier, R. See McCaffrey, R. R., 1523P
Bailly, Ch.
—; Daumerie, M.; Legras, R.; Mercier, J. P.: Crystallization of Bisphenol-A Polycarbonate Induced by Organic Salts: Chemical Modification of the Polymer. I. Model Reactions, 343P
—; Daumerie, M.; Legras, R.; Mercier, J. P.: Crystallization of Bisphenol-A Polycarbonate Induced by Organic Salts: Chemical Modification of the Polymer. III. Reaction Mechanism, 493P
—; Daumerie, M.; Legras, R.; Mercier, J. P.: Crystallization of Bisphenol-A Polycarbonate Induced by Organic Salts; Physical Aspects. I. Crystallization Rate, Melting Behavior, and Morphology, 751P
—; Legras, R.; Mercier, J. P.: Crystallization of Bisphenol-A Polycarbonate Induced by Organic Salts: Chemical Modification of the Polymer. II. Model Reactions, 355P
Bajpai, A. See Tewari, R. S., 2405C
Baker, G. L. See Schonhorn, H., 1555P
Balaraman, K. S.
—; Kulkarni, B. D.; Mashelkar, R. A.: A General Criterion for Prediction of Temperature Invariant Point in Copolymerization, 353L
Balasubramanian, M. See Jayaprakash, D., 2319C
Ball, R. C. See Boue, F., 833P
Ballistreri, A.
—; Giuffrida, M.; Maravigna, P.; Montaudo, G.: Direct Mass Spectrometry of Polymers. XII. Thermal Fragmentation Processes in Poly-α-Aminoacids, 1145C
—; Giuffrida, M.; Maravigna, P.; Montaudo, G.: Direct Mass Spectrometry of Polymers. XIII. Thermal Fragmentation Processes in Copoly-α-Amino Acids, 1731C
Banerjee, M. See Biswas, M., 2631C

Bannister, D. J.
—; Doyle, M.; Macfarlane, D. R.: A Water-Soluble Siloxane: Poly(ethylene glycol) Comb Polymer, 415L
Bansleben, D. A.
—; Vogl, I.: Poly(alkylene Oxide) Ionomers. XI. Polymerization and Copolymerization of Methyl ω-Epoxyundecanoate and Characterization of the Polymers, 673C
—; Vogl, O.: Poly(alkylene Oxide) Ionomers. XII. Hydrolysis of Polymers and Copolymers of Methyl 10,11-Epoxyundecanoate, 703C
Barboiu, V. See Simionescu, C. I., 2089C
Bareiss, R. E.
Comment on "Diffusion and Sedimentation Measurements in Dilute Polymer Solution," by M. Okabe, 499L
Bargon, J. See De Paoli, M. A., 1687C
Barlow, J. W. See Barnum, R. S., 395L
Barnum, R. S.
—; Goh, S. H.; Barlow, J. W.; Paul, D. R.: Excess Heat Capacities for Two Miscible Polymer Blend Systems, 395L
Barone, C. See Segre, A. L., 2611P
Barooah, A.
—; Chen, S. H.: Translational Diffusion of Polystyrene in Cyclohexane at Infinite Dilution from 283 to 348 K, 2457P
Bart, J. C. J. See Moggi, G., 1099P
Bataille, P. F.
—; Granger, F.: A Study of Molecular Weight of Methyl Methacrylate–Styrene Copolymer, 997C
Bates, F. S. See Schonhorn, H., 1555P
Baysal, B. M. See Asikoglu, B., 1017C
Baysalk, B. M. See Binboga, N., 925P
Bechtold, G. See Nie, C. S., 1247P
Beddoes, R. L. See Swales, T. G. E., 1585P
Begum, S. S. See Dass, N. N., 2561C
Bolfiore, L. A. See Lovinger, A. J., 1449P
Bellama, J. M. See Manders, W. F., 351C
Bellus, M. See Renner, A., 2341C
Benchabane, M.
—; Van Leemput, R.: Conformational Behavior of Styrene–Dymethylsiloxane Block Copolymers in Dilute Solution, 991P
Bendaoud, M. See Gourari, A., 889P
Benedetti, E.
—; Posar, F.; D'Alessio, A.; Vergamini, P.; Pezzin, G.; Pizzoli, M.: Molecular Interactions in the Poly(vinyl chloride)-di-*n*-Butylphthalate System Determined by Infrared Spectroscopy, 1187P
Benson, R. S. See Conjeevaram, S. V., 429C
—; Wu, Q.; Ray, A. R.; Lyman, D. J.: Synthesis and Characterization of Styrene/Isoprene/Ethylene Oxide Block Copolymers, 399C
Berger, J.
—; Lohse, F.: *p*-Cresol and Iodobenzene Formed by the Polymerization of *p*-Cresyl Glycidyl Either Initiated by Diphenyliodonium Hexafluorophosphate, 227L
Bergquist, P. R. See Wentworth, S. E., 2197C
Berry, G. C. See Venkatraman, S., 1275P
Bershtein, V. A.
—; Egorov, V. M.; Podolsky, A. F.; Stepanov, V. A.: Interrelationship and Common Nature of the β Relaxation and the Glass Transition in Polymers, 371L
Berzins, T. See Hsu, W. Y., 933P
Bhadani, S. N. See Mishra, M. K., 155L
Bhanu, V. A. See Kishore, K., 567L
Binboga, N.
—; Kisakurek, D.; Baysalk, B. M.: Effect of Molecular Weight on the Refractive Index Increments of Polystyrene, Poly(ethylene Glycol), Poly(propylene Glycol), and Poly(dichlorophenylene Oxide) in Solution, 925P
Biswas, M. See Haque, S. A., 2567C; Oshima, R., 151L
—; Banerjee, M.; Maiti, M. M.: Mechanism of *N*-Vinylcarbazole Polymerization on Co(II)–13X Molecular Sieve, 2631C
Bizzarri, Costa Bizzarri See Casa, Della Cass, 323L
Blackwell, J. See Patterson, P. M., 483P
Blake, S. L. See Axelson, D. E., 2507C
Blazso, M.
—; Szekely, T.; Makarova, N. M.: Thermal Decomposition of Cyclolinear and Cyclic Methylsiloxane Polymers, 2589C
Blinc, R. See Zupancic, I., 387P
Bloodworth, R. H. See Mathias, L. J., 289L
Blumstein, A. See Gilli, J. M., 379L
Bogdanov, B.
—; Mihailov, M.: Melting of Water/Poly(ethylene oxide) Systems, 2149P
Bonafini, J. A.
—; Dias, A. J.; Guzdar, Z. A.; McCarthy, T. J.: Gravimetric Analysis of Polymer Surface Chemistry: A Sensitive Technique for Monitoring Reactions at Polymer Surfaces, 33L
Bonardelli, P. See Moggi, G., 1099P
Bonners, W. A. B. See Pijpers, A. P., 453C
Booth, C. See Swales, T. G. E., 1585P; Viras, K., 471P
Borah, B. See Dekmezian, A., 367P
Borkar, P. S. See Dhal, P. K., 319C
Borsig, E. See Klimova, M., 105P
Bortolus, P. See Faucitano, A., 635C
Boue, F.
—; Osaki, K.; Ball, R. C.: Coherent Elastic Scattering of a Reptating Chain in a Melt during Transient Relaxation, 833P
Bovey, F. A.
Review of *^{13}C-NMR Spectroscopy—A Working Manual with Exercises*. E. Breitmaier, and Bauer, G., 202L
Bowmer, T. N. See Lovinger, A. J., 1449P
Boyer, R. F. See Denny, L. R., 267L; Gourari, A., 889P
Comments on "Some Evidence against the Existence of the Liquid–Liquid Transition. III. The Evaluation of the T_{LL} Event by Differential Scanning Calorimetry", 1P
Comments on "Some Evidence against the Existence of the Liquid–Liquid Transition. IV. The Temperature Dependence of Shear Viscosity", 21P
Brahme, N. M. See Smith, W. T., Jr., 879C
Brandt, K. A.
—; Overberger, C. G.: Spectroscopic Studies of Poly (*N*-Acyldehydroalanines) Containing Asymmetric Nucleic Acid Base Derivatives as Pendant Groups, 1981C
Briber, R. M.
—; Thomas, E. L.: The Structure of MDI/BDO-Based Polyurethanes: Diffraction Studies on Model Compounds and Oriented Thin Films, 1915P
Brimhall, S. L.
—; Myers, M. N.; Caldwell, K. D.; Giddings, J. C.: Study of Temperature Dependence of Thermal Diffusion in Polystyrene/Ethylbenzene by Thermal Field-Flow Fractionation, 2443P
Brittain, H. G. See Crescenzi, V., 437P
Brockman, N. L.
—; Eisenberg, A.: The Bulk Viscoelastic Properties of Poly(styrene-co-sodium styrene-*p*-carboxylate), 1145P
Bronich, T. K. See Izumrudov, V. A., 439L
Brooks, D. E. See Yalpani, M., 1395C
Brown, C. E.
—; Kovacic, P.; Wilkie, C. A.; Kinsinger, J. A.; Cody, R. B., Jr.: Laser Desorption/Fourier-Transform Mass-Spectral Analysis of Molecular Weight Distribution and End-Group Composition of Poly(*p*-phenylene)s Synthesized by Various Routes, 403L
Brown, H. R.
—; Mills, P. J.; Kramer, E. J.: A SAXS Study of a Single Crack and Craze in Plasticized Polystyrene, 1857P

Brown, R. A.
—; Abd, R.; Yahya, S. B.: The Thermal Diffusivity of Natural Rubber, 451P
Broza, G.
—; Rieck, U.; Kawaguchi, A.; Petermann, J.: Epitaxial Crystallization of Polyethylene and Paraffin on Oriented Polypropylene, 2623P
Brunn, P. O.
Linear Polymers in Nonhomogeneous Flow Fields. II. The Cross-Stream Migration Velocity, 89P
—; Grisafi, S.: Linear Polymers in Nonhomogeneous Flow Fields. I. Translational Diffusion Coefficient, 73P
Bruzzone, M.
—; Carbonaro, A.: Crystallizable Elastomers by Chemical Modification of Transtactic Polydiolefins. Hydrochlorination, 139C
Buchwalter, S. L.
The Polymerization of Furfuryl Acetate in Acetonitrile, 2897C
Bulkin, B. J. See Deblase, F. J., 109L
Burns, J. L. See Montezinos, D., 421L
Burzynski, R.
—; Prasad, P. N.: Polymerization of Furil in the Solid State by Reaction with AsF_5 at the Solid–Gas Interface, 2193P
Butler, J. S. See Gordon, B., III, 19C
Buttafava, A. See Faucitano, A., 635C
Bywater, S.
—; Mackerron, D. H.; Worsfold, D. J.: The Anionic Polymerization of Butadiene in the Presence of Dipiperidinoethane, 1997C

Cabasso, I.
—; Korngold, E.; Liu, Z.-Z.: On the Separation of Alcohol/Water Mixtures by Polyethylene Ion Exchange Membranes, 577L
Calahorra, E.
—; Cortazar, M.; Guzman, G. M.: Thermal Decomposition of Poly(ethylene Oxide), Poly(methyl Methacrylate), and Their Mixtures by Thermogravimetric Method, 257L
Calame, J. P. See Fontanella, J. J., 113P
Caldwell, K. D. See Brimhall, S. L., 2443P
Candau, F.
—; Leong, Y. S.; Fitch, R. M.: Kinetic Study of the Polymerization of Acrylamide in Inverse Microemulsion, 193C
Cao, M.-Y.
—; Wunderlich, B.: Phase Transitions in Mesophase Macromolecules. V. Transitions in Poly(oxy-1,4-Phenylene Carbonyl-co-oxy-2,6-Naphthaloyl), 521P
Carbonaro, A. See Bruzzone, M., 139C
Carella, J. M. See Krigas, T. M., 509P
Carignan, Y. P. See Patterson, P. M., 483P
Carlini, C. See Chien, J. C. W., 1383C
—; Martinelli, M.; Rolla, P. A.; Tombari, E.: Kinetic Analysis of Photoinitiated Polymerization by Microwave Dielectrometry, 5L
Carr, S. H. See Marks, B. S., 1563P; Zhou, X., 305P
Carraher, C. E.
Review of *Organometallic Compounds and Living Organisms*. J. S. Thayer, 161L
Carroy, A. See Pefferkorn, E., 1997P
Casa, Della Casa
—; Bizzarri, Costa Bizzarri; Nuzziello, S.: A New Semiconducting Polymer: Poly(*m*-Phenylene Disulfide) Complexed with Chlorosulfonic Acid, 323L
Casey, D. J. See Huffman, K. R., 843C, 1939C
Castle, P. M. See Sadhir, R. K., 411C
Castles, J. L.
—; Vallance, M. A.; McKenna, J. M.; Cooper, S. L.: Thermal and Mechanical Properties of Short-Segment Block Copolyesters and Copolyether–esters, 2119P
Cernia, E.
—; D'Ilario, L.: Thermoplastic Elastomers: Structural and Morphological Aspects of Ether–Esteramide Copolymers, 49P
—; Petronio, B. M.: Use of Resins to Remove Phenols from Waste Water, 309L
Chainey, M. See Hearn, J., 1869C
—; Wilkinson, M. C.; Hearn, J.: Permeation Through Homopolymer Latex Films, 2947C
Challa, G. See Eling, B., 2165C
Chalych, A. E. See Popova, E. D., 1485P
Champion, J. V.
—; Killey, A.; Meeten, G. H.: Small-Angle Polarized Light Scattering by Spherulites, 1467P
Chandra, S. See Kumar, N., 57L
Chang, C.
—; Hsu, S. L.: Spectroscopic Analysis of Poly(*p*-phenylene benzobisthiazole) Films, 2307P
Chang, H.-S. See Chen, S.-A., 2615C
Chang, J. F.
—; Chang, T. C.; Ho, S. Y.: Rate Constants in the Photopolymerization of H_2O_2—Isoprene Systems, 3045C
Chang, T. C. See Chang, J. F., 3045C
Chang, T-C. See Higashi, F., 1361C, 2851C
Chatterjee, S. K.
—; Katyal, A.: Analysis of Some Phenolic Copolymer Mixtures by Electrometric Titration Techniques, 1009C
Chaturvedi, P. N.
—; Patel, C. K.: Dilute-Solution Properties of Trans-1,4-Polyisoprene, 1255P
Chau, N. See Saegusa, Y., 2727C
Chaudhari, S. N. K. See Dhal, P. K, 2679C
Chen, C. C. See Overberger, C. G., 345L
Chen, J.
—; Kow, C.; Fetters, L. J.: Rebuttal to "Comments on 'Some Evidence against the Existence of the Liquid–Liquid Transition. III. The Evaluation of the T_{LL} Event by Differential Scanning Calorimetry'", 13P
Chen, J. H.
—; Labes, M. M.: Conducting Carbon-Nitrogen Pyropolymers Derived From Cyanogen, 517C
Chen, S. H. See Barooah, A., 2457P
Chen, S.-A.
—; Chang, H.-S.: Kinetics and Mechanism of Emulsifier-Free Emulsion Polymerization: Styrene/Surface Active Ionic Comonomer System, 2615C
—; Shy, H.-J.: Electrochemical Polymerization of Acetylene in a Surface of Platinum, 2441C
Chen, W.-H. See Higashi, F., 2851C
Chen, Y. See Yonezawa, N., 617L
Chen, Y-Y.
—; Oshima, R.; Kumanotani, J.: A Morphological Analogue of Japanese Lacquer. Grafting of *p*-Hydroxystyrene onto Pollulan by Ammonium Persulfate Initiation in Dimethylsulfoxide, 1283C
Cheng, H. N.
—; Smith, T. E.; Vitus, D. M.: Studies of Solution Dynamics of Poly(*N*-Vinyl Pyrrolidone) and Its Iodine Adduct, 461P
Chern, S. S. See Pang, S. S., 683P
—; Zhang, Z. D.; Hsiao, C. C.: Crazing As Quasifracture In An Oriented Viscoelastic Medium, 2579P
Chew, C. H.
—; Gan, L. M.: Polymerization of Water-in-Oil Microemulsions: Methyl Methacrylate, Acrylic Acid, and Sodium Acrylamidostearate, 2225C
Chien, J. C. W. See Lu, P. H., 1421C; Yang, X-Z., 859C
—; Carlini, C.: Semiconducting Poly(dicyanoacetylenes), 1383C
—; Finkenaur, A. L.: A Simplification of the Terpolymerization Equation, 2247C
—; Kuo, C-I.: Magnesium Chloride Supported High Mileage Catalyst for Olefin Polymerization. VII. Determinations of Concentrations of Titanium–Polymer and Aluminum–Polymer Bonds, 731C
—; Kuo, C-I.: Magnesium Chloride Supported HIgh Mileage Catalyst for Olefin Polymerization. VIII. Decay and Transformation of Active Sites, 761C

—; Kuo, C-I.; Ang, T.: Magnesium Chloride Supported High Mileage Catalyst for Olefin Polymerization. VI. Definitive Evidence Against Diffusion Limitation, 723C
—; Schen, M. A.: Low- and High-Molecular-Weight Polyacetylenes: Synthesis, Characterization, and Thermal Isomerization, 2447C
Chingas, G. C. See Falabella, R., 433L
Cho, H-N.
—; Choi, S-K.: Ring-Opening Polymerization of 2-Azabicyclo-[2,2,1]-hept-5-en-3-one Using Metathesis Catalysts, 1469C
—; Choi, K-Y.; Choi, S.-K.: Polymerization fo 2-Azabicyclo[2,2,1]heptan-3-one and Its Copolymerization with 2-Pyrrolidione, 623C
Chodak, I. See Jellinek, H. H. G., 2291C
Choi, K-Y. See Cho, H-N., 623C
Choi, S.-K. See Cho, H-N., 623C, 1469C
Choi, Y. T.
—; El-Aasser, M. S.; Sudol, E. D.; Vanderhoff, J. W.: Polymerization of Styrene Miniemulsions, 2973C
Choudhary, M. S. See Varma, I. K., 1885C
—; Varma, I. K.: Copolymers of 2-Hydroxyethyl Methacrylate and Alkyl Methacrylates. I. Synthesis and Characterization, 1917C
Chowdhury, D. K. See Ghosh, P., 1407C
Choy, C. L. See Ng, H. C., 973P
—; Leung, W. P.: Elastic Moduli of Ultradrawn Polyethylene, 1759P
—; Leung, W. P.; Ma, T. L.: Study of Molecular Mobility in Ultraoriented Polypropylene by the Spin-Probe Technique, 557P
—; Wong, S. P.; Young, K.: Model Calculation of the Thermal Conductivity of Polymer Crystals, 1495P
Chrzaszcz, R. See Pielichowski, J., 387L
Chu, B. See Naoki, M., 2567P
Chu, V. P.
—; Overberger, C. G.: Nucleic Acid Base Grafted Polyethylenimine. Cytosyl Pendant Groups: Elucidation of Structure With Solution Spectroscopy, 2385C
Chughtai, A. R. See Sergides, C. A., 1573P
Clark, A. J. A.
—; Lenk, R. S.: Further Investigations into the Formation of Imide Linkages During the Amidation of Mono- and Difunctional Aroxyacetyl Chlorides, 2461C
Clough, R. L. See Gillen, K. T., 2683C
—; Gillen, K. T.; Quintana, C. A.: Heterogeneous Oxidative Degradation in Irradiated Polymers, 359C
Cody, R. B., Jr. See Brown, C. E., 403L
Cohen, C. See Hsu, T.-P., 395L
Cohen, H. L.
Preparation and Reactions of Polymeric Azides. III. The Preparation and Reactions of Polymeric Phosphine Imines, 1671C
Conjeevaram, S. V.
—; Benson, R. S.; Lyman, D. J.: Block Copolyurethanes Based on Polyoxytrimethylene Glycols, 429C
Cooper, S. L. See Castles, J. L., 2119P; Miller, J. A., 1065P; Xue-Hai, Y., 2319P
Corn, S. See Strobel, M., 1125C
Cortazar, M. See Calahorra, E., 257L
Cotts, D. B.
Dependence of Chain Conformation and Solution Thermodynamics on Composition for Poly(ortho ester)s Prepared from Ketene Acetals and Mixtures of Diols, 2217P
Cowie, J. M. G.
—; Ferguson, R.: Glass and Subglass Transitions in a Series of Poly(itaconate ester)s with Methyl-Terminated Poly(ethylene oxide) Side Chains, 2181P
Crescenzi, V.
—; Brittain, H. G.; Yoshino, N.; Okamoto, Y.: Investigation of Ion Binding in Ionic Polysaccharide Solutions Using Tb(III) as a Luminescent Probe, 437P
Crissman, J. M.
—; Zapas, L. J.: On the Mechanical Preconditioning of Ultrahigh-Molecular-Weight Polyethylene at Small Uniaxial Deformations, 2599P
Crist, B. See Krigas, T. M., 509P; Wissler, G. E., 2395P
Curro, J. G See Mark, J. E., 2629P
Czanderna, A. W. See Jellinek, H. H. G., 2291C

Daikyo, T. See Kuzuya, M., 77C
Dais, P. See Babilis, D., 1089C
Dalal, V. F.
—; Litt, M. H.; Rickert, S. E.: Poly(bismethylene Hydroquinone) (PBHQ). I. Synthesis and Characterization, 2659C
D'Alessio, A. See Benedetti, E., 1187P
Daly, J. H. See Garton, A., 1031C
Das, A. P. See Lenka, S., 1615C
Dass, N. N.
—; Begum, S. S.: Polymerization of Methyl Methacrylate with Malononitrile And Fe(III) Mixture, 2561C
Daumerie, M. See Bailly, Ch., 343P, 493P, 751P
Deb, P. C.
Compositional Analysis of Styrene and Maleic Anhydride Copolymerization: Complex Model and Penultimate Model, 233L
Deblase, F. J.
—; McKelvy, M. L.; Lewin, M.; Bulkin, B. J.: Low-Frequency Raman Spectra of Poly(ethylene Terephthalate), 109L
De Candia, F.
—; Romano, G.; Russo, R.: Analysis of Stress-Induced Crystallization in High-*cis*-1,4-polybutadiene, 2109P
—; Vittoria, V.; Peterlin, A.: Time Dependence of Mechanical and Transport Properties of Drawn and Annealed Linear Polyethylene, 1217P
Dechter, J. J. See Dekmezian, A., 367P
^{1}H and ^{13}C Relaxation for the Resolved Crystalline and Amorphous Phases of Polyethylene Oxide, 261L
Dekmezian, A.
—; Axelson, D. E.; Dechter, J. J.; Borah, B.; Mandelkern, L.: Carbon-13 NMR Relaxation and Transitions in Polymers, 367P
Demirel, G.
—; Akovali, G.: Some Studies on Plasma-Initiated Polymerization of (MMA) and on Plasma Polymerized (PMMA), 2377C
Denny, L. R.
—; Panichella, K. M.; Boyer, R. F.: Molecular Weight Dependence of the Sintering-Flow Behavior for Particulate Polystyrenes (Erratum), 267L
De Paoli, M. A.
—; Waltman, R. J.; Diaz, A. F.; Bargon, J.: An Electrically Conductive Plastic Composite Derived from Polypyrrole and Poly(vinyl Chloride), 1687C
De Paoli, M-A. See Giesse, R., 383L
Desai, P.
—; Abhiraman, A. S.: Crystallization in Oriented Poly(ethylene Terephthalate) Fibers. I. Fundamental Aspects, 653P
—; Abhiraman, A. S.: Orientation Distribution in the Neighborhood of a Growing Crystal, 213L
Desaraju, P.
—; Winston, A.: Synthesis of a Polyhydroxamic Acid by Interfacial Polymerization, 73L
Deshe, A. See Kahana, N., 231C; Warshawaky, A., 1839C
Dhal, P. K.
—; Babu, G. N.; Borkar, P. S.; Sudhakaran, S.: Epoxy Functional Copolymers as Biospecific Adsorbents for Purification of Enzymes, 319C
—; Ramakrishna, M. S.; Srinivasan, G.; Chaudhari, S. N. K.: Differential Scanning Calorimetric (DSC) Study of Alternating Copolymers, 2679C
Dias, A. J. See Bonafini, J. A., 33L
—; McCarthy, T. J.: Dehydrofluorination of Poly(vinylidene Fluoride) in

Dimethylformamide Solution: Synthesis of an Operationally Soluble Semiconducting Polymer, 1057C
Diaz, A. F. See De Paoli, M. A., 1687C
Diaz, F. R.
—; Tagle, L. H.; Godoy, A.; Hodgson, C.; Olivares, J. P.: Synthesis and Characterization of Polymers Derived from 2,5-Dimethoxy-Terephthaldehyde and 2,5-Dimethoxy-Terephthalic Acid, 2757C
—; Tagle, L. H.; Padilla, M. E.: Polyhalogenated Polyamides IV. Synthesis and Characterization of Polyhalogenated Polyamides in a Melt–Solid Process at High Temperature and in Solution at Low Temperature, 2043C
Diaz Calleja, R. See Gomez Ribelles, J. L., 1297P, 1505P
Dickinson, J. T.
—; Jensen, L. C.: Fracto-Emission from Filled and Unfilled Polybutadiene, 873P
—; Klakken, M. L.; Miles, M. H.; Jensen, L. C.: Electron-Beam-Induced Fracture of Polymers, 2273P
Diffusion See Viollaz, P., 143P
Di Landro, L. See Pegoraro, M., 2499P
D'Ilario, L. See Cernia, E., 49P
Dima, M. See Dragan, S., 1267C
Dimotsis, G. See Gerbi, D. J., 551L
Domszy, R. C. See Swales, T. G. E., 1585P
Dondos, A.
—; Skordilis, V.: Correction of the Mark–Houwink–Sakurada Equation in the Low-Molecular-Weight Range, 615P
Doroshenko, Yu. E. See Korshak, V. V., 595C
Doyle, M. See Bannister, D. J., 415L
Dragan, S.
—; Ioan, S.; Petrariu, I.; Dima, M.: Cationic Polyelectrolytes. V. on Macromolecular Chain Conformational State during Amination Reactions of CMPS, 1267C
Dresselhaus, M. S. See Wnek, G. E., 609L
Duda, J. L. See Vrentas, J. S., 275P, 289P, 2469P
Dudek, L. P. See Lin, J. W-P., 1579C, 1589C
Durning, C. J.
Differential Sorption in Viscoelastic Fluids, 1831P
—; Spencer, J. L.; Tabor, M.: Differential Sorption and Permeation in Viscous Media, 171L

Eaves, J. G. See Munro, H. S., 507C
Edsall, J. T.
Review of *Proteins*. T. E. Creighton, 119L
Egawa, H. See Nonaka, T., 1537C; Tsunooka, M., 2495C
Egorov, V. M. See Bershtein, V. A., 371L
Einaga, Y. See Venkatraman, S., 1275P
Eisenberg, A. See Brockman, N. L., 1145P
Ekpenyong, K. I.
Sequence-Length Distribution in Bulk and DMSO-Derived Acrylic Acid/Methylmethacrylate Copolymers, 125C
El-Aasser, M. S. See Choi, Y. T., 2973C; Jayasuriya, R. M., 2819C
Eling, B.
—; Challa, G.; Pandit, U. K.: A Regenerable Immobilized NADH Model IV: Reduction of Pyridine-2-Carbaldehyde by Immobilized 1,4-Dihydronicotinamide in the Presence of Mg^{2+} Ions, 2165C
El-Kalyoubi, S. F. See Sefain, M. Z., 1569C
Ellul, M. D.
—; Gent, A. N.: The Role of Molecular Diffusion in the Adhesion of EPDM and EPR Elastomers, 1823P
Encinas, M. V.
—; Garrido, J.; Lissi, E. A.: Photopolymerization Initiated by Carbonyl Compounds. VII. Solvent Effects on Biacetyl Photoinitiation, 2481C
Endo, T. See Kijima, M., 1723C; Miyazawa, T., 1527C, 2487C; Nambu, Y., 223C, 409L; Uno, H., 63C
—; Kanda, N.: Syntheses of 2-Phenyl-3-Vinyloxirane Derivatives that Undergo Radical Ring-Opening Polymerization, 1931C
—; Uno, H.: Thermoinitiated Cationic Polymerization of Bicyclo Ortho Ester by Benzylsulfonium Salts, 359L
Endo, Y. See Iizawa, T., 623L
Eren, S. See Toppare, L., 303C
Escoubes, M. See Pineri, M., 2009P
Evans, J. R.
—; Orwoll, R. A.; Tang, S. S.: Polyimides and Polyamides with Semiflexible Spacers, 971C

Falabella, R.
—; Chingas, G. C.: Anomalous Stress and Volume Relaxation Due to Moisture Desorption in Poly(ether Sulfone), 433L
Fanconi, B.
—; Rabolt, J. F.: The Determination of Longitudinal Crystal Moduli in Polymers by Spectroscopic Methods, 1201P
Fasulo, P. D. See Garner, D. P., 2177C
Faucitano, A.
—; Buttafava, A.; Martinotti, F.; Gratani, F.; Bortolus, P.: Nature and ESR Anisotropy of Trapped Radicals in UV-Irradiated Isotactic Polypropylene at 4.2 K and 77 K, 635C
Fayt, R.
—; Hadjiandreou, P.; Teyssie, Ph.: Molecular Design of Multicomponent Polymer Systems. VII. Emulsifying Effect of Poly(ethylene–b–styrene) Copolymer in High-Density Polyethylene/Polystyrene Blends, 337C
Feldman, D.
Review of *Cationic Polymerization and Related Processes*. E. J. Goethals, Ed., 197L
Review of *Contemporary Topics in Polymer Science, 5th Volume*. E. J. Vandenberg, Ed., 198L
Review of *Mechanical Testing of Plastics, 2nd ed.*. S. Turner, G. Godwin, 50L
Review of *Polymer Reaction Engineering—Influences of Reaction Engineering on Polymer Properties*. K. H. Reichert, and W. Geiseler, Eds., 199L
Ferguson, R. See Cowie, J. M. G., 2181P
Fernandez, M. D.
—; Pelayo, A.; Otero, T. F.; Guzman, G. M.: Polymerization of Methyl Methacrylate Initiated by the Redox System Ce(IV)/Isobutyl Alcohol, 79L
Fernandez-Santin, J. M. See Munoz-Guerra, S., 733P
Fetters, L. J. See Chen, J., 13P
Fichte, B. B. See Voicechovsky, Y. P., 1641C
Field, N. D.
—; Li, C.: Conversion of Solid Poly(methyl Vinyl Ether-alt-Maleimide) to Poly(methyl Vinyl Ether-alt-Maleic Anhydride), 2017C
Finegold, L. See Kamel, I., 2407P
Finkenaur, A. L. See Chien, J. C. W., 2247C
Fisher, C. M.
—; Gilbert, R. D.; Fornes, R. E.; Memory, J. D.: Reduction in the Moisture Absorption of Cured MY720/DDS Epoxy Resins, 2931C
Fitch, R. M. See Candau, F., 193C
Fohlen, G. M. See Achar, B. N., 389C, 801C, 1677C
Fontanella, J. J.
—; Wintersgill, M. C.; Calame, J. P.; Andeen, C. G.: Electrical and Differential Scanning Calorimetry Studies of Poly(ethylene Oxide) Complexed with Alkaline-Earth Thiocyanates, 113P
Fontanille, M. See Leclerc, M., 2031P
Forcada, J.
—; Asua, J. M.: Modelling the Microstructure of Emulsion Copolymers, 1955C
Fornalik, M. See McCaffrey, R. R., 1523P
Fornes, R. E. See Fisher, C. M., 2931C
Fouassier, J. P.
—; Lougnot, D. J.; Pilot, T.: Visible Laser Light in Photoinduced Polymerization. I. A Quantitative Comparison with UV Laser Irradiation, 569C

Frank, C. W. See Fredrickson, G. H., 591P
Frank, P. See Shultz, A. R., 1749P
Frazer, A. H.
—; Anderson, B. C.; Fukunaga, T.: Polyesters from 2,6-Dihydroxy-9,10-dihydro-9,10-ethanoanthracene and 2,6-Dihydroxyanthracene, 2791C
Frazer, F. H.
—; Anderson, B. C.; Garver, L. C.; Fukunaga, T.: Polyamides from 2,6(7)-Diamino-9,10-dihydro-9,10-ethanoanthracene and 2,6(7)-Diaminoanthracene, 2779C
Fredrickson, G. H.
—; Andersen, H. C.; Frank, C. W.: Macromolecular Pair Correlation Functions from Fluorescence Depolarization Experiments, 591P
Freed, K. F. See Jhon, M. S., 955P
Frisch, H. L. See Ika, P. V. S., 1163C, 1175C; Jackle, J., 675P
Frisch, K. C. See Ika, P. V. S., 1163C, 1175C
Fuhrer, H. See Renner, A., 2341C
Fujii, H. See Ishihara, K., 481L, 2841C
Fujimori, K.
Complexation of Poly(ethyleneimine) with Copper(II) and Nickel(II) Ions in 0.5 M KNO_3 Solution, 169C
Fujita, T. See Kurumada, T., 1477C, 2747C
Fukunaga, T. See Frazer, A. H., 2791C; Frazer, F. H., 2779C
Fukutomi, T. See Ishizu, K., 219L, 445C, 1099C
Fuller, G. G. See Zebrowski, B. E., 575P
Furue, M. See Iwai, K., 27C; Sumi, K., 3059C

Galeski, A. See Piorkowska, E., 1723P
Gan, L. M. See Chew, C. H., 2225C
Gandhi, K. S. See Rao, K. B., 2135C, 2305C
Garban, C. See Rabagliati, F. M., 895C
Garcia, D.
—; Starkweather, H. W., Jr.: Hydrogen Bonding in Nylon 66 and Model Compounds, 537P
Garg, S. N.
—; Misra, A.: Crystallization Behavior of a Polyester–Polyamide Block Copolymer, 27L
Garner, D. P.
—; Fasulo, P. D.: The Effect of Temperature and Solvent on the Synthesis and Properties of Nylon 610 Made from Sebacyl Bisketene, 2177C
Garnett, J. L.
—; Jankiewicz, S. V.; Long, M. A.; Sangster, D. F.: The Role of Inorganic Salts in Accelerating the Radiation-Induced Grafting of Styrene to Cellulose and Polyethylene, 563L
Garrido, J. See Encinas, M. V., 2481C
Garrido, L.
—; Mark, J. E.: Extraction and Sorption Studies Using Linear Polymer Chains and Model Networks, 1933P
Garton, A.
—; Daly, J. H.: The Crosslinking of Epoxy Resins at Interfaces. II. At an Aromatic Polyamide Surface, 1031C
Garver, L. C. See Frazer, F. H., 2779C
Gaudiana, R. A. See Rogers, H. G., 2669C
Gay, M. S. See Khor, E., 175C
Gaymans, R. J.
The Synthesis and Some Properties of Nylon 4,T, 1599C
Gazicki, M.
—; James, W. J.; Yasuda, H. K.: The EPR Spectra of Poly(chloro-Para-Xylylene) in Vacuum and in Air, 639L
—; Surendran, G.; James, W.; Yasuda, H.: Polymerization of Para-Xylylene Derivatives (Parylene Polymerization). II. Heat Effects during Deposition of Parylene C at Different Temperatures, 2255C
Gent, A. N. See Ellul, M. D., 1823P
—; Rodgers, W. R.: Mechanochemical Reactions of Elastomers with Metals, 829C
Genzel, L. See Nie, C. S., 1247P
George, A.
—; Radhakrishnan, G.; Joseph, K. T.: Graft Copolymerization of Ethyl Acrylate Onto Gelatin Using Hydrogen Peroxide and Ascorbic Acid in Aqueous Medium, 2865C
Gerbi, D. J.
—; Dimotsis, G.; Morgan, J. L.; Williams, R. F.; Kellman, R.: The Effect of Water on the Formation of Polyarylethers via Phase-Transfer-Catalyzed Nucleophilic Aromatic Substitution, 551L
German, A. L. See Hautus, F. L. M., 311L
Ghosh, P.
—; Chowdhury, D. K.: Benzophenone-Sensitized Photopolymerization of Methyl Methacrylate Using Dimethyl Aniline–Maleic Acid Combination as Photoinitiator, 1407C
Giannetti, E.
—; Nicoletti, G. M.; Mazzocchi, R.: Homogeneous Ziegler–Natta Catalysis. II. Ethylene Polymerization by IVB Transition Metal Complexes/Methyl Aluminoxane Catalyst Systems, 2117C
Gibson, P. E. See Xue-Hai, Y., 2319P
Giddings, J. C. See Brimhall, S. L., 2443P
Giesse, R.
—; De Paoli, M-A.: Changes in the Water Vapor Transmission Rate of Low-Density Polyethylene by Photochemical Compounding, 383L
Gilbert, R. D. See Fisher, C. M., 2931C
Gillen, K. T. See Clough, R. L., 359C
—; Clough, R. L.: A Kinetic Model for Predicting Oxidative Degradation Rates in Combined Radiation-Thermal Environments, 2683C
Gilli, J. M.
—; Sixou, P.; Blumstein, A.: Bend Elastic Constant and Shear Rotational Viscosity in a Liquid Crystal–Mesomorphic Polymer Mixture, 379L
Giuffrida, M. See Ballistreri, A., 1145C, 1731C
Godovsky, Yu. K. See Tsvankin, D. Ya., 1043C
Godoy, A. See Diaz, F. R., 2757C
Goh, C. J.
—; Phan-Thien, N.; Atkinson, J. D.: Bead–Spring Model for Adsorbed Polymer Chains in Shear Flow: Hydrodynamic Interaction, 695P
Goh, S. H. See Barnum, R. S., 395L
Goldfarb, I. J. See Wiff, D. R., 1165P
Gomez Ribelles, J. L.
—; Diaz Calleja, R.: Application of the Method of Brather for the Determination of Complex Dielectric Permittivity from Measurements of Isothermal Polarization Current, 1505P
—; Diaz Calleja, R.: The β Dielectric Relaxation in some Methacrylate Polymers, 1297P
Gonsalves, K.
—; Zhan-Ru, L.; Lenz, R. W.; Rausch, M. D.: The Cationic Polymerization and Copolymerization of Isopropenylmetallocene Monomers, 1707C
Goodall, A. R. See Hearn, J., 1869C
Gooden, R. See Reichmanis, E., 1C
Gopal, J.
—; Srinivasan, M.: Preparation and Properties of Regular Poly(amide-Ureas), 2719C
Gopalan, A.
—; Paulrajan, S.; Subbaratnam, N. R.; Rao, K. V.: Cyclopolymerization of *N,N'*-Methylene Bisacrylamide Initiated by $S_2O_8^{2-}$—Fe^{2+} Redox System, 1861C
Gopalan, V. See Ariff, M., 2063C
Gordon, B., III
—; Butler, J. S.; Harrison, I. R.: Preparation and Hydrogenation Studies of Rhodium(I) Catalyst Supported on Polymer Crystal Surfaces, 19C
Gorecki, P.
—; Kuran, W.: Diethylzinc–Trihydric Phenol Catalysts for Copolymerization of Carbon Dioxide and Propylene Oxide: Activity in Copolymerization and Copolymer Destruction Processes, 299L
Gourari, A.
—; Bendaoud, M.; Lacabanne, C.; Boyer, R. F.: Influence of Tacticity on T_β, T_g, and T_{LL} in

Poly(methyl methacrylate)s by the Method of Thermally Stimulated Current (TSC), 889P
Graczyk, T.
—; Hornof, V.: Effect of Stirring on Cellulose Graft Copolymerization. IV. Grafting of Styrene by Initiator Systems Involving Potassium Persulfate, 851C
Graessley, W. W. See Krigas, T. M., 509P
Granger, F. See Bataille, P. F., 997C
Grasel, T. G. See Xue-Hai, Y., 2319P
Gratani, F. See Faucitano, A., 635C
Grayson, M. A.
—; Wolf, C. J.: Mechanochemical Reactions in an Epoxy Resin System, 1087P
Griffin, G. J. L. See Nwufo, B. T., 2023C
Griffing, B. F. See Shultz, A. R., 1749P
Griggs, J. A. See Tung, L. H., 1551C
Grigoras, M. See Simionescu, C. I., 2089C
Grisafi, S. See Brunn, P. O., 73P
Grunwald, H. See Munro, H. S., 479C
Guiseppi-Elie, A.
—; Wnek, G. E.: Introduction of Hydrophilicity of Polyacetylene Film Surfaces, 2601C
Gunawan, L.
—; Haken, J. K.: The Mechanisms of Thermal Degradation of Polymethyl Acrylate using Pyrolysis Gas Chromatography Mass Spectrometry, 2539C
Gupta, V. B.
—; Ramesh, C.; Siesler, H. W.: Rheo-Optical Fourier-Transform Infrared Spectroscopy of Polymers. VII. Uniaxial Deformation of Heat-Set Poly(ethylene terephthalate) Film, 405P
Guzdar, Z. A. See Bonafini, J. A., 33L
Guzman, G. M. See Calahorra, E., 257L; Fernandez, M. D., 79L
Guzman, J. See Riande, E., 1031P, 1235P
—; Riande, E.; Rico, M.; Santoro, J.: Study of the Microstructure of Tetrahydrofuran-3,3 Dimethyloxetane Copolymers by ^{13}C-NMR Spectroscopy, 2283C

Hadjiandreou, P. See Fayt, R., 337C
Hager, B. L. See Peiffer, D. G., 1869P
Hagiwara, T. See Iwata, K., 2361C
Hair, M. L. See Ober, C. K., 103L
Hakemi, H.
—; Krigbaum, W. R.: Diffusion Study of a Polymer–Diluent System Using the Optical Mass Transport Method, 253P
Haken, J. K. See Gunawan, L., 2539C
Hamada, F. See Yamaguchi, S., 1657P
Hamada, T. See Numasawa, N., 1L
Hamano, H. See Kozuka, H., 1243C; Takagishi, T., 37C, 495L
Han, C. D.
Review of *Mechanical Properties of Solid Polymers, 2nd ed.* I. M. Ward, 119L
Review of *Plastic Deformation of Amorphous and Semi-Crystalline Materials*. B. Escaig, and C. G'Sell, Eds., 118L
Review of *Properties and Processing of Polymers for Engineers*. G. R. Moore, and D. E. Kline, 118L
Haque, S. A.
—; Biswas, M.: Vinyl Polymerization by Carbon Black V. Solvent Effect and the Kinetics of the Polymerization of N-Vinylcarbazole, 2567C
Haramoto, Y. See Kamogawa, H., 1517C
Hardenstine, K. E.
—; Henderson, G. V. S., Jr.; Sperling, L. H.; Murphy, C. J.; Manser, G. E.: Crystallization Behavior of Poly(3,3-*bis*ethoxymethyl oxetane) and Poly(3,3-*bis*azidomethyl oxetane), 1597P
Hargreaves, K.
Hexakis(arylisocyano) Derivatives of Chromium(O) as Initiators of Vinyl Polymerization: Steric Effects, 119C
Harima, K. See Koyama, Y., 2989C
Harrah, L. A.
—; Zeigler, J. M.: Rod-to-Coil Transition in Solutions of Poly(di-*n*-Hexyl Silane), 209L
Harris, J. M. See McManus, S. P., 379C
Harrison, I. R. See Gordon, B., III, 19C
Hasan, M. U.
—; Ali, S. A.: Synthesis and High Field ^{13}C-NMR Spectra of Isomeric Dibenzylbenzenes, 1847C
Hasegawa, M. See Yonezawa, N., 617L
Hata, Y. See Ogiwara, Y., 365L
Hautus, F. L. M.
—; German, A. L.; Linssen, H. N.: On Numerical Problems When Reactivity Ratios Are Computed Using the Integrated Copolymer Equation, 311L
Havens, S. J.
—; Hergenrother, P. M.: Synthesis and Characterization of Poly(arylene ethyne)s, 587L
Hayakawa, K.
—; Kawase, K.; Yamakita, H.: On the Reaction Mechanism of Gamma-Ray Solid-State Copolymerization, 2739C
Hayasgi, K. See Iizawa, T., 623L
Hayashi, H. See Yamaguchi, S., 1657P
Hearn, J. See Chainey, M., 2947C
—; Wilkinson, M. C.; Goodall, A. R.; Chainey, M.: Kinetics of the Surfactant-Free Emulsion Polymerization of Styrene: The Post Nucleation Stage, 1869C
Henderson, C. P.
—; Williams, M. C.: Influence of the Interphase on Block Copolymer Thermodynamics: Extension of the Leary Model, 1001P
Henderson, G. V. S., Jr. See Hardenstine, K. E., 1597P
Hergenrother, P. M. See Havens, S. J., 587L; Jensen, B. J., 2233C
Herring, F. G.
—; Jagannathan, N. R.; Luoma, G.: The Elucidation of the ^1H- and ^{13}C-NMR Spectra of Bis[*N,N*-Di(2,3-Epoxypropyl)-4-Aminophenyl]methane (TGMDA) and Composite with Bis(4-Aminophenyl)sulfone (DDS) Using Two-Dimensional Fourier Transform Techniques, 1649C
Herweh, J. E.
Synthesis, Characterization, and Complexing Properties of a Polymethacrylate Bearing Pendant Macroheterocyclic Structures, 2767C
Hideshima, T. See Kakizaki, M., 809P; Kakudate, T., 787P
Higaki, T. See Tsujita, Y., 1255C
Higashi, F.
—; Hoshio, A.; Yamada, Y.; Ozawa, M.: Direct Polyesterification Promoted by a Complex of Diphenyl Chlorophosphate with LiBr, 69C
—; Mashimo, T.: Direct Polycondensation with Tosyl Chloride in Pyridine by Formamide Catalyzed Alcoholysis, 2999C
—; Mashimo, T.: Effect of the Rate of Propagation on the Direct Polyesterification with Tosyl Chloride in Pyridine, 2715C
—; Mashimo, T.; Takahashi, I.; Akiyama, N.: Direct Polyesterification with Tosyl Chloride in Pyridine, 3095C
—; Mihara, Y.; Takahashi, I.; Chang, T.-C.; Chen, W.-H.: Preparation of Aromatic Copolyesteramides by the Direct Polycondensation with a Vilsmeier Adduct Derived from Tosyl Chloride and *N,N*-Dimethylformamide, 2851C
—; Ozawa, M.; Chang, T-C.: Direct Synthesis of Aromatic Polyesters by Use of a Sulfonium Salt Derived from Tosyl Chloride and *N*-Methylimidazole, 1361C
—; Ozawa, M.; Hoshio, A.; Mochizuki, A.: Copoly(amide–Ester)s from *p*-Aminobenzoic and Hydroxybenzoic Acids by the Direct Polycondensation with Diphenyl Chlorophosphate and LiCl, 1699C
—; Takahashi, I.: Random Sequences in Polyamide–Esters from Isophthaloyl Chloride and *m*-Aminophenol, 1369C
—; Yamada, Y.: Direct Polycondensation of Hydroxybenzoic Acids with Diphenyl

Chlorophosphate in the Presence of Ethers, 2709C
Higashimura, T. See Okano, Y., 2527C
Hillegers, L. T. See Scholtens, B. J. R., 2377P
Hirai, H.
—; Takeuchi, K.; Komiyama, M.: Alternation-Regulating Activities of Metal Halides in the Copolymerization of Methyl Methacrylate and Styrene, 901C
Hirata, K. See Yamaura, K., 1703P
Hjertberg, T.
—; Salaneck, W. R.; Lundstrom, I.; Somasiri, N. L. D.; MacDiarmid, A. G.: A ^{13}C CP-MAS NMR Investigation of Polyaniline, 453L
Ho, P. S. See Silverman, B. D., 2857C
Ho, S. Y. See Chang, J. F., 3045C
Hodgson, C. See Diaz, F. R., 2757C
Hogen-Esch, T. E. See Huang, S. S., 1203C; Meverden, C. C., 159C
Holden, D. A.
A Model Illustrating the Relationship Between Fluorescence Polarization and Sequence Distribution in Statistical Copolymers, 37L
Holden, P. S.
—; Orchard, G. A. J.; Ward, I. M.: A Study of the Gas Barrier Properties of Highly Oriented Polyethylene, 709P
—; Orchard, G. A. J.; Ward, I. M.: The Application of Gas Barrier and Thermal Expansion Techniques to Study Structural Changes on Annealing, 2295P
Horne, S. E., Jr. See Huvard, G. S., 2005C
Hornick, C. See Spegt, P., 315P
Hornof, V. See Graczyk, T., 851C
Hosaka, Y. See Kojima, T., 343C
Hoshio, A. See Higashi, F., 69C, 1699C
Hosokawa, Y. See Tomoi, M., 49C
Hou, A.-C. See Vrentas, J. S., 289P, 2469P
Howley, P. S. See Rowland, S. P., 183C
Hsiao, C. C. See Chern, S. S., 2579P; Pang, S. S., 683P
Hsu, S. L. See Chang, C., 2307P
Hsu, T.-P.
—; Cohen, C.: Transition in Gels, 395L
Hsu, W. Y.
—; Berzins, T.: Percolation and Effective-Medium Theories for Perfluorinated Ionomers and Polymer Composites, 933P
Hu, S.
—; Xu, M.; Li, J.; Qian, B.; Lenz, R. W.; Wang, X.: Studies on the Morphology and Structure of Aromatic Polyester Films, 2387P
Huang, S. S.
—; Hogen-Esch, T. E.: Oligomerization of Vinyl Monomers 20. Carbon-13 NMR of Oligomers of 2-Vinylpyridine. Studies of Labelled End Groups, 1203C
Huang, Y.
—; Li, J.; Zhou, Q.; Zhou, J.: Polymerization of Perfluoro-2-Alkynenitriles by π-Bis(benzene)chromium(O), 1853C
Huffman, K. R.
—; Casey, D. J.: Effect of Carboxyl End Groups on Hydrolysis of Polyglycolic Acid, 1939C
—; Casey, D. J.: Polyesters Derived from 1,4-oxathian-2-Ones, 843C
Hung, Y-H.
—; Li, Z-M.; Morawetz, H.: The Kinetics of the Attachment of Polymer Chains to Reactive Latex Particles and the Resulting Latex Stabilization, 795C
Huson, M. G.
—; McGill, W. J.: The Effect of Transcrystallinity on the Behavior of Fibers in Polymer Matrices, 121P
—; McGill, W. J.; Wiggett, R. D.: A Contribution To The Theory of Accelerated Sulphur Vulcanization of Natural Rubber and Polybutadiene br with Tetramethyl Thiuram Disulphide and Bis(2-benzothiazolyl) Disulphide, 2833C
Huvard, G. S.
—; Nicholas, P. P.; Horne, S. E., Jr.: Kinetics and Mechanism for the Phase Transfer Catalyzed Cycloaddition of Dichlorocarbene to *cis*-1,4-Polybutadiene, 2005C
Hwang, E. F. See Okamoto, Y., 285L

Iami, Y.
—; Maldar, N. N.; Kakimoto, M-A.: Synthesis and Characterization of Soluble Aromatic Polyamides from 2,5-Bis(4-Aminophenyl)–3,4-Diphenylthiophene and Aromatic Diacid Chlorides, 1797C
Icenogle, R. D.
Temperature-Dependent Melt Crystallization Kinetics of Poly(butene-1): A New Approach to the Characterization of the Crystallization Kinetics of Semicrystalline Polymers, 1369P
Ichikawa, M. See Iizawa, T., 1893C
Iijima, T. See Kawana, Y., 1813P
Iizawa, T. See Nishikubo, T., 1805C
—; Hayasgi, K.; Endo, Y.; Nishikubo, T.: Novel Self-Catalyzing Phase Transfer Reaction. Substitution Reaction of Poly Chloromethylstyrene, 623L
—; Nishikubo, T.; Ichikawa, M.; Sugawara, S.; Okawara, M.: Substitution and Elimination Reactions of Poly(epichlorohydrin) and Poly(2-Chloroethyl Vinyl Ether) Using Phase Transfer Catalysis, 1893C
Ika, P. V. S.
—; Frisch, H. L.; Frisch, K. C.: Model Reactions for Crosslinking Polydiacetylene Materials, 1175C
—; Frisch, H. L.; Frisch, K. C.: Synthesis and Characterization of Crosslinked Polydiacetylene and Its Two-Component Interpenetrating Polymer Networks, 1163C
Ikai, S. See Yano, T., 1455C, 3069C
Ikeda, S.
—; Jimbo, M.; Kobayashi, S.; Wada, Y.: Depolarization Field Effect on the Ferroelectric Behavior of Polymers, 1781P
—; Kobayashi, S.; Wada, Y.: Analysis of the Effect of Electrical Conductance of Ferroelectric Polymers on *D-E* Hysteresis Curves Measured by the Sawyer–Tower Method, 1513P
Ikemoto, I. See Toi, K., 475L
Imai, Y. See Kakimoto, M-A., 1787C
—; Maldar, N. N.; Kakimoto, M-A.: Synthesis and Characterization of Aromatic Polyamide-Imides from 2,5-Bis(4-Aminophenyl)-3,4-Diphenylthiophene and 4-Chloroformylphthalic Anhydride, 2077C
Inaba, H. See Nagai, K., 1221C
Inagaki, H., See Miyamoto, T., 1373C
Inagaki, K. See Ishizu, K., 1099C
Inagaki, N.
—; Oh-Ishi, K.: Preparation of Amino Group-Containing Polymers by Plasma Polymerization, 1445C
Infinite slab See Viollaz, P., 143P
Inoue, K.
Crystallization of Poly(*m*-Xylylene Adipamide) Induced by Sorption of Water, 743P
Ioan, S. See Dragan, S., 1267C; Simionescu, C. I., 121L
Irwin, R. S.
Review of *Polyimides, Synthesis, Characterization, and Applications, Volumes I and II*. K. L. Mittal, Ed., 196L
Ishida, H.
—; Miller, J. D.: Cyclization of Methacrylate–Functional Silane on Particulate Clay, 2227P
Ishigaki, A. See Oue, M., 2033C
Ishihara, K.
—; Muramoto, N.; Fujii, H.; Shinohara, I.: pH-induced Reversible Permeability Control of the 4-Carboxy Acrylanilide-Methyl Methacrylate Copolymer Membrane, 2841C
—; Muramoto, N.; Fujii, H.; Shinohara, I.: Preparation and Permeability of Urea-

Responsive Polymer Membrane Consisting of Immobilized Urease and Poly(aromatic carboxylic acid), 481L
Ishikawa, S. See Ishizu, K., 445C
Ishizu, K.
—; Fukutomi, T.: Charge Mosaic Membrane: Microdomain Fixing of Poly(styrene-*b*-4-Vinylpyridine)s Prepared by Mechanochemical Reaction, 219L
—; Inagaki, K.; Fukutomi, T.: Charge Mosaic Membrane with a Microstructure of Poly(Styrene-*b*-4-Vinylpyridine), 1099C
—; Ishikawa, S.; Fukutomi, T.: Synthesis and Morphology of BAB Type Poly(Styrene-*b*-2-Methyl-2-Oxazoline) Block Copolymers, 445C
Ito, M.
—; Kanamoto, T.; Tanaka, K.; Porter, R. S.: A Pulsed NMR Study of the Effects of Initial Morphology on the Structure of Extrusion-Drawn Poly(ethylene Terephthalate), 59P
—; Porter, R. S.: Drawing of Poly(*p*-Phenylene Sulfide) by Solid-State Coextrusion, 245P
Ito, T. See Toi, K., 475L
Ivkovich, D. See Skarda, V., 107C, 1137C
Iwai, K.
—; Takemura, F.; Furue, M.; Nozakura, S-I.: Short-Chain Model Studies on Emission Properties of Poly(9-Vinylphenanthrene-co-*p*-*N*,*N*-Dimethylaminostyrene): Exciplex Quenching and Subsequent Formation of Another Fluorescent Exciplex, 27C
Iwakura, Y. See Saegusa, Y., 2727C
Iwata, K.
—; Hagiwara, T.; Matsuzawa, H.: Molecular Structure and Photosensitivity of Polyesters with Conjugated Double Bonds, 2361C
Izumrudov, V. A.
—; Bronich, T. K.; Zezin, A. B.; Kabanov, V. A.: The Kinetics and Mechanism of Intermacromolecular Reactions in Polyelectrolyte Solutions, 439L
Izyneev, A. A. See Korshak, V. V., 595C

Jackle, J.
—; Frisch, H. L.: Relaxation of Chemical Potential and A Generalized Diffusion Equation, 675P
Jagannathan, N. R. See Herring, F. G., 1649C
Jagur-Grodzinski, J. See Yie-Shun, C., 1193C
Jainuddin, M. D. See Ariff, M., 2063C
Jamaludin, M. See Shaffer, T. D., 2913C
James, W. See Gazicki, M., 2255C
James, W. J. See Gazicki, M., 639L
Jamieson, A. M. See Patterson, P. M., 483P
Jang, Y. T.
—; Parikh, D.; Phillips, P. J.: The Influence of Morphology on the Dielectric and Dynamic Mechanical Behavior of a Linear Low-Density Polyethylene, 2483P
Jankiewicz, S. V. See Garnett, J. L., 563L
Jasse, B. See Theodorou, M., 445P
Jayaprakash, D.
—; Balasubramanian, M.; Nanjan, M. J.: Synthesis and Characterization of Certain Polyamides Containing the Azo Group in the Main Chain, 2319C
Jayasuriya, R. M.
—; El-Aasser, M. S.; Vanderhoff, J. W.; Yue, H. J.: Characterization of Surface Endgroups in Polystyrene Latexes, 2819C
Jellinek, H. H. G.
—; Kachi, H.; Chodak, I.; Czanderna, A. W.: Hydrogen Peroxide Determination by I.R. Specular Reflectance Spectroscopy During Uncatalyzed and Copper (Oxides)-Catalyzed Oxidation of Isotactic Polypropylene, 2291C
Jensen, B. J.
—; Hergenrother, P. M.: Sulfone/Ester Polymers Containing Pendent Ethynyl Groups, 2233C
Jensen, L. C. See Dickinson, J. T., 873P, 2273P
Jhon, M. S.
—; Freed, K. F.: Polymer Migration in Newtonian Fluids, 955P
Jimbo, M. See Ikeda, S., 1781P
Johncock, P.
—; Porecha, L.; Tudgey, G. F.: The Relative Reactivity of Primary and Secondary Amine Hydrogen Atoms of Aromatic Amines with Epichlorohydrin and *N*- and *O*-Glycidyl Compounds, 291C
Jones, A. A. See Roy, A. K., 1793P
Jones, F. N. See Ono, H.-K., 459L
Jones, M. B. See Nystuen, N. J., 1433C
Joseph, K. T. See George, A., 2865C

Kabanov, V. A. See Izumrudov, V. A., 439L
Kachi, H. See Jellinek, H. H. G., 2291C
Kaetsu, I. See Kumakura, M., 131C
Kagiya, T. See Nishimoto, S-I., 141L
Kahana, N.
—; Deshe, A.; Warshawsky, A.: Synthesis of Polymeric Crown Ethers and Thermoregulated Ion Complexation Effects, 231C
Kakimoto, M-A. See Iami, Y., 1797C; Imai, Y., 2077C
—; Imai, Y.: Synthesis and Characterization of Soluble Aromatic Polyamides Derived from 2,5-Bis(4-Chloroformylphenyl)–3,4-Diphenylthiophene and Aromatic Diamines, 1787C
Kakiuchi, H. See Tomoi, M., 49C
Kakizaki, M. See Kakudate, T., 787P
—; Kakudate, T.; Hideshima, T.: Comparative Study of Dielectric, Mechanical, and Nuclear Magnetic Relaxations in Linear Polyethylene. II. Relaxation Spectroscopy of the α, β, and γ Loss Bands with Special Emphasis on Fine Structure, 809P
Kakudate, T. See Kakizaki, M., 809P
—; Kakizaki, M.; Hideshima, T.: Comparative Study of Dielectric, Mechanical, and Nuclear Magnetic Relaxations of Linear Polyethylene. I. Broad-Line NMR Investigation of the Fine Structure of the α and γ Loss Bands Observed by Dielectric and Mechanical Measurements, 787P
Kaluzynski, K. See Pretula, J., 261C
Kamel, I.
—; Finegold, L.: A Model for Radiation-Induced Changes in Ultrahigh-Molecular-Weight Polyethylene, 2407P
Kaminsky, W.
—; Miri, M.: Ethylene Propylene Diene Terpolymers Produced with a Homogeneous and Highly Active Zirconium Catalyst, 2151C
Kamogawa, H.
—; Amemiya, S.: Organic Solid Photochromism by Photoreduction Mechanism: Polar Aprotic Viologen Copolymers, 2413C
—; Haramoto, Y.; Misaka, Y.; Asada, Y.; Ohno, Y.; Nanasawa, M.: Chemical Release Control: Sulfonate Esters from Perfume and Herbicide Alcohols and *p*-Styrenesulfonyl Chloride, 1517C
—; Sueki, T.: Polymeric Arylsulfonylnitromethane: A Novel Polymer Reagent, 1963C
Kanamoto, T. See Ito, M., 59P
Kanda, N. See Endo, T., 1931C
Kaneko, M.
—; Yamada, A.; Kenmochi, T.; Tsuchida, E.: Photoresponse of a Schottky Junction Polythienylene Film, 629L
Kanoe, T. See Yonezawa, N., 617L
Karayannidis, G. P. See Kehayoglou, A. H., 2803C
Katyal, A. See Chatterjee, S. K., 1009C
Kawaguchi, A. See Broza, G., 2623P
Kawaguchi, T. See Kuzuya, M., 69L, 77C
Kawana, Y.
—; Komiyama, J.; Petropoulos, J. H.; Iijima, T.: Sorption and Diffusion of a Tribasic Acid Dye in Nylon 6 Membrane in the Presence of NaCl, 1813P
Kawase, K. See Hayakawa, K., 2739C
Kehayoglou, A. H.
—; Sideridou-Karayannidou, I.; Karayannidis, G. P.: Poly[amino-*p*-(Hydroquinone or

Benzoquinone)]amides and Poly(p-benzoquinone)diimidazoles of Phenylene Dicarboxylic Acids. IV, 2803C
Keller, T. M.
Polyurethanes from a Fluorinated Tertiary Diol, 2557C
Kellman, R. See Gerbi, D. J., 551L
Kenmochi, T. See Kaneko, M., 629L
Khor, E.
—; Gay, M. S.; Taylor, L. T.; Wightman, J. P.: Moisture Effects in Lithium-Doped Polyimide Films, 175C
Kijima, M.
—; Nambu, Y.; Endo, T.: Polymer-Immobilized Lipoamides–Iron(II) System as a Reducing Catalyst for the Reduction of Nitrobenzenes to Anilines by Sodium Borohydride, 1723C
Kikuchi, Y.
—; Kubota, N.: Structure and Properties of Polyelectrolyte Complexes Consisting of Three Materials: Polysaccharide, Polypeptide, and Synthetic Macromolecule, 487L
Kilic, S. See Asikoglu, B., 1017C
Killey, A. See Champion, J. V., 1467P
Kim, J. See Litt, M. H., 1307C
Kim, J. R.
—; Ree, T.: Dilute Solution Properties of Branched Polymers, 1119C
—; Ree, T.: Molecular Dimensions of Polypeptides in Helicogenic Solvents, 215C
Kim, K. G.
—; Newman, B. A.; Scheinbeim, J. I.: Temperature Dependence of the Crystal Structures of Nylon 11, 2477P
Kim, O-K.
Electrical Conductivity of Heteroaromatic Ladder Polymers. 3. Phenothiazine and the Structurally Related Ladder Polymers, 137L
Kimura, K. See Oue, M., 2033C
—; Nakajima, M.; Shono, T.: Characterization of Poly(crown Ether)-Modified Silicas, 2327C
Kimura, M. See Kubota, H., 21L
King, T. A. See Viras, F., 609P; Viras, K., 471P
Kinoshita, T. See Tsujita, Y., 1255C
Kinsinger, J. A. See Brown, C. E., 403L
Kisakurek, D. See Binboga, N., 925P
Kishore, K.
—; Bhanu, V. A.: Maximum Degradation Rates in Vinyl Polymers, 567L
Kitamura, T. See Mukai, K., 1259C
Klakken, M. L. See Dickinson, J. T., 2273P
Klimova, M.
—; Tino, J.; Borsig, E.; Ambrovic, P.: The Effect of Crosslinking on the Reactivity of Free Radicals in Isotactic Polypropylene, 105P
Klotz, I. M.
—; Massil, S. E.; Wood, L. E.: Poly(aminopyridine)s, 575C
Kobayashi, K. See Osawa, Z., 41L
Kobayashi, S. See Ikeda, S., 1513P, 1781P
Koberstein, J. T. See Leung, L. M., 1883P; Russell, T. P., 1109P
Kochanowski, J. E. See Takekoshi, T., 1759C
Koenig, J. L. See Patterson, P. M., 483P
—; Shields, C. M.: Spectroscopic Characterization of Acetylene-Terminated Sulfone Resin, 845P
Koga, Y. See Vonk, C. G., 2539P
Kohn, D. H. See Silberman, R., 327C
Kojima, M. See Okubo, M., 471L
Kojima, T.
—; Kurotu, T.; Masuda, K-I.; Hosaka, Y.: Thermal Decomposition of Poly(*sec*-Amyl Methacrylate), 343C
Komiyama, J. See Kawana, Y., 1813P
Komiyama, M. See Hirai, H., 901C
Kondo, S.
—; Nakanishi, M.; Tsuda, K.: Catalytic Effect of Polymers Containing Pyridylthio Group along the Main Chain in Two-Phase Reactions, 581C
Kontou, E.
—; Spathis, G.; Theocaris, P. S.: The Heterogeneity of the Network Structure of Epoxy Polymers Studied by Dynamic and DSC tests, 1493C
Korba, G. A. See Strobel, M., 1125C
Korngold, E. See Cabasso, I., 577L
Koros, W. J.
Simplified Analysis of Gas/Polymer Selective Solubility Behavior, 1611P
Korshak, V. V.
—; Mognonov, D. M.; Izyneev, A. A.; Doroshenko, Yu. E.: Thermally Stable Polymers from 1,4,5-Naphthalene–Tricarboxylic Acid and Aromatic Tetramines, 595C
Kostanski, L. K.
—; Krolikowski, W.: Bulk Polymerization of Diallyl Benzene-Dicarboxylates I. Influence of Temperature on Allyl Group Reactivity, 605C
Kosugi, N. See Usami, T., 427L
Kotek, R. See Krigbaum, W. R., 1907C
Kothandaraman, H.
—; Arunachalam, V.; Radhakrishnan, T. R.: New Polymers Containing Piperidyl Substituents, 425L
Kovacic, P. See Brown, C. E., 403L
Kow, C. See Chen, J., 13P
Koyama, Y.
—; Harima, K.; Matsuzaki, K.; Uryu, T.: Cationic Ring-Opening Polymerization of 1,4-Anhydro-2,3-di-*O*-benzyl-α-L-arabinopyranose and Synthesis of L-Arabinofuranan, 2989C
Kozuka, H. See Takagishi, T., 37C, 255C, 2073C, 2109C, 2875C, 3021C
—; Takagishi, T.; Hamano, H.; Kuroki, N.: Peculiar Temperature Dependence on the Binding of Methyl Orange and Its Homologs by 2-Hydroxyethyl Methacrylate-*N*-Vinyl-2-Pyrrolidone Copolymers, 1243C
Kramer, E. J. See Brown, H. R., 1857P; Yang, A. C.-M., 1353P
Krause, S.
A Simple Theoretical Study of the Dissolution of Block Copolymer Molecules into Their Own Microphases, 129P
Kremer, F. See Nie, C. S., 1247P
Kricheldorf, H. R.
—; Pakull, R.: New Polymer Syntheses. 12. Homo- and Copolyesters of *N*-(4-Hydroxyphenyl) Trimellitic Acid Imide, 413L
Krigas, T. M.
—; Carella, J. M.; Struglinski, M. J.; Crist, B.; Graessley, W. W.; Schilling, F. C.: Model Copolymers of Ethylene with Butene-1 Made by Hydrogenation of Polybutadiene: Chemical Composition and Selected Physical Properties, 509P
Krigbaum, W. R. See Hakemi, H., 253P; Watanabe, J., 565P
—; Kotek, R.; Mihara, Y.; Preston, J.: Preparation of Polyamides via the Phosphorylation Reaction. X. A Study of Higashi Reaction Conditions, 1907C
Krimm, S. See Murthy, N. S., 2369P
Krolikowski, W. See Kostanski, L. K., 605C
Kubo, Y. See Tsukube, H., 467L
Kubota, H. See Ogiwara, Y., 15L, 365L
—; Kimura, M.; Ogiwara, Y.: Effect of Solvents on Photoinduced Formation of Polyolefin Radicals, 21L
Kubota, N. See Kikuchi, Y., 487L
Kubroki, N. See Takagishi, T., 2073C
Kudo, S. See Nagai, K., 1221C
Kuhn, H. H.
Review of *Polymers for Fibers and Elastomers*. J. C. Arthur, Jr., Ed., 117L
Kulkarni, B. D. See Balaraman, K. S., 353L
Kumakura, M.
—; Kaetsu, I.: Radiation Polymerization of Acrolein at Low Temperatures, 131C
Kumanotani, J. See Chen, Y-Y., 1283C; Oshima, R., 787C, 911C
Kumar, D.
Polybismaleimide Containing Tetrakisphenoxycyclotriphosphazenes, 1661C

Kumar, G. S. See Zhang, K., 1213C, 1293C
Kumar, N.
—; Malhotra, D.; Chandra, S.: Electrochemical Copolymerization and Doping of Phenylene Oxide–Pyrrole: A New Conducting Polymer, 57L
Kuo, C-I. See Chien, J. C. W., 723C, 731C, 761C
Kuramoto, N. See Mukai, K., 1259C; Nagai, K., 3053C
Kuran, W. See Gorecki, P., 299L
Kuroda, H. See Usami, T., 427L
Kuroki, N. See Kozuka, H., 1243C; Shima, S., 245L; Takagishi, T., 37C, 255C, 329L, 495L, 2109C, 2875C, 3021C
Kurotu, T. See Kojima, T., 343C
Kurumada, T.
—; Ohsawa, H.; Fujita, T.; Toda, T.; Yoshioka, T.: Photostabilizing Activity of *N*-Acylated Hindered Amine, 2747C
—; Ohsawa, H.; Oda, O.; Fujita, T.; Toda, T.; Yoshioka, T.: Photostabilizing Activity of Tertiary Hindered Amines, 1477C
Kuzuya, M.
—; Kawaguchi, T.; Daikyo, T.; Okuda, T.: Reactivities of Carboxylic Acid Vinyl Monomers Differentiated by the Aggregation Forms and their Simple Molecular Orbital Interpretation, 77C
—; Kawaguchi, T.; Mizutani, S.; Okuda, T.: Mechanism of Plasma-Initiated Polymerization: Experimental Evidence for the Postpolymerization Induced by Plasma-Generated Radicals Trapped on Glass Surface, 69L
Kwak, J. C. T. See Shimizu, T., 1139P
Kwie, T. K.
Review of *Developments in Reinforced Plastics—4*. G. Pritchard, Ed., 277L

Labes, M. M. See Chen, J. H., 517C; Skarda, V., 107C
Lacabanne, C. See Gourari, A., 889P
Lahajnar, G. See Zupancic, I., 387P
LeClerc, M.
—; Prud'Homme, R. E.: Conformational Analysis of Substituted Polyacetylenes, 2021P
—; Prud'Homme, R. E.; Soum, A.; Fontanille, M.: Determination of the Geometric Structure of Three Substituted Polyacetylenes: Polymethylacetylene, Polypentylacetylene, and Poly(*t*butylacetylene), 2031P
Lee, M. C. H.
—; Williams, M. C.: Application of a New Structural Theory to Polymers. I. Uniaxial Stress in Crosslinked Rubbers, 2243P
Legras, R. See Bailly, Ch., 343P, 355P, 493P, 751P
Leite-James, P. See Tabar, R. J., 2085P
Lenk, R. S. See Clark, A. J. A., 2461C
Lenka, S.
—; Nayak, P. L.; Das, A. P.; Mishra, S. N.: Graft Copolymerization onto Rubber. V. Graft Copolymerization of Methyl Methacrylate onto Rubber Using Potassium Peroxydiphosphate as Initiator, 1615C
Lenz, R. W. See Gonsalves, K., 1707C; Hu, S., 2387P
Leong, Y. S. See Candau, F., 193C
Leung, L. M.
—; Koberstein, J. T.: Small-Angle Scattering Analysis of Hard-Microdomain Structure and Microphase Mixing in Polyurethane Elastomers, 1883P
Leung, W. P. See Choy, C. L., 557P, 1759P; Ng, H. C., 973P
Levin, G.
—; Nae, H. N.: Heterogeneous Grafting on Polymers Containing Chlorine: Grafting of Amide Groups in Water Suspension and the Reactivity of the New Polymer Towards Epoxy Resins, 981C
Levy, L. B.
Inhibition of Acrylic Acid Polymerization by Phenothiazine and *p*-Methoxyphenol, 1505C
Lewin, M. See Deblase, F. J., 109L
Li, C. See Field, N. D., 2017C
Li, J. See Hu, S., 2387P; Huang, Y., 1853C
Li, Q. See Lu, C. X., 3031C
Li, Z-M. See Hung, Y-H., 795C
Lin, J. J. See Zeldin, M., 2333C
Lin, J. W-P.
—; Dudek, L. P.: Preparation and Characterization of Poly(copper 2,3,9,10,16,17,23,24-Octacyanophthalocyanine), 1579C
—; Dudek, L. P.: Thermal Treatment, Spectroscopic Analyses, and Electrical Properties of Poly(copper 2,3,9,10,16,17,23,24-Octacyanophthalocyanine), 1589C
Ling, H.-C. See Vrentas, J. S., 275P, 289P
Linssen, H. N. See Hautus, F. L. M., 311L
Lissi, E. A. See Encinas, M. V., 2481C
Litt, M. H. See Dalal, V. F., 2659C
—; Kim, J.; Rodriguez-Parada, J. M.: Synthesis of *N*-Substituted Polyethylenimines with Polarizable Side Chain Pendent Groups, 1307C
Litter, M. I.
—; Marvel, C. S.: Polyaromatic Ether-Ketones and Polyaromatic Ether-Ketone Sulfonamides from 4-Phenoxybenzoyl Chloride and from 4,4′-Dichloroformyldiphenyl Ether, 2205C
Liu, Z.-Z. See Cabasso, I., 577L
Lo, G. Y. S. See Tung, L. H., 1551C
Lohse, F. See Berger, J., 227L
Lok, K. P. See Ober, C. K., 103L
Loktev, S. M. See Voicechovsky, Y. P., 1641C
Long, M. A. See Garnett, J. L., 563L
Long, T. D.
—; Anderson, J. L.: Effects of Solvent Goodness and Polymer Concentration on Rejection of Polystyrene from Small Pores, 191P
Lotz, B. See Wittmann, J. C., 205P
Lougnot, D. J. See Fouassier, J. P., 569C
Lovinger, A. J.
—; Belfiore, L. A.; Bowmer, T. N.: Crystallographic Changes in Cryogenically Pulverized Polymers, 1449P
Lu, C. See Overberger, C. G., 1321C
Lu, C. X.
—; Li, Q.; Pan, J.: A New Route to Semirigid Poly(amide-ester)s with Ordered Structure, 3031C
Lu, L. See Roe, R.-J., 917P
Lu, P. H.
—; Babu, G. N.; Chien, J. C. W.: Radiolysis of Resist Polymers. VI. Copolymers of Trihalophenylmethacrylate and Methyl Methacrylate, 1421C
Lugli, G.
—; Pedretti, U.; Perego, G.: Highly Oriented Polyacetylene, 129L
Lukas, R.
—; Pradova, O.; Michalcova, J.; Paleckova, V.: Thermal Dehydrochlorination of Poly(vinyl Chloride). I. Formation of Ketone Structures in the Polymer, 85L
Lundberg, R. D. See Peiffer, D. G., 1869P; Turner, S. R., 535C; Weiss, R. A., 525C, 549C
Lundstrom, I. See Hjertberg, T., 453L
Luoma, G. See Herring, F. G., 1649C
Lyman, D. J. See Benson, R. S., 399C; Conjeevaram, S. V., 429C
Lyons, C. S. See Strobel, M., 1125C

Ma, T. L. See Choy, C. L., 557P
MacDiarmid, A. G. See Hjertberg, T., 453L
Macfarlane, D. R. See Bannister, D. J., 415L
Mackerron, D. H. See Bywater, S., 1997C
Maeshima, T. See Obayashi, T., 593L
Magagnini, P. L. See Segre, A. L., 2611P
Magome, T. See Abe, Y., 447L
Maiti, M. M. See Biswas, M., 2631C
Maiti, S. See Mandal, B. K., 317L
Makarova, N. M. See Blazso, M., 2589C
Maldar, N. N. See Iami, Y., 1797C; Imai, Y., 2077C
Malhotra, D. See Kumar, N., 57L

Mandal, B. K.
—; Maiti, S.: Polyetherimide from Dihydroxybisimide, 317L
Mandal, B. M. See Misra, N., 63L
Mandelkern, L. See Dekmezian, A., 367P
Manders, W. F.
—; Bellama, J. M.: Multiphoton Infrared Laser-Induced Degradation of Polydimethylsiloxane and Hexamethyldisiloxane, 351C
Manello, J. S. See Takekoshi, T., 1759C
Manser, G. E. See Hardenstine, K. E., 1597P
Maravigna, P. See Ballistreri, A., 1145C, 1731C
Margaritis, L. H. See Babilis, D., 1089C
Mark, J. E. See Garrido, L., 1933P
—; Curro, J. G: Monte Carlo Simulations Relevant to the Upturns in Modulus Observed for Natural Rubber at High Elongations, 2629P
Marks, B. S.
—; Carr, S. H.: Unit-Cell Dilation in Model Ethylene Copolymers, 1563P
Marks, T. J. See Zhou, X., 305P
Marrucci, G.
Relaxation by Reptation and Tube Enlargement: A Model for Polydisperse Polymers, 159P
Martin, J. L.
Titanium and Rare Earth Chloride Catalysts for Ethylene Polymerization (Erratum), 1851C
Martinelli, M. See Carlini, C., 5L
Martinez, G. See Millan, J., 1077C
Martinotti, F. See Faucitano, A., 635C
Marvel, C. S. See Litter, M. I., 2205C; Ogawa, T., 1231C
Mashelkar, R. A. See Balaraman, K. S., 353L
Mashimo, T. See Higashi, F., 2715C, 2999C, 3095C
Mass balance See Viollaz, P., 143P
Massil, S. E. See Klotz, I. M., 575C
Masuda, K-I. See Kojima, T., 343C
Masuda, S.
—; Omochi, T.; Ota, T.: Copolymerization of Vinyl Ketones with Allylbenzene in the Presence of Zinc Chloride, 2081C
Masuda, T. See Okano, Y., 2527C
Mathias, L. J.
—; Vaidya, R. A.; Bloodworth, R. H.: Synthesis, Cyclopolymerization, and Cyclocopolymerization of 4-(Diallylamino)pyridine: A New Monomer, 289L
Matsui, Y. See Oue, M., 2033C
Matsumoto, T. See Okubo, M., 471L
Matsuo, K.
—; Stockmayer, W. H.; Needham, G. F.: Conformational Properties of Perfluoroalkine Chains. VI. Intrinsic Viscosity and Unperturbed Dimensions of Poly(decamethylene Perfluorosebacate) (Erratum), 273L
Matsuzaki, K. See Koyama, Y., 2989C
Matsuzawa, H. See Iwata, K., 2361C
Matsuzawa, S. See Yamaura, K., 1703P
Mattice, W. I. See Viswanadhan, V. N., 1957P
Mavroyannakis, E. G.
Properties of the Heraclitus Number for Glass-Forming Liquids, 251L
Mazzocchi, R. See Giannetti, E., 2117C
McCaffrey, R. R.
—; Prasad, P. N.; Baier, R.; Fornalik, M.: Study of Poly[*bis*(*p*-toluene sulfonate) diacetylene] Films Prepared by a Modification of the Langmuir–Blodgett Technique, 1523P
McCarthy, T. J. See Bonafini, J. A., 33L; Dias, A. J., 1057C
McGill, W. J. See Huson, M. G., 121P, 2833C
McGowan, C. See Rogers, H. G., 2669C
McHugh, A. J. See Rietveld, J., 2339P
—; Rietveld, J.: Polyethylene Fiber Formation in Tubular Flow. II. Discussion of Precursor Formation and Nucleation Time Analysis, 2359P
McKelvy, M. L. See Deblase, F. J., 109L
McKenna, G. B.
—; Zapas, L. J.: The Superposition of Small Deformations on Large Deformations: Measurements of the Incremental Relaxation Modulus for a Polyisobutylene Solution, 1647P
McKenna, J. M. See Castles, J. L., 2119P
McManus, S. P.
—; Yorks, K.; Harris, J. M.: Polymeric Nucleophiles and Cosolvents. The Reactivity of Poly(ethylene glycol) and Its Derivatives with Benzyl Bromide Under Solvolytic Conditions, 379C
Meakin, P.
—; Scalapino, D. J.: Defect Morphology in Oriented Systems, 179P
Meeten, G. H. See Champion, J. V., 1467P
Mehta, I. K. See Misra, B. N., 1749C
Memory, J. D. See Fisher, C. M., 2931C
Mendelson, R. A.
Miscibility and Deformation Behavior in Some Thermoplastic Polymer Blends Containing Poly(styrene-co-acrylonitrile), 1975P
Merajver, S. D.
—; Wunder, S. L.; Wallace, W.: Spectroscopic Study of α- and β-Phase Isotactic Polypropylene and of Atactic Polypropylene in Solution, 2043P
Mercier, J. P. See Bailly, Ch., 343P, 355P, 493P, 751P
Meurer, B. See Spegt, P., 315P
Meverden, C. C.
—; Hogen-Esch, T. E.: Oligomerization of Vinyl Monomers 18. Stereochemistry of Anionic Oligomerization of 4-Vinylpyridine, 159C
Michalcova, J. See Lukas, R., 85L
Mihailov, M. See Bogdanov, B., 2149P
Mihara, Y. See Higashi, F., 2851C; Krigbaum, W. R., 1907C
Mijangos, C. See Millan, J., 1077C
Mijovic, J.
Review of *Handbook of Plastics Testing Technology*. V. Shah, 49L
Miles, M. H. See Dickinson, J. T., 2273P
Millan, J.
—; Martinez, G.; Mijangos, C.: Chemical Modification of Poly(vinyl Chloride): A Conclusive Study of the Influence of Tacticity, 1077C
Miller, J. A.
—; Cooper, S. L.: An Investigation of the Effect of Sample Preparation on the Thermal Behavior and the Small-Angle X-Ray Scattering of a Polyurethane Block Copolymer, 1065P
Miller, J. D. See Ishida, H., 2227P
Mills, P. J. See Brown, H. R., 1857P
Minakata, A. See Shimizu, T., 1139P
Mirabella, F. M., Jr.
Quantitative Aspects of Internal Reflection Spectroscopy: Polymer Surface Composition Measurement, 861P
Miri, M. See Kaminsky, W., 2151C
Misaka, Y. See Kamogawa, H., 1517C
Mishra, M. K.
—; Bhadani, S. N.: Nitric Acid-Initiated Polymerization of Acrylamide in Dimethylsulfoxide, 155L
Mishra, S. N. See Lenka, S., 1615C
Misono, T. See Abe, Y., 4[illegible]/L
Misra, A. See Garg, S. N., 27L
Misra, B. N.
—; Rawat, B. R.: Grafting onto Wool. XXV. Effect of Acids on γ-Radiation-Induced Graft Copolymerization of Methyl Methacrylate onto Wool Fiber, 307C
—; Sood, D. S.; Mehta, I. K.: Grafting onto Polypropylene. I. Effect of Solvents in Gamma Radiation-Induced Graft Copolymerization of Poly(acrylonitrile), 1749C
Misra, N.
—; Mandal, B. M.: Sulfate Functionality of Polystyrene Prepared by Soapless Emulsion Polymerization Method in *tert*-Butyl Alcohol and Water Media, 63L
Misra, S.
—; Sahu, G.: Vinyl Polymerization of Acrylamide Initiated by Thallium(III) Ions in Solution, 2647C
Mitchell, G. R.
—; Windle, A. H.: The Local Structure of Blends of

Polystyrene and Poly(2,6-dimethylphenylene oxide), 1967P
Mitsuishi, M. See Takagishi, T., 3021C
Miyaji, H. See Saruyama, Y., 1637P
Miyamoto, N. See Takahashi, Y., 2505P
Miyamoto, T.
—; Sato, Y.; Shibata, T.; Tanahashi, M.; Inagaki, H.: ^{13}C-NMR Spectral Studies on the Distribution of Substituents in Water-Soluble Cellulose Acetate, 1373C
Miyazawa, T.
—; Endo, T.: Oxidation of Benzyl Alcohol with Fe(III) Using Polymers Containing the Nitroxyl Radical Structure as a Mediator, 2487C
—; Endo, T.; Okawara, M.: Synthesis and Polymerization of 4-*O*-Vinylbenzyl-2,2,6,6-Tetramethylpiperidine, 1527C
Mizutani, S. See Kuzuya, M., 69L
Mochizuki, A. See Higashi, F., 1699C; Ueda, M., 1973C
Moggi, G.
—; Bonardelli, P.; Monti, C.; Bart, J. C. J.: Copolymers of Tetrafluoroethene with Chlorotrifluoroethene and with Bromotrifluoroethene, 1099P
Mognonov, D. M. See Korshak, V. V., 595C
Monnerie, L. See Theodorou, M., 445P
Montaudo, G. See Ballistreri, A., 1145C, 1731C
Montezinos, D.
—; Wells, B. G.; Burns, J. L.: The Use of Ruthenium in Hypochlorite as a Stain for Polymeric Materials, 421L
Monti, C. See Moggi, G., 1099P
Moonan, W. K.
—; Tschoegl, N. W.: The Effect of Pressure on the Mechanical Properties of Polymers. IV. Measurements in Torsion, 623P
Moore, J. A.
—; Partain, E. M., III: Silver Triflate Catalyzed Copolymerization of 1,3-Cyclohexadiene and 2-Chloroacrylonitrile, 591C
Morawetz, H. See Hung, Y-H., 795C
Morcellet, M.
Effect of Tacticity on the Association of Poly(methacrylic Acid) with Divalent Metal Ions, 99L
Morgan, J. L. See Gerbi, D. J., 551L
Mori, K.
—; Nakamura, Y.: Study on Triazine Thiols. VI. Selective Graft Copolymerization of MMA on Modified Copper Plates, 315C
Morishima, Y.
—; Akihara, I.; Nozakura, S-I.: Electrical Conductivity of Partially Oxidized Poly(3-vinyl-10-methylphenothiazine) Films, 651L
Moscicki, J. K.
Numerical Study of the Phase Behavior of Rods in Solution: Warner–Flory Model with Polydisperse System of Rods, 327P
Moser, R. See Renner, A., 2341C
Msáyib, K. J. See Owen, E. D., 1833C
Muggee, J.
—; Vogl, O.: Poly(alkylene Oxide) Ionomers. X. Copolymerization of Methyl ω-Epoxyalkanoates and Characterization of the Polymers, 649C
Mukai, K.
—; Teshirogi, T.; Kuramoto, N.; Kitamura, T.: Preparation of Soluble and Fusible Poly(2,5-Dimethoxy-1,4-Phenylene), 1259C
Munoz-Guerra, S.
—; Fernandez-Santin, J. M.; Rodriguez-Galan, A.; Subirana, J. A.: Structural Studies on the Polymorphism of Nylon 3, 733P
Munro, H. S.
—; Eaves, J. G.: ESCA Studies of Metal-Containing Plasma Polymers. II. Plasma Polymerization of Ferrocene, Vinylferrocene, and Dimethylaminomethylferrocene, 507C
—; Grunwald, H.: The Influence of Power and Substrate Temperature on Chemical Composition, determined by ESCA, of the Inductively Coupled RF Plasma Polymerization of Acrylontrile, 479C
—; Till, C.: An ESCA Investigation of the Inductively Coupled RF Plasma Polymerization of Fluoronaphthalene and Fluoronaphthalene/Hydrogen Mixtures, 1621C
Muramoto, N. See Ishihara, K., 481L, 2841C
Muroga, Y. See Tadano, K., 661L
Murphy, C. J. See Hardenstine, K. E., 1597P
Murthy, N. S.
—; Aharoni, S. M.; Szollosi, A. B.: Stability of γ Form and the Development of the α Form in Nylon 6, 2549P
—; Szollosi, A. B.; Sibilia, J. P.; Krimm, S.: Structure of Iodide Ion Arrays in Iodinated Nylon 6 and the Chain Orientation Induced by Iodine in Nylon 6 Films, 2369P
Myers, M. N. See Brimhall, S. L., 2443P
Myerson, A. S.
Review of *Annual Reports on Fermentation Processes, Volume 7*. G. T. Tsao, Ed., 120L

Nae, H. N. See Levin, G., 981C
Nagai, K.
—; Akiyama, K.; Kuramoto, N.: Radical Copolymerization of γ-Methylene-α,β-Butenolide Derivative: Ethyl(E)-5-Oxo-2,5-Dihydrofuran-2-Ylidene-Acetate, 3053C
—; Ohishi, Y.; Inaba, H.; Kudo, S.: Polymerization of Surface-Active Monomers. I. Micellization and Polymerization of Higher Alkyl Salts of Dimethylaminoethyl Methacrylate, 1221C
Nagarajan, M. R. See Xue-Hai, Y., 2319P
Nakagawa, K. See Takeuchi, Y., 1193P
Nakajima, A. See Yamaguchi, S., 1657P
Nakajima, M. See Kimura, K., 2327C
Nakamura, E. See Tomoi, M., 49C
Nakamura, S. See Saegusa, Y., 337L, 2727C
Nakamura, Y. See Mori, K., 315C
Nakanishi, M. See Kondo, S., 581C
Nakao, T.
—; Okano, T.; Nishimura, H.: Effect of Heat Treatment on Cellulose Crystallites of Wood, 647L
Nakazawa, A. See Takagishi, T., 329L
Nambu, Y. See Kijima, M., 1723C
—; Endo, T.; Okawara, M.: Preparation of a Polymeric Membrane with Lipoamide Structure and Its Application to Electron Transport across Membrane, 223C
—; Endo, T.; Tashiro, K.: Polymeric Electron Carrier: Electron Transport across Polypeptide Membrane Mediated by the Pendant Viologen Structure, 409L
Nanasawa, M. See Kamogawa, H., 1517C
Nanjan, M. J. See Jayaprakash, D., 2319C
Naoki, M.
—; Park, I.-H.; Wunder, S. L.; Chu, B.: Light-Scattering Characterization of Poly(ethylene terephthalate), 2567P
Narang, S. C.
—; Ramharack, R.: Poly(4-*N*-Pyrrolidinopyridine) Copolymers as Supernucleophilic Reagents, 147L
Natansohn, A.
Exothermal Effect of Phase Separation in Miscible Polymer Blends, 305L
Nayak, P. L. See Lenka, S., 1615C
Neckers, D. C. See Zhang, K., 1213C, 1293C
Needham, G. F. See Matsuo, K., 273L
Newman, B. A. See Kim, K. G., 2477P
Ng, H. C.
—; Leung, W. P.; Choy, C. L.: Sorption and Diffusion of Toluene in Isotropic and Oriented Linear Polyethylene, 973P
Ngai, K. L.
—; Plazek, D. J.: Relation of Internal Rotational Isomerism Barriers to the Flow Activation Energy of Entangled Polymer Melts in the High-Temperature Arrhenius Region, 2159P
Nicholas, P. P. See Huvard, G. S., 2005C

Nicoletti, G. M. See Giannetti, E., 2117C
Nie, C. S.
—; Kremer, F.; Poglitsch, A.; Bechtold, G.; Genzel, L.: Picosecond Relaxations in Hydrated Polyamide-6 Observed by Millimeter-Wave Spectroscopy, 1247P
Nishijima, Y. See Tsuchida, A., 585C
Nishikubo, T. See Iizawa, T., 623L, 1893C
—; Tokairin, A.; Takahashi, M.; Nosaka, W.; Iizawa, T.: Syntheses of Copolymers Containing Pendant Cyclic Iminoethers and Crosslinking Reactions of These Copolymers with Dithiols and Dicarboxylic Acids, 1805C
Nishimoto, S-I.
—; Ohtani, B.; Shirai, H.; Kagiya, T.: Photolysis of Aqueous Poly(vinyl Alcohol) Solution by Heterogeneous TiO_2/Pt Catalyst, 141L
Nishimura, H. See Nakao, T., 647L
Nishinari, K. See Watase, M., 1803P
Nishio, Y.
—; Yamane, T.; Takahashi, T.: Morphological Studies of Liquid-Crystalline Cellulose Derivatives. I. Liquid-Crystalline Characteristics of Hydroxypropyl Cellulose in 2-Hydroxyethyl Methacrylate Solutions and in Polymer Composites Prepared by Bulk Polymerization, 1043P
—; Yamane, T.; Takahashi, T.: Morphological Studies of Liquid-Crystalline Cellulose Derviatives. II. Hydroxypropyl Cellulose Films Prepared from Liquid-Crystalline Aqueous Solutions, 1053P
Niwa, T. See Saegusa, Y., 337L
Nonaka, T. See Tsunooka, M., 2495C
—; Abe, T.; Egawa, H.: Polymerization of Methyl Methacrylate by Resin Containing Polyethylenepolyamine Side Chain–Peroxide System, 1537C
Nosaka, W. See Nishikubo, T., 1805C
Nose, T. See Numasawa, N., 1L
Nozakura, S-I. See Iwai, K., 27C; Morishima, Y., 651L; Sumi, K., 3059C
Numasawa, N.
—; Hamada, T.; Nose, T.: Static Properties of Polystyrene in Poly(methyl Methacrylate)–Benzene Semidilute Solution, 1L
Nuzziello, S. See Casa, Della Cass, 323L
Nwufo, B. T.
—; Griffin, G. J. L.: Microscopic Appearance of Fractured Surfaces and Mechanical Properties of Starch–Extended Poly(vinyl Alcohol), 2023C
Nystuen, N. J.
—; Jones, M. B.: Friedel–Crafts Polymerization of Fluorene with Methylene Chloride, Methoxyacetyl Chloride, and Chloromethyl Methyl Ether, 1433C

Obayashi, T.
—; Yamashita, N.; Yuasa, H.; Maeshima, T.: Adsorption of Urea, Ammonia, and Phenol by Network Polymers Containing Acrolein, 593L
Ober, C. K.
—; Lok, K. P.; Hair, M. L.: Monodispersed, Micron-Sized Polystyrene Particles by Dispersion Polymerization, 103L
Obori, H. See Takenaga, M., 45L
Oda, O. See Kurumada, T., 1477C
Odochian, L. See Vasile, C., 2579C
O'Driscoll, K. F. See Sanayei, R. A., 557L
Ogata, N. See Arai, Y., 3093C
—; Sanui, K.; Watanabe, M.; Yahagi, I.: Novel Graft Copolymers Having Wholly Aromatic Polyamide as Side Chains, 349L
Ogawa, T.
—; Marvel, C. S.: Polyaromatic Ether–Ketones and Ether–Keto–Sulfones Having Various Hydrophilic Groups, 1231C
—; Sakai, M.: Preparative Fractionation of Nylon 12 by Column Elution Method and Gel Permeation Chromatography, 1109C
Ogiwara, Y. See Kubota, H., 21L
—; Kubota, H.: Vapor Phase Photografting of Vinyl Monomers on Cellulose and Its Derivatives, 15L
—; Kubota, H.; Hata, Y.: Generation of Surface Structures on Polyolefin Plates by Means of Photografting, 365L
Oh-Ishi, K. See Inagaki, N., 1445C
Ohishi, Y. See Nagai, K., 1221C
Ohno, Y. See Kamogawa, H., 1517C
Ohsawa, H. See Kurumada, T., 1477C, 2747C
Ohtani, B. See Nishimoto, S-I., 141L
Ohyama, T. See Tsubokawa, N., 489C
Oikawa, H. See Ueda, M., 1607C
Okamoto, Y. See Crescenzi, V., 437P
—; Hwang, E. F.; Wang, M. C.: Electrical Conductive Materials Based on Poly(β-Diketone), 285L
Okano, T. See Nakao, T., 647L
Okano, Y.
—; Masuda, T.; Higashimura, T.: Polymerization of *tert*-Alkylacetylenes by Mo- and W-based Catalysts, 2527C
Okawara, M. See Iizawa, T., 1893C; Miyazawa, T., 1527C; Nambu, Y., 223C; Uno, H., 63C
Okubo, M.
—; Kojima, M.; Matsumoto, T.: Chemical Deposition onto Anodized Aluminum Plate from Emulsifier-Free Anionic Polymer Micro-Emulsion Containing Organic Solvent, 471L
Okuda, S. See Takagishi, T., 255C, 2109C, 2875C
Okuda, T. See Kuzuya, M., 69L, 77C
Olivares, J. P. See Díaz, F. R., 2757C
Omochi, T. See Masuda, S., 2081C
Ono, H.-K.
—; Jones, F. N.; Pappas, S. P.: Relative Reactivity of Isocyanate Groups of Isophorone Diisocyanate. Unexpected High Reactivity of the Secondary Isocyanate Group, 459L
Oprea, C. V. See Simionescu, C. I., 501C
Orbon, S. J.
—; Plazek, D. J.: Rebuttal to "Comments on 'Some Evidence against the Existence of the Liquid–Liquid Transition. IV. The Temperature Dependence of Shear Viscosity'", 41P
Orchard, G. A. J. See Holden, P. S., 709P, 2295P
Orikata, T. See Shirai, M., 463C
Orwoll, R. A. See Evans, J. R., 971C
Osada, Y.
—; Takase, M.: Plasma-Polymerized Organosiloxane Membranes Prepared by Simultaneous Doping of I_2 Molecules and the Effect on Liquid Permeability, 2425C
Osaki, K. See Boue, F., 833P
Osawa, Z.
—; Kobayashi, K.: Cyclic Voltammetry of the Reaction of Poly(vinyl Chloride) with Superoxide Anion (O^{-}≪ac022), 41L
Oshima, R. See Chen, Y-Y., 1283C
—; Biswas, M.; Wada, T.; Uryu, T.: Hole Transport Property of Poly(2-*N*-Carbazolyethyl Methacrylate), 151L
—; Kumanotani, J.; Saito, S.: Structure and Photoconductivity of Charge Transf≫r Complexes of β-Forming Poly[*S*-(2-*N*-Carbazolylethyl)-L-cysteine] with 2,4,7-Trinitrofluorenone, 911C
—;Sato, T.; Kumanotani, J.: Synthesis of Poly[*S*-(2-9′-Acridinylethyl)-L-Cysteine] and Its TCNQ Salt, 787C
Ota, T. See Masuda, S., 2081C; Tanaka, H., 93L
Otero, T. F. See Fernandez, M. D., 79L
Oue, M.
—; Ishigaki, A.; Kimura, K.; Matsui, Y.; Shono, T.: Synthesis and Cation-Binding Properties of Poly- and Bis(thiacrown Ether)s, 2033C
Overberger, C. G. See Arora, K. S., 3007C; Brandt, K. A., 1981C; Chu, V. P., 2385C; Tomko, R., 265C, 279C
—; Chen, C. C.: The Reaction of Optically Active Nucleic Acid Base Derivative with Polyvinylamine in Nonaqueous Media: Grafting Reaction, 345L

—; Lu, C.: Synthesis of Poly(vinyl Alcohol) Containing Asymmetric Nucleic Acid Base Derivatives as Grafted Pendants, 1321C
Owen, E. D.
—; Msayib, K. J.: Catalyzed Degradation of Poly(vinyl Chloride). II. Antimony(III) Chloride Photocatalysis, 1833C
Ozawa, M. See Higashi, F., 69C, 1361C, 1699C

Paci, M. See Segre, A. L., 2611P
Padilla, M. E. See Diaz, F. R., 2043C
Pakull, R. See Kricheldorf, H. R., 413L
Paleckova, V. See Lukas, R., 85L
Paleos, C. M. See Babilis, D., 1089C
Pan, J. See Lu, C. X., 3031C
Pandit, U. K. See Eling, B., 2165C
Pang, S. S.
—; Zhang, Z. D.; Chern, S. S.; Hsiao, C. C.: Energy Absorption in Polymer Crazing, 683P
Panichella, K. M. See Denny, L. R., 267L
Papkov, V. S. See Tsvankin, D. Ya., 1043C
Pappas, S. P. See Ono, H.-K., 459L
Parikh, D. See Jang, Y. T., 2483P
Park, I.-H. See Naoki, M., 2567P
Parker, J. A. See Achar, B. N., 389C, 801C, 1677C
Parsania, P. H.
—; Patel, K. C.; Patel, R. D.: Thermal Behavior of the Poly(2-Methoxy)-Cyanurate of 1,1′-bis(4-Hydroxy Phenyl)-Cyclohexane, 199P
Partain, E. M., III See Moore, J. A., 591C
Patachia, S. F. See Vasile, C., 2579C
Patel, C. K. See Chaturvedi, P. N., 1255P
Patel, K. C. See Parsania, P. H., 199P
Patel, R. D. See Parsania, P. H., 199P
Patel, S. See Smith, D. J., 633L
Patterson, D. J. See Patterson, P. M., 483P
Patterson, P. M.
—; Patterson, D. J.; Blackwell, J.; Koenig, J. L.; Jamieson, A. M.; Turngren, E. V.; Carignan, Y. P.: High-Resolution Solid-State ^{13}C-NMR Spectroscopy of Cellulose Nitrates, 483P
Paul, D. R. See Barnum, R. S., 395L
Paulrajan, S. See Gopalan, A., 1861C
Pearson, R. G.
—; Williams, E. L.: Interfacial Polymerization of an Isocyanate and a Diol, 9C
Pedretti, U. See Lugli, G., 129L
Pefferkorn, E.
—; Carroy, A.; Varoqui, R.: Dynamic Behavior of Flexible Polymers at a Solid/Liquid Interface, 1997P
Pegoraro, M.
—; Di Landro, L.; Trifilo, R.; Penati, A.: Kinetics of Wetting of a Glass Surface by Molten Polyethylene: An Empirical Approach, 2499P
Peiffer, D. G.
—; Hager, B. L.; Weiss, R. A.; Agarwal, P. K.; Lundberg, R. D.: Far-Infrared Studies of Microphase Separation in Sulfonated Ionomers, 1869P
Pelayo, A. See Fernandez, M. D., 79L
Penati, A. See Pegoraro, M., 2499P
Penczek, S. See Pretula, J., 261C
Percec, V. See Shaffer, T. D., 185L, 2913C
Perego, G. See Lugli, G., 129L
Peterlin, A. See Decandia, F., 1217P
Petermann, J. See Broza, G., 2623P
Petiaud, R.
Polychloroprene. I. Etude de la Microstructure par RMN ^{1}H, 1333C
—; Pham, Q. T.: Polychloroprene. II. Etude Comparee de la Microstrusture par RMN ^{1}H et ^{13}C. Thermodynamique de Propagation des Differentes Unites Structurales, 1343C
Petrariu, I. See Dragan, S., 1267C
Petronio, B. M. See Cernia, E., 309L
Petropoulos, J. H. See Kawana, Y., 1813P
A Comparative Study of Approaches Applied to the Permeability of Binary Composite Polymeric Materials, 1309P
Pezzin, G. See Benedetti, E., 1187P
Pham, Q. T. See Petiaud, R., 1343C
Phan-Thien, N. See Goh, C. J., 695P
Phillips, P. J. See Jang, Y. T., 2483P
Pielichowski, J.
—; Popielarz, R.; Chrzaszcz, R.: A Novel Synthesis of *N*-Vinylcarbazoles: Reaction Conditions and Mechanism of the Side Reaction, 387L
Pijpers, A. P. See Vonk, C. G., 2517P
—; Bonners, W. A. B.: Quantitative Determination of the Surface Composition of Acrylate Copolymer Latex Films by XPS (ESCA), 453C
Pilot, T. See Fouassier, J. P., 569C
Pineri, M.
—; Volino, F.; Escoubes, M.: Evidence for Sorption–Desorption Phenomena during Thermal Cycling in Highly Hydrated Perfluorinated Membranes, 2009P
Piorkowska, E.
—; Galeski, A.: Statistical Description of Spherulite Patterns, 1723P
Pizzoli, M. See Benedetti, E., 1187P
Platzer, N.
Review of *Contemporary Topics in Polymer Science, Volume 5*. E. J. Vandenberg, 276L
Review of *Engineering with Rigid PVC—Processability and Applications*, I. L. Gomez, Ed., 164L
Review of *Fracture Mechanics of Polymers*. J. G. Williams, 195L
Review of *Macromolecular Syntheses, Volume 8*. E. M. Pearce, Ed., 117L
Review of *Neue Polymere Werkstoffe Fur die Industrielle Anwendung*. H-G. Elias, and F. Vohwinkel, 161L
Plazek, D. J. See Ngai, K. L., 2159P; Orbon, S. J., 41P
Podolsky, A. F. See Bershtein, V. A., 371L
Poglitsch, A. See Nie, C. S., 1247P
Popielarz, R. See Pielichowski, J., 387L
Popoutanu, M. See Vasile, C., 2579C
Popova, E. D.
—; Avdeev, N. N.; Chalych, A. E.: Concentration Distribution of Elements in Heterogeneous Polymer Systems Determined by Electron Microprobe Analysis, 1485P
Porecha, L. See Johncock, P., 291C
Porter, R. S. See Ito, M., 59P, 245P
Posar, F. See Benedetti, E., 1187P
Pradova, O. See Lukas, R., 85L
Prager, S. See Adolf, D., 413P
Prasad, P. N. See Burzynski, R., 2193P; McCaffrey, R. R., 1523P
Preston, J. See Krigbaum, W. R., 1907C
Pretula, J.
—; Kaluzynski, K.; Penczek, S.: Living Reversible Anionic Polymerization of *N,N*-Diethylamine-1,3,2-Dioxaphosphorinan (Erratum), 261C
Price, C. See Swales, T. G. E., 1585P
Prud'Homme, R. E. See LeClerc, M., 2021P, 2031P

Qian, B. See Hu, S., 2387P
Quintana, C. A. See Clough, R. L., 359C

Rabagliati, F. M.
—; Garban, C.: Epoxide Polymerization. III. Bulk Polymerization of Ethylene Oxide by the Diphenylzinc–Water System, 895C
Rabin, Y.
On the Universality of Ideal Zimm Dynamics of Polymers in Extensional Flows, 11L
Rabolt, J. F. See Fanconi, B., 1201P
Radhakrishnan, G. See George, A., 2865C
Radhakrishnan, T. R. See Kothandaraman, H., 425L
Raheja, M. K. See Salamone, J. C., 655L
Ramakrishna, M. S. See Dhal, P. K., 2679C
Ramesh, C. See Gupta, V. B., 405P
Ramharack, R. See Narang, S. C., 147L

Rao, B. S. See Varma, I. K., 1885C
Rao, K. B.
—; Gandhi, K. S.: Analysis of Products of the Thickening Reaction between Polyesters and Magnesium Oxide, 2305C
—; Gandhi, K. S.: Ionomeric Interpretation of Thickening of Polyesters by Alkaline Earth Metal Oxides, 2135C
Rao, K. V. See Ariff, M., 2063C; Gopalan, A., 1861C
Rausch, M. D. See Gonsalves, K., 1707C
Rawat, B. R. See Misra, B. N., 307C
Ray, A. R. See Benson, R. S., 399C
Ray, W. H. See Stock, R. S., 1393P
Ree, T. See Kim, J. R., 215C, 1119C
Reichmanis, E.
—; Smith, B. C.; Gooden, R.: *o*-Nitrobenzyl Photochemistry: Solution vs. Solid-State Behavior, 1C
Reneker, D. H. See Zupancic, I., 387P
Renner, A.
—; Moser, R.; Bellus, M.; Fuhrer, H.; Spitzer, M.: Cure of Epoxy Resins with Esters of Cyanoacetic Acid, 2341C
Rennie, A. R.
Amide Additives in Polyolefins and Imperfections in Blown Films, 241L
Renon, H. See Rousseaux, P., 1771C
Riande, E. See Guzman, J., 2283C
—; Guzman, J.: Random-Coil Configurations of Aromatic Polyesters: Birefringence on Poly(triethylene glycol terephthalate) Networks in Elongation, 1235P
—; Guzman, J.; Saiz, E.; Tarazona, M. P.: Stress-Optical Behavior of Poly(*cis/trans*-1,4-cyclohexane dimethanol-*alt*-formaldehyde) (PCDO) Networks, 1031P
Richon, D. See Rousseaux, P., 1771C
Rickert, S. E. See Dalal, V. F., 2659C
Rico, M. See Guzman, J., 2283C
Rieck, U. See Broza, G., 2623P
Rietveld, J. See McHugh, A. J., 2359P
—; McHugh, A. J.: Polyethylene Fiber Formation in Tubular Flow. I. Observations of Growth Pattern and Fiber Properties, 2339P
Rodgers, W. R. See Gent, A. N., 829C
Rodriguez-Galan, A. See Munoz-Guerra, S., 733P
Rodriguez-Parada, J. M. See Litt, M. H., 1307C
Roe, R.-J.
—; Lu, L.: Effect of Polydispersity on the Cloud-Point Curves of Polymer Mixtures, 917P
Rogers, H. G.
—; Gaudiana, R. A.; McGowan, C.: Aromatic Copolyamides: Effect of Phenylene Content on Optical, Spectral, and Solubility Properties, 2669C
Rolla, P. A. See Carlini, C., 5L
Romano, G. See De Candia, F., 2109P
Roovers, J.
Dilute-Solution Properties of Ring Polystyrenes, 1117P
Rose, D. E. See Tabar, R. J., 2059P
Rossbach, V.
—; Windeln, J.; Schmitz, F. P.: Sequential Analysis of Polyesters by Stepwise Chemical Degradation: Preparation of Degradation Products, 1819C
Rousseaux, P.
—; Richon, D.; Renon, H.: Ethylene–Polyethylene Mixture: Saturated Liquid Densities and Bubble Pressures up to 26.1 MPa and 493.1 K , 1771C
Rowland, S. P.
—; Howley, P. S.: Microstructural Order in the Developing Cotton Fiber Based on Availabilities of Hydroxyl Groups, 183C
Roy, A. K.
—; Jones, A. A.: Study of Spin–Lattice Relaxation and Local Motion in Dissolved Poly[2,2-propanediylbis(3,5-dimethyl-4,hydroxyphenyl)carbonate], 1793P
Roy, S. K. See Tsuji, M., 1127P
Rubner, M. F. See Sichel, E. K., 1629P
Rudin, A. See So, S., 403L
Russell, T. P.
—; Koberstein, J. T.: Simultaneous Differential Scanning Calorimetry and Small-Angle X-Ray Scattering, 1109P
Russo, R. See De Candia, F., 2109P
Rutten, H. J. J. See Wijmans, J. G., 1941P

Sadhir, R. K.
—; Smith, J. D. B.; Castle, P. M.: Laser-Initiated Polymerization of Epoxies in the Presence of Maleic Anhydride, 411C
Sadler, D. M.
Rough-Surface Crystallization: Some Applications to Poly(ethylene oxide), 1533P
Saegusa, Y.
—; Akano, N.; Nakamura, S.; Iwakura, Y.; Chau, N.: Synthesis of Polyamides from Active 5,5′-Isophthaloyldithiobis-2-Aryl-1,3,4-Oxadiazoles and Diamines under Mild Conditions, 2727C
—; Niwa, T.; Nakamura, S.: Preparation and Properties of Polyamides, Polyimides, and Polyamide-Imides Containing 1,3,4-Thiadiazole Moieties, 337L
Sahu, G. See Misra, S., 2647C
Saigo, K. See Yonezawa, N., 617L
St. John Manley, R. See Tsuji, M., 1127P
Saito, S. See Oshima, R., 911C
Saiz, E. See Riande, E., 1031P
Sakai, H. See Shima, S., 245L; Takagishi, T., 329L
Sakai, M. See Ogawa, T., 1109C
Salamone, J. C.
—; Raheja, M. K.; Anwaruddin, Q.; Watterson, A. C.: Polymerization of Vinylpyridinium Salts. XIII. Preparation of 4-Vinyl-*N*-Methylpyridinium *p*-Styrenesulfonate Charge Transfer Ion-Pair Comonomer, 655L
Salaneck, W. R. See Hjertberg, T., 453L
Salovey, R. See Shinde, A., 1681P
Sanayei, R. A.
—; O'Driscoll, K. F.: The Import of Volume Change in the Definition of Rate Constants in Polymerization Kinetics, 557L
Sanda, P. N. See Silverman, B. D., 2857C
Sanden, R.
Combinations of Hydroxyl-Terminated Polybutadiene and Boron, 2279C
Sangita See Varma, I. K., 1885C
Sangster, D. F. See Garnett, J. L., 563L
Santoro, J. See Guzman, J., 2283C
Sanui, K. See Arai, Y., 3093C; Ogata, N., 349L
Saruyama, Y.
—; Miyaji, H.: A New Model For The Molecular Conformation In Polyoxymethylene Crystals, 1637P
Sasaki, S.
—; Uematsu, I.: Crystal Structure of Poly(γ-Methyl L-Glutamate) at High Temperature, 263P
Sashio, M.
—; Tanaka, M.: Thermal Reaction of Poly(vinyl Alcohol)-Iodine Complex Membranes, 905C
Sato, T. See Oshima, R., 787C
Sato, Y. See Miyamoto, T., 1373C
Scaiano, J. C.
Comment on "Studies of the Role of Peroxy and Hydroperoxy Groups in Polymer Photodegradation", 437L
Scalapino, D. J. See Meakin, P., 179P
Schaefers, K.
—; Schneider, C.: On the Synthesis and Polymerization of *t*-Butyl-*p*-vinylperbenzoate and the Grafting of its Homo- and Copolymers, 2879C
Scheinbeim, J. I. See Kim, K. G., 2477P
Schen, M. A. See Chien, J. C. W., 2447C
Schick, M. J.
Reivew of *Surfactants*. Th. F. Tadros, Ed., 163L
Review of *Introduction to Aerosol Science*. P. C. Reist, 162L
Review of *Reverse Micelles*, P. L. Luisi, and Straub, B. E., Eds., 163L

Schilling, F. C. See Krigas, T. M., 509P
Schissel, P. See Sergides, C. A., 1573P
Schlect, M. F.
Review of *Oxidation of Organic Compounds: Medium Effects in Radical Reactions*. N. M. Emanuel, G. E. Zaikov, and Z. K. Maizus, 200L
Schmitt, G. C.
Review of *Ring-Opening Polymerization, Volumes 1 and 2 and indexes*. K. J. Ivin, and T. Saegusa, Eds., 275L
Schmitz, F. P. See Rossbach, V., 1819C
Schneider, C. See Schaefers, K., 2879C
Schoen, P. E.
—; Yager, P.: Spectroscopic Studies of Polymerized Surfactants: 1,2-bis(10,12-tricosadiynoyl)-*sn*-glycero-3-phosphocholine, 2203P
Scholtens, B. J. R.
Linear Thermoviscoelasticity and Characterization of Slightly Crystalline EPDM Networks, 1325P
—; Hillegers, L. T.: Estimation of the Equalibrium Modulus of Rubber Networks by Nonlinear Regression Analysis, 2377P
Schonhorn, H.
—; Baker, G. L.; Bates, F. S.: Wetting Properties of Polyacetylene Films, 1555P
Sefain, M. Z.
—; El-Kalyoubi, S. F.; Shukry, N.: Thermal Behavior of Holo- and Hemicellulose Obtained from Rice Straw and Bagasse, 1569C
Segre, A. L.
—; Andruzzi, F.; Barone, C.; Paci, M.; Magagnini, P. L.: Studies on Comblike Polymers. X. Characterization of Comblike Polyesters by ^{13}C NMR Spectroscopy, 2611P
Semsarzadeh, M. A.
Interpenetrating Network of Metal Polymer Composite (INMPC), 183L
Sergides, C. A.
—; Chughtai, A. R.; Smith, D. M.; Schissel, P.: Relationship between the Functional Group Concentrations and the Infrared Reflection–Absorbance of Polyacrylonitrile Films, 1573P
Shaffer, T. D.
—; Jamaludin, M.; Percec, V.: Functional Polymers and Sequential Copolymers by Phase-Transfer Catalysis. 15. Thermotropic Copolyethers Based on 4,4′-Dihydroxybiphenyl, Bisphenol A and 1,9-Dibromononane, 2913C
—; Percec, V.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. 14. Thermotropic Polyethers and Copolyethers Based on 4,4′-Dihydroxybiphenyl, 185L
Shibata, T. See Miyamoto, T., 1373C
Shields, C. M. See Koenig, J. L., 845P
Shima, S. See Takagishi, T., 329L
—; Sakai, H.; Takagishi, T.; Kuroki, N.: Binding of Metal Ions by α-Poly-L-Lysine and ε-Poly-L-Lysine, 245L
Shimizu, M. See Yano, T., 1455C
Shimizu, T.
—; Kwak, J. C. T.; Minakata, A.: The Influence of Tetraalkylammonium Counterions on the Conformational Transition of an Alternating Copolymer of Maleic Acid and *n*-Butyl Vinyl Ether in Aqueous Solutions, 1139P
Shimokado, T. See Takagishi, T., 495L
Shinde, A.
—; Salovey, R.: Irradiation of Ultrahigh-Molecular-Weight Polyethylene, 1681P
Shinohara, I. See Ishihara, K., 481L, 2841C
Shintani, N. See Abe, Y., 447L
Shirai, H. See Nishimoto, S-I., 141L
Shirai, M.
—; Orikata, T.; Tanaka, M.: Cation Binding Properties of Poly(crown Ethers) with Photodimerizable Groups, 463C
Shoef, N. See Warshawsky, A., 1843C
Shono, T. See Kimura, K., 2327C; Oue, M., 2033C
Shrinking body See Viollaz, P., 143P
Shukry, N. See Sefain, M. Z., 1569C
Shultz, A. R.
—; Frank, P.; Griffing, B. F.; Young, A. L.: Quantum Yield for Poly(methyl methacrylate) Chain Scission by 214–229 nm Wavelength Light, 1749P
Shy, H.-J. See Chen, S.-A., 2441C
Sibilia, J. P. See Murthy, N. S., 2369P
Sichel, E. K.
—; Rubner, M. F.: Electrical Properties of Polyacetylene/Polybutadiene Blends, 1629P
Sideridou-Karayannidou, I. See Kehayoglou, A. H., 2803C
Siesler, H. W. See Gupta, V. B., 405P
Rheo-Optical Fourier-Transform Infrared Spectroscopy of Polymers. 9. Stretching-Induced II(α)-I(β) Crystal Phase Transformation in Poly(vinylidene fluoride), 2413P
Silberman, R.
—; Kohn, D. H.: Graft Copolymerization. II. Grafting of Benzyloxyethyl Methacrylate on Poly(vinyl Alcohol), 327C
Silverman, B. D.
—; Sanda, P. N.; Ho, P. S.: Origin of the Carbon 1s-Core Level Shifts in Polyimide Model Compounds, 2857C
Simionescu, B. C. See Simionescu, C. I., 121L
Simionescu, C. I.
—; Grigoras, M.; Barboiu, V.: Thermal and Radical Polymerization of Anthracene Acrylates and Methacrylates, 2089C
—; Oprea, C. V.: Mechanochemically Initiated Polymerizations. VIII. Influence of Chemical Nature of Monomers, 501C
—; Simionescu, B. C.; Ioan, S.: Solution Properties of Ultrahigh-Molecular-Weight Polymers. 6. Poly(butyl Methacrylate), 121L
Sixou, P. See Gilli, J. M., 379L
Skarda, V.
—; Ivkovich, D.: Solid-State Thermal Polymerization of the Heterocyclic HC_7N_7 Acid, 1137C
—; Ivkovich, D.; Labes, M. M.: On The Anionic Polymerization of Cyanogen, 107C
Skordilis, V. See Dondos, A., 615P
Slivinsky, E. V. See Voicechovsky, Y. P., 1641C
Smith, B. C. See Reichmanis, E., 1C
Smith, D. J.
—; Patel, S.: Synthesis and Properties of Poly(Quadrol methacrylate) Hydrogel, 633L
Smith, D. M. See Sergides, C. A., 1573P
Smith, J. D. B. See Sadhir, R. K., 411C
Smith, T. E. See Cheng, H. N., 461P
Smith, W. T., Jr.
—; Brahme, N. M.: Vinylsulfonylethyl Derivatives of Nucleic Acid Bases and Their Graft Polymers on Polyethyleneimine, 879C
Smolders, C. A. See Wijmans, J. G., 1941P
So, S.
—; Rudin, A.: Study of the Curing Reactions of Phenolic Resins by High Field Carbon-13 CP-MAS NMR Spectroscopy, 403L
Somasiri, N. L. D. See Hjertberg, T., 453L
Sone, Y. See Tsubokawa, N., 489C
Song, J. W. See Abhiraman, A. S., 613L
Sood, D. S. See Misra, B. N., 1749C
Soum, A. See Leclerc, M., 2031P
Spathis, G. See Kontou, E., 1493C
Spegt, P.
—; Meurer, B.; Hornick, C.; Weill, G.: Molecular Orientation in Stretched Poly(vinyl Alcohol). I. NMR Anisotrophy and Birefringence, 315P
Spencer, J. L. See Durning, C. J., 171L
Sperling, L. H. See Hardenstine, K. E., 1597P
Spitzer, M. See Renner, A., 2341C
Srinivasan, G. See Dhal, P. K, 2679C
Srinivasan, M. See Gopal, J., 2719C
Srivastava, A. K. See Tewari, R. S., 2405C
Starkweather, H. W., Jr. See Garcia, D., 537P
The Effect of Heating Rate on the Melting of Polytetrafluoroethylene, 1177P

Stein, R. S. See Tabar, R. J., 2059P, 2085P
Stepanov, V. A. See Bershtein, V. A., 371L
Stille, J. K. See Wnek, G. E., 609L
Stock, R. S.
—; Ray, W. H.: Interpretation of Photon Correlation Spectroscopy Data: A Comparison of Analysis Methods, 1393P
Stockmayer, W. H. See Matsuo, K., 273L
Strauss, U. P.
—; Andrechak, J. A.: The Effect of Molecular Weight on the Behavior of Hydrophobic Polyacids, 1063C
Strobel, M.
—; Corn, S.; Lyons, C. S.; Korba, G. A.: Surface Modification of Polypropylene with CF_4, CF_3H, CF_3Cl, and CF_3Vr Plasmas, 1125C
Struglinski, M. J. See Krigas, T. M., 509P
Stupp, S. I. See Yau, H., 813C
Subbaratnam, N. R. See Gopalan, A., 1861C
Subirana, J. A. See Munoz-Guerra, S., 733P
Sudhakaran, S. See Dhal, P. K., 319C
Sudol, E. D. See Choi, Y. T., 2973C
Sueki, T. See Kamogawa, H., 1963C
Sugawara, S. See Iizawa, T., 1893C
Sumi, K.
—; Furue, M.; Nozakura, S.-I.: Efficiency of Polymer Sensitizer in Photosensitized Reaction of Tris(bipyridine)ruthenium(II) Complex-Containing Polymer, 3059C
Surendran, G. See Gazicki, M., 2255C
Suzuki, H.
—; Wunderlich, B.: Heat Capacities of Liquids Linear Aliphatic Polyoxides, 1671P
Svistunov, V. S. See Tsvankin, D. Ya., 1043C
Swales, T. G. E.
—; Domszy, R. C.; Beddoes, R. L.; Price, C.; Booth, C.: X-Ray Scattering from the Long Spacing of Completely Crystalline Oligoethylene Glycol Di-*n*-Alkyl Ethers, 1585P
Szekely, T. See Blazso, M., 2589C
Szollosi, A. B. See Murthy, N. S., 2369P, 2549P

Tabar, R. J.
—; Leite-James, P.; Stein, R. S.: Quantitative Small-Angle Light Scattering Studies of the Melting of Poly(ethylene terephthalate), 2085P
—; Stein, R. S.; Rose, D. E.: The Effect of Spherulitic Truncation on Small-Angle Light Scattering, 2059P
Tabor, M. See Durning, C. J., 171L
Tachibana, K. See Yonezawa, N., 617L
Tadano, K.
—; Yano, S.; Muroga, Y.: Dielectric Properties of Poly(tert-butyl Crotonate), 661L
Tagle, L. H. See Diaz, F. R., 2043C, 2757C
Tajima, I.
—; Yamamoto, M.: Spectroscopic Study on Chemical Structure of Plasma-Polymerized Hexamethyldisiloxane, 615C
Takagishi, T. See Kozuka, H., 1243C; Shima, S., 245L
—; Hamano, H.; Shimokado, T.; Kuroki, N.: Binding of Anthraquinone Sulfonate by Crosslinked Vinylpyrrolidone–Divinylbenzene Copolymers: Template Effect, 495L
—; Kuroki, N.; Kozuka, H.; Mitsuishi, M.: Binding of Anthraquinone Dyes by Polyion Complexes Consisting of a Piperidinium Cationic Polymer and Various Polyanions in Aqueous Solution, 3021C
—; Kuroki, N.; Shima, S.; Sakai, H.; Yamamoto, H.; Nakazawa, A.: Circular Dichroism Studies of ε-Poly(L-Lysine): Binding of Methyl Orange, 329L
—; Okuda, S.; Kuroki, N.; Kozuka, H.: Binding of Cupric Ion by Crosslinked Polyethylenimine, 2875C
—; Okuda, S.; Kuroki, N.; Kozuka, H.: Binding of Metal Ions by Polyethylenimine and Its Derivatives, 2109C
—; Yoshikawa, K.; Hamano, H.; Kuroki, N.; Kozuka, H.: Specific Interaction between Polyethylenimine and Azo Dyes Carrying Hydroxyl Groups, 37C
—; Yoshikawa, K.; Kubroki, N.; Kozuka, H.: Interaction of Phenolic Cosolutes with Polyethylenimine, 2073C
—; Yoshikawa, K.; Okuda, S.; Kuroki, N.; Kozuka, H.: Effects of Metal Ions on the Interaction between Polyethylenimine and Azo Dyes Carrying Hydroxyl Groups, 255C
Takahashi, I. See Higashi, F., 1369C, 2851C, 3095C
Takahashi, M. See Nishikubo, T., 1805C
Takahashi, T. See Nishio, Y., 1043P, 1053P
Takahashi, Y.
—; Miyamoto, N.: Kink Motion in Poly(vinylidene fluoride) Form I, 2505P
Takase, M. See Osada, Y., 2425C
Takayama, S. See Usami, T., 427L
Takekoshi, T.
—; Kochanowski, J. E.; Manello, J. S.; Webber, M. J.: Polyetherimides. I. Preparation of Dianhydrides Containnig Aromatic Ether Groups, 1759C
Takemura, F. See Iwai, K., 27C
Takenaga, M.
—; Obori, H.; Yamagata, K.: Internal Friction Behavior Near the Crystalline Phase Transition Temperatures for As-Polymerized Polytetrafluoroethylene, 45L
—; Yamagata, K.: Dependence of Degree of Crystallinity and Melting Point on Time and Temperature of Annealing for γ-Irradiated Polytetrafluoroethylene, 149P
Takeuchi, K. See Hirai, H., 901C
Takeuchi, Y.
—; Yamamoto, F.; Nakagawa, K.; Yamakawa, S.: Orientation Behavior of High-Modulus Polyoxymethylene Produced by Microwave Heating Drawing, 1193P
Takizawa, A. See Tsujita, Y., 1255C
Tamura, S. See Yamaura, K., 1703P
Tanahashi, M. See Miyamoto, T., 1373C
Tanaka, H.
—; Ota, T.: ESR Study of Capto Dative-Substituted Radical–Tin Tetrachloride Complex, 93L
Tanaka, K. See Ito, M., 59P
Tanaka, M. See Sashio, M., 905C; Shirai, M., 463C; Tsunooka, M., 2495C
Tanaka, S. See Tsunooka, M., 2495C
Tang, S. S. See Evans, J. R., 971C
Tarazona, M. P. See Riande, E., 1031P
Tashiro, K. See Nambu, Y., 409L
Taylor, L. T. See Khor, E., 175C
Teshirogi, T. See Mukai, K., 1259C
Tewari, R. S.
—; Bajpai, A.; Srivastava, A. K.: The Use of Ylide (4-Picolinium 4-Chloro Phenacyl Methylide) as an Initiator for the Polymerization of Methyl Methacrylate), 2405C
Teyssie, Ph. See Fayt, R., 337C
Theocaris, P. S. See Kontou, E., 1493C
Theodorou, M.
—; Jasse, B.; Monnerie, L.: Fourier-Transform Infrared Investigation of Conformational Changes Occurring at the Yield Point in Uniaxially Drawn Atactic Polystyrene, 445P
Thomas, E. L. See Briber, R. M., 1915P
Till, C. See Munro, H. S., 1621C
Tino, J. See Klimova, M., 105P
Tirrell, M. See Adolf, D., 413P
Toda, T. See Kurumada, T., 1477C, 2747C; Tsukube, H., 467L
Toi, K.
—; Ito, T.; Ikemoto, I.: Effect of Aging and Conditioning on the Gas Transport of Poly(vinyl acetate), 475L
Tokairin, A. See Nishikubo, T., 1805C
Tombari, E. See Carlini, C., 5L
Tomko, R.
—; Overberger, C. G.: Polymeric Catalysis: Imidazoles Grafted onto Poly(vinylamine). I. Synthesis and Grafting of Imidazolylalkanoic Acids, 265C

—; Overberger, C. G.: Polymeric Catalysis: Imidazoles Grafted onto Poly(vinylamine). II. Kinetics of the Esterolysis of Activated Phenyl Esters, 279C
Tomoi, M.
—; Nakamura, E.; Hosokawa, Y.; Kakiuchi, H.: Solvent Effects in Phase-Transfer Reactions Prompted by Polymer-Supported Phosphonium Salts, 49C
Tong, H.-M. See Yang, R. M., 583L
Toppare, L. See Akbulut, U., 1631C
—; Eren, S.; Akbulut, U.: Effects of Potential on Electroinitiated Copolymerization of Styrene and β-Bromostyrene, 303C
Trefonas, P.
—; West, R.: Organogermane Homopolymers and Copolymers with Organosilanes, 2099C
Trefonas, P., III
—; West, R.: Organosilane High Polymers: Oxidation of Polycyclohexylmethylsilylene, 419L
Trifilo, R. See Pegoraro, M., 2499P
Tschoegl, N. W. See Moonan, W. K., 623P
Tsubokawa, N.
—; Ohyama, T.; Yamada, A.; Sone, Y.: Grafting of Polyesters onto Carbon Black. VI. Copolymerization of Alkylene Carbonate with Cyclic Acid Anhydride Initiated by Alkali Metal Carboxylate Groups on Carbon Black Surface, 489C
Tsuchida, A.
—; Yamamoto, M.; Nishijima, Y.: Some Characteristics of the Intramolecular Exciplex in Poly [(1-vinylpyrene)-co-(4-dimethylaminostyrene)], 585C
Tsuchida, E. See Kaneko, M., 629L
Tsuda, K. See Kondo, S., 581C
Tsuji, M.
—; Roy, S. K.; St. John Manley, R.: Lattice Imaging of Radiation-Sensitive Polymer Crystals, 1127P
Tsujita, Y.
—; Higaki, T.; Takizawa, A.; Kinoshita, T.: Random Coiled Polypeptide Blend, 1255C
Tsukube, H.
—; Kubo, Y.; Toda, T.; Araki, T.: Effective Zn^{2+} Ion Transport Mediated by Branched Oligoethylenimine Derivative, 467L
Tsunooka, M.
—; Tanaka, S.; Tanaka, M.; Nonaka, T.; Egawa, H.: Photocrosslinking of Poly(2,3-Epithiopropyl Methacrylate) by the Oxidation of Pendant Episulfide Groups, 2495C
Tsvankin, D. Ya.
—; Papkov, V. S.; Zhukov, V. P.; Godovsky, Yu. K.; Svistunov, V. S.; Zhdanov, A. A.: Structure and Phase Transitions in Poly(diethylsiloxane), 1043C
Tudgey, G. F. See Johncock, P., 291C
Tung, L. H.
—; Lo, G. Y. S.; Griggs, J. A.: Block Polymer Preparation via Both Anionic and Free Radical Polymerization, 1551C
Tunney, S. E. See Wnek, G. E., 609L
Turker, L. See Akbulut, U., 1631C
Turner, S. R. See Weiss, R. A., 525C, 549C
—; Weiss, R. A.; Lundberg, R. D.: The Emulsion Copolymerization of Styrene and Sodium Styrene Sulfonate, 535C
Turngren, E. V. See Patterson, P. M., 483P

Ueda, M.
—; Mochizuki, A.: Synthesis of Polyamides from Active *N,N'*-Diacylbis [1,2-Benzisothiazol-3(2H)-one]s and 4,4'-Oxydianiline Under Mild Conditions, 1973C
—; Oikawa, H.: Synthesis of Polyamides by Direct Polycondensation with (1,2-Benzisoxazol-3-yl) Diphenyl Phosphate as a New Activating Agent, 1607C
Uematsu, I. See Sasaki, S., 263P
Ullman, R.
Corrections to Calculations of the Radius of Gyration of Polydisperse Gaussian Coils When Scattering Measurements at Low Angle are Missing, 1477P
Uno, H. See Endo, T., 359L
—; Endo, T.; Okawara, M.: Cationic Polymerization of 1-Phenyl-4-ethyl-2,6,7-trioxabicyclo[2.2.2]octane, 63C
Uryu, T. See Koyama, Y., 2989C; Oshima, R., 151L
Usami, T.
—; Takayama, S.; Yokoyama, M.; Kosugi, N.; Kuroda, H.: EXAFS and XANES Studies on $MgCl_2$-supported Ziegler-Natta Catalyst, 427L

Vaidya, R. A. See Mathias, L. J., 289L
Vallance, M. A. See Castles, J. L., 2119P
Vandenberg, E. J.
Polymerization of Glycidol and Its Derivatives: A New Rearrangement Polymerization, 915C
Synthesis and Properties of Poly(*cis*-1,4-Dihydroxy-2,3-Epoxybutane), 951C
Vanderhart, D. L. See Zupancic, I., 387P
Vanderhoff, J. W. See Choi, Y. T., 2973C; Jayasuriya, R. M., 2819C
Van Leemput, R. See Benchabane, M., 991P
Varma, D. S. See Varma, I. K., 1885C
Varma, I. K. See Choudhary, M. S., 1917C
—; Sangita; Choudhary, M. S.; Rao, B. S.; Varma, D. S.: Addition Polyimides. V. Effect of Vinyl Ester Resin on Thermal and Mechanical Properties of Chain-Extended Bismaleimides, 1885C
Varoqui, R. See Pefferkorn, E., 1997P
Vasile, C.
—; Odochian, L.; Patachia, S. F.; Popoutanu, M.: Thermal Degradation of Vinyl Alcohol/Vinyl Acetate Copolymers V. Study of the Reaction Products of Statistical Copolymers, 2579C
Venkatraman, S.
—; Berry, G. C.; Einaga, Y.: Rheological Properties of Rodlike Polymers in Solution. 2. Linear and Nonlinear Transient Behavior, 1275P
Vergamini, P. See Benedetti, E., 1187P
Viollaz, P.
—; Analytical solution; Diffusion; Shrinking body; Mass balance; Infinite slab: An Analytical Solution for Diffusion in a Shrinking Body, 143P
Viovy, J. L.
Tube Relaxation: A Quantitative Molecular Model for the Viscoelastic Plateau of Entangled Polymeric Media, 2423P
Viras, F.
—; Viras, K. G.; King, T. A.: Low-Frequency Excitations in Amorphous Poly(vinyl acetate), 609P
Viras, K.
—; King, T. A.; Booth, C.: Low-Frequency Raman-Active Modes and Temperature Dependences in Oligo-oxyethylene, 471P
Viras, K. G. See Viras, F., 609P
Viswanadhan, V. N.
—; Mattice, W. L: Short-Branch Formation via the Roedel Mechanism in Copolymers of Ethylene and Vinyl Acetate, 1957P
Vittoria, V. See Decandia, F., 1217P
Vitus, D. M. See Cheng, H. N., 461P
Vofsi, D. See Yie-Shun, C., 1193C
Vogl, I. See Bansleben, D. A., 673C
Vogl, O. See Bansleben, D. A., 703C; Muggee, J., 649C
Voicechovsky, Y. P.
—; Slivinsky, E. V.; Fichte, B. B.; Loktev, S. M.: Oligomerization of Phenylacetylene on Fe-Catalysts, 1641C
Volino, F. See Pineri, M., 2009P
Vonk, C. G.
—; Koga, Y.: An X-Ray Diffraction Study of Nonlinear Polyethylene. II. Small-Angle Scattering Observations near the Melting Point, 2539P
—; Pijpers, A. P.: An X-Ray Diffraction Study of Nonlinear Polyethylene. I. Room-Temperature Observations, 2517P

Vrentas, J. S.
—; Duda, J. L.; Hou, A.-C.: Evaluation of Theories for Diffusion in Polymer–Solvent Systems, 2469P
—; Duda, J. L.; Ling, H.-C.: Free-Volume Theories for Self-Diffusion in Polymer–Solvent Systems. I. Conceptual Differences in Theories, 275P
—; Duda, J. L.; Ling, H.-C.; Hou, A.-C.: Free-Volume Theories for Self-Diffusion in Polymer–Solvent Systems. II. Predictive Capabilities, 289P

Wada, T. See Oshima, R., 151L
Wada, Y. See Ikeda, S., 1513P, 1781P
Wallace, W. See Merajver, S. D., 2043P
Waltman, R. J. See De Paoli, M. A., 1687C
Wang, C. R. See Yasuda, H., 87C
Wang, M. C. See Okamoto, Y., 285L
Wang, X. See Hu, S., 2387P
Ward, I. M. See Holden, P. S., 709P, 2295P
Warshawsky, A.
—; Deshe, A.: Halomethyl Octyl Ethers: Convenient Halomethylation Reagents, 1839C
Warshawsky, A. See Kahana, N., 231C
—; Shoef, N.: Novel Polymeric Halomethylating Reagents, 1843C
Washio, K. See Yano, T., 1455C, 3069C
Wasserman, B. See Wnek, G. E., 609L
Watanabe, J.
—; Krigbaum, W. R.: Copolyesters Exhibiting a Thermotropic Cholesteric Phase, 565P
Watanabe, M. See Arai, Y., 3093C; Ogata, N., 349L
Watase, M.
—; Nishinari, K.: Rheological and DSC Changes in Poly(vinyl alcohol) Gels Induced by Immersion in Water, 1803P
Watterson, A. C. See Salamone, J. C., 655L
Webber, M. J. See Takekoshi, T., 1759C
Weill, G. See Spegt, P., 315P
Weiss, R. A. See Peiffer, D. G., 1869P; Turner, S. R., 535C
—; Lundberg, R. D.; Turner, S. R.: Comparisons of Styrene Ionomers Prepared by Sulfonating Polystyrene and Copolymerizing Styrene with Styrene Sulfonate, 549C
—; Turner, S. R.; Lundberg, R. D.: Sulfonated Polystyrene Ionomers Prepared by Emulsion Copolymerization of Styrene and Sodium Styrene Sulfonate, 525C
Wells, B. G. See Montezinos, D., 421L
Wentworth, S. E.
—; Bergquist, P. R.: Regiospecifically Substituted Poly(phenylacetylenes) as Potential Chemical Detectors, 2197C
West, R. See Trefonas, P., 2099C; Trefonas, P., III, 419L; Zhang, X.-H., 429L
Wiff, D. R.
—; Altieri, M. S.; Goldfarb, I. J.: Predicting Glass Transition Temperatures of Linear Polymers, Random Copolymers, and Cured Reactive Oligomers from Chemical Structure, 1165P
Wiggett, R. D. See Huson, M. G., 2833C
Wightman, J. P. See Khor, E., 175C
Wijmans, J. G.
—; Rutten, H. J. J.; Smolders, C. A.: Phase Separation Phenomena in Solutions of Poly(2,6-Dimethyl-1,4-phenyleneoxide) in Mixtures of Trichloroethylene, 1-Octanol, and Methanol: Relationship to Membrane Formation, 1941P
Wilkie, C. A. See Brown, C. E., 403L
Wilkinson, M. C. See Chainey, M., 2947C; Hearn, J., 1869C
Williams, E. L. See Pearson, R. G., 9C
Williams, M. C. See Henderson, C. P., 1001P; Lee, M. C. H., 2243P
Williams, R. F. See Gerbi, D. J., 551L
Windeln, J. See Rossbach, V., 1819C
Windle, A. H. See Mitchell, G. R., 1967P
Winston, A. See Desaraju, P., 73L
Wintersgill, M. C. See Fontanella, J. J., 113P
Wissler, G. E.
—; Crist, B.: Small-Angle Light Scattering from a Distribution of Spherulite Sizes, 2395P
Wittmann, J. C.
—; Lotz, B.: Polymer Decoration: The Orientation of Polymer Folds as Revealed by the Crystallization of Polymer Vapors, 205P
Wnek, G. E. See Guiseppi-Elie, A., 2601C
—; Wasserman, B.; Dresselhaus, M. S.; Tunney, S. E.; Stille, J. K.: Ion Implantation of a Polyquinoline, 609L
Wolf, C. J. See Grayson, M. A., 1087P
Wong, S. P. See Choy, C. L., 1495P
Wood, L. E. See Klotz, I. M., 575C
Worsfold, D. J. See Bywater, S., 1997C
Wu, Q. See Benson, R. S., 399C
Wunder, S. L. See Merajver, S. D., 2043P; Naoki, M., 2567P
Wunderlich, B. See Cao, M.-Y., 521P; Suzuki, H., 1671P

Xu, M. See Hu, S., 2387P
Xue-Hai, Y.
—; Nagarajan, M. R.; Grasel, T. G.; Gibson, P. E.; Cooper, S. L.: Polydimethylsiloxane–Polyurethane Elastomers: Synthesis and Properties of Segmented Copolymers and Related Zwitterionomers, 2319P

Yager, P. See Schoen, P. E., 2203P
Yahagi, I. See Ogata, N., 349L
Yahya, S. B. See Brown, R. A., 451P
Yalpani, M.
—; Brooks, D. E.: Selective Chemical Modifications of Dextran, 1395C
Yamada, A. See Kaneko, M., 629L; Tsubokawa, N., 489C
Yamada, Y. See Higashi, F., 69C, 2709C
Yamagata, K. See Takenaga, M., 45L, 149P
Yamaguchi, S.
—; Hayashi, H.; Hamada, F.; Nakajima, A.: Configurational Studies on Amylose. II. Moments and Distribution Functions, 1657P
Yamakawa, S. See Takeuchi, Y., 1193P
Yamakita, H. See Hayakawa, K., 2739C
Yamamoto, F. See Takeuchi, Y., 1193P
Yamamoto, H. See Takagishi, T., 329L
Yamamoto, M. See Tajima, I., 615C; Tsuchida, A., 585C
Yamamoto, T.
Monte Carlo Simulation of the Crystal Structure of the Low-Temperature Phase of Polytetrafluoroethylene, 771P
Yamane, T. See Nishio, Y., 1043P, 1053P
Yamashita, N. See Obayashi, T., 593L
Yamaura, K.
—; Hirata, K.; Tamura, S.; Matsuzawa, S.: Dilute Solutions of Poly(vinyl alcohol) Derived from Vinyl Trifluoroacetate, 1703P
Yang, A. C.-M.
—; Kramer, E. J.: Craze Fibril Structure and Coalescence by Low-Angle Electron Diffraction, 1353P
Yang, R. M.
—; Tong, H.-M.: Estimation of Moisture Diffusion Coefficient in Thin Polymer Films with Piezoelectric Quartz Crystal Resonators, 583L
Yang, X.-Z.
—; Chien, J. C. W.: Autooxidation and Stabilization of Undoped and Doped Polyacetylenes, 859C
Yano, S. See Tadano, K., 661L
Yano, T.
—; Ikai, S.; Shimizu, M.; Washio, K.: Soluble Magnesium–Titanium Catalysts for Ethylene Polymerization. I., 1455C
—; Ikai, S.; Washio, K.: Soluble Magnesium and Titanium Catalyst Components for Ethylene Polymerization, 3069C

Yasuda, H. See Gazicki, M., 2255C
—; Wang, C. R.: Plasma Polymerization Investigated by the Substrate Temperature Dependence, 87C
Yasuda, H. K. See Gazicki, M., 639L
Yau, H.
—; Stupp, S. I.: Solid Matrix Polymerization and Stereoisomeric Complexes of Poly(methyl Methacrylate), 813C
Yie-Shun, C.
—; Jagur-Grodzinski, J.; Vofsi, D.: Dehydrochlorination of Polyvinylidene Chloride (PVDC) in the Presence of Crown Ether as a Phase Transfer Agent, 1193C
Yokoyama, M. See Usami, T., 427L
Yonezawa, N.
—; Kanoe, T.; Saigo, K.; Chen, Y.; Tachibana, K.; Hasegawa, M.: Optically Active Polyamides Having *Anti* Head-to-Head Coumarin Dimer Component, 617L
Yorks, K. See McManus, S. P., 379C
Yoshikawa, K. See Takagishi, T., 37C, 255C, 2073C
Yoshino, N. See Crescenzi, V., 437P
Yoshioka, T. See Kurumada, T., 1477C, 2747C
Young, A. L. See Shultz, A. R., 1749P
Young, K. See Choy, C. L., 1495P
Yuasa, H. See Obayashi, T., 593L
Yue, H. J. See Jayasuriya, R. M., 2819C

Zapas, L. J. See Crissman, J. M., 2599P; McKenna, G. B., 1647P
Zebrowski, B. E.
—; Fuller, G. G.: Rheo-Optical Studies of Concentrated Polystyrene Solutions Subjected to Transient Simple Shear Flow, 575P
Zeigler, J. M. See Harrah, L. A., 209L
Zeldin, M.
—; Lin, J. J.: Synthesis of Isotactic, Syndiotactic, and Heterotactic, and Heterotactic Poly(tributyltin Methacrylate) and Poly(tributyltin Methacrylate-co-Styrene), 2333C
Zezin, A. B. See Izumrudov, V. A., 439L
Zhang, K.
—; Kumar, G. S.; Neckers, D. C.: Polymer Catalysts. X. Vanadium Complexes of Bipyridine-Based Polyureas for Epoxidation of Alkenes, 1213C
—; Kumar, G. S.; Neckers, D. C.: Polymeric Catalysts. IX. Cobalt Complexes of Polyureas Based on Bipyridine Pyridine and Crown Ether for Aldol Condensation, 1293C
Zhang, X.-H.
—; West, R.: Organosilane Polymers: Formable Copolymers Containing Diphenylsilylene Units, 429L
Zhang, Z. D. See Chern, S. S., 2579P; Pang, S. S., 683P
Zhan-Ru, L. See Gonsalves, K., 1707C
Zhdanov, A. A. See Tsvankin, D. Ya., 1043C
Zhou, J. See Huang, Y., 1853C
Zhou, Q. See Huang, Y., 1853C
Zhou, X.
—; Marks, T. J.; Carr, S. H.: Morphology of Poly(phthalocyaninatogermoxane) Crystals, 305P
Zhukov, V. P. See Tsvankin, D. Ya., 1043C
Zlatkevich, L.
Chemiluminescence Study of Polymer Oxidative Stability, 1691P
Improvement in Polypropylene Thermal Oxidative Stability by Annealing under an Inert Atmosphere, 2633P
Zupancic, I.
—; Lahajnar, G.; Blinc, R.; Reneker, D. H.; Vanderhart, D. L.: NMR Self-Diffusion Study of Polyethylene and Paraffin Melts, 387P

Subject Index to Volume 23

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 23, 1985. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number. Notes and Errata are indicated by the letters N and E, respectively, in parentheses following the page number.

Acetate ester, 2897C
Acetic anhydride, 1373C
Acetone, 2177C
Acetone solutions, 3045C
Acetonitrile, 501C, 2165C, 2441C
Acetylation of cellulose, 1373C
Acetylene, 2441C
Acid azo dyes, 37C, 255C
Acid chloride, 3093C
Acid values, 2305C
Acrolein, 131C
Acrolein (AL), polymerization, 593L
Acrylamide, 193C
—, polymerization, 155L
Acrylates, 2089C
Acrylic acid, 125C, 1505C
Acrylic acid (AA), 2225C
Acrylic monomers, 591C
Acrylonitrile, 479C, 901C, 2063C
Activating agent, 1607C
Active esters, 575C
Active graft polymers, 1321C
Acylamide of benzotriazole, 3031C
N-Acyl derivatives, 2747C
Adhesion of EPDM and EPR elastomers, 1823P
Adsorbed chains at solid-liquid interface, bead spring model for hydrodynamic interaction of, 695P
Adsorption of flexible polymer at solid/liquid interface, dynamics of, 1997P
Alcoholysis, 2999C
Aldehydes, 1931C
Aliphatic amines, 1267C
Aliphatic hydrocarbon solvents, 1997C
Alkali metal, 489C
Alkaline-earth thiocyanates, 113P
Alkaline hydrolysis, 445C
Alkanoic acids, 265C
tert-Alkylacetylenes(3,3-dimethyl-1-pentyne, 3,3-dimethyl-1-nonyne, 1-adamantylacetylene), 2527C
n-Alkyl bromides, 1221C
Alkyl derivatives, 2109C
Alkyl polyacrylates, 2539C
Alkyl vinyl ethers, 1063C
All-hydroxyl latex, 2819C
Allosteric association, 585C
Allylbenzene (AB), 2081C
Allyl bromide, 1931C
Allyl groups, 605C
Alternating copolymers, 1063C, 2679C
Aluminum alkyls, 731C
Aluminum chloride, 1259C
Amidation, 2461C
Amide–amide–ester–ester structure, 1369C
Amide condensations, 1607C
Amide–ester structure, 1369C
Amine, 2747C, 2931C
Amine hydrogen atoms, 291C
Amines, 1671C
1-Amino-4-alkylaminoanthraquinone-2-sulfonates, 3021C
Aminophenols, 1369C
Ammonia, 2659C
Ammonium persulfate, 1283C
Amorphous polyamides, 2779C
Amylose, configurational studies on, 1657P
Analysis of polyesters, 1819C
Anhydride-cured epoxy, 1031C
Anhydride groups, 2017C
1,4-Anhydro-2,3-di-*O*-benzoyl-α-L-arabinopyranose, 2989C
Anilines, 1723C
Anionic initiators, 107C
Anionic (KOH) polymerization, 915C
Anionic living polymerization, 1099C
Anionic polymerization, 623C, 813C
Anisotropy, 635C
Annealing, 149P, 2295P
Anomalous stress, 433L
Anthraquinone sulfonate, 495L
Antimony(III) chloride, 1833C
Apolar weight, 279C
Aqueous ionic solutions, 2601C
Aqueous perchloric acid, 2647C
Aqueous solutions, 227P
L-Arabinofuranan, 2989C
Aramid-coated IRS element, 1031C
Aromatic amines, 291C
Aromatic diacyl chlorides, 1369C
Aromatic diamines, 1787C
Aromatic dianhydrides, 1759C
Aromatic dicarboxylic acids, 1361C, 2851C
Aromatic polyamide, 1031C
Aromatic polyamide-imides, 2077C
Aromatic polyamides, 1797C, 1907C
Aromatic polyesters, 1699C
Aromatic polymers, 1843C
Aromatic substrates, 1843C
Aromatic tetramines, 595C
Aroxyacetyl chlorides, 2461C
Arrhenius lines, 41P
Arrhenius plot, 2647C
2-Aryl-5-benzoylthio-1,3,4-oxadiazoles, *z*127C
Ascorbic acid, 2063C
Ascorbic acid–peroxodisulfate, 2063C
Atomic absorption spectroscopy, 2305C
Autooxidations, 859C
2-Azabicyclo[2,2,1]heptan-3-one, 623C
Azopolymers, 2319C

BAB-type, 445C
Bagasse, 1569C
Bead–spring model macromolecules, 73P
Benzene, 1193C
Benzene ring, 119C, 2857C
1,2,4,5-Benzenetetracarboxylic dianhydride, 801C
1,2-Benzisothiazol-2-ol, 1973C
1,2-Benzisoxazol-3-ol, 1607C
Benzophenone (BP)-sensitized photopolymerization, 1407C
Benzophenonetetracarboxylic dianhydrides, 1759C
N-Benzoyl[1,2-benzisothiazol-3(2H)-one], 1973C
Benzoyl peroxide, 1917C, 2495C
Benzyl alcohol, 2487C
Benzyl bromide, 379C

Benzyloxyethyl methacrylate, 327C
Biacetyl, 2481C
Bicyclic rapid step-growth, 87C
Bicyclo ortho ester, 63C
Bicyclo ortho esters, 359L
Binary mixtures, 2739C
Binding of cupric ion, 2875C
Binding of divalent metal ions, 2875C
Birefringence of poly(triethylene glycol terephthalate), 1235P
Birefringence of stretched polyvinyl alcohol, 315P
π-Bis(benzene)chromium(O), 1853C
Bis(2-benzothiazolyl), 2833C
2,5-Bis(4-carboxyphenyl)–3,4-dihpenylthiophene, 1787C
Bischloride A2, 2461C
Bis-chloromethyl ether, 1839C
Bis(ether anhydride)s, 1759C
Bismaleimides and bisglycidyl methacrylate, 1885C
Bisphenol-A diphenylcarbonate, salt-catalyzed thermal rearrangement of, 355P
Bisphenol-A polycarbonate, mechanism of salt-catalyzed thermal modification of, 493P
—, model reactions pertaining to salt-promoted crystallization of, 343P, 355P
—, salt-induced crystallization of, 751P
Bisphenols, 69C, 2999C
Bisphenoxides, 1759C
Bisphthalic anhydrides, 1677C
Bisphthalonitrile derviatives, 1677C
Bjerrum's modified method, 169C
Blends of polyacetylene/polybutadiene, doped, electrical properties of, 1629P
Blends of polystyrene and PPO, local structure of, 1967P
Blends of poly(styrenes-co-acrylonitrile) with other polymers, compatibility in, 1975P
Block copolymers, 129P
—, conformation in dilute solution, 991P
—, oligomeric, orientation of oxyethylene and alkyl blocks in, 1585P
—, of polyesters of polyamides, 27L
—, polyurethane, microphase mixing and morphology of, 1883P
Block copolymers: thermal and mechanical properties of polyesters and polyether–esters, 2119P
Block copolymer thermodynamics, role of interphase in, 1001P
Blocking reagents, 2931C
Block polymer preparation, 1551C
Boll, 183C
Bombyx mori cast, 227P
Book reviews, 49L, 50L, 117L, 118L, 119L, 120L, 161L, 162L, 163L, 164L, 195L, 196L, 197L, 198L, 199L, 200L, 202L, 275L, 276L, 277L
Boron in hydroxy-terminated polybutadiene (HTPB), 2279C
Boron powder, 2279C
Branched and linear polymers, 1119C
Branched chain esters, 2539C
Branched-chain methylsiloxane polymers, 2589C
Bridged bicyclic lactam, 623C
Bromine/KOH, 2659C
β-Bromostyrene, 303C
Bulk polymerization, 605C
N-tert-Butylacrylamide, 1017C
N-Butyl-3-mercaptopropionamide, 981C
n-Butyl methacrylate, 1917C
t-Butyl-*p*-vinylperbenzoate (TBVP), 2879C

Calorimetric (DSC) study, 2679C
Calorimetry, 429C
^{13}C- and ^{15}N-nuclear magnetic resonance spectroscopy, 2507C
Carbazole-substituted *N*-acylated dehydroalanine, 3007C
2-(9-carbazolyl)acetylaminopropenoic acid, 3007C
Carbocyclic diene, 591C
Carbodimide, 265C
Carbodimides, 1671C
α-Carbon atom, 1C
Carbon black, 489C
—, N220, 2567C
Carbon 1s (C1s) core-level positions, 2857C
Carbon–nitrogen bonds, 517C
Carbon–nitrogen pyropolymers, 517C
Carbon tetrachloride, 2561C
Carbowax 350, 2005C
Carboxyl groups, 1939C, 2709C
Carboxylic acid, 1C
Carboxylic acid vinyl monomers, 77C
Carboxyl-oxygen atoms, 453C
Casting temperature, 227P
Catalytic amounts, 2999C
Cation binding, 463C, 2033C
Cationic initiators, 1707C
Cationic mechanism, 951C
Cationic polymer, 3021C
Cationic polymerization, 63C, 227L, 429C
Cationic ring opening polymerization, 1307C, 2989C
Cationic salts, 1221C
Cation sources, 63C
Cellulose, 183C, 647L
Cellulose nitrates, NMR of, 483P
Cetyl alcohol, 2973C
CF_4, CF_3H, CF_3Cl, and CF_3Br plasmas, 1125C
Chain axis, 2307P
Chain branching in formation of ethylene-vinyl acetate copolymers, 1957P
Chain configuration of amylose, 1657P
Chain confomation and composition for poly(ortho esters), 2217P
Chain conformation of isotactic and atactic, Raman spectra in solutions of, 2043P
Chain entanglement and activation energy for melt flow, 2159P
Chain entanglements, tube relaxation model for, 2423P
Chain interactions in crystalline PTFE, Monte Carlo simulation of, 771P
Chain motion in amorphous and semicrystalline polymers, NMR study of, 367P
Chain motion in dissolved tetramethyl bisphenol-A polycarbonate, 1793P
Chain motion in polymer melts, 833P
Chain motion in poly(vinylidene fluoride) crystallites, 2505P, 2517P
Chain motion in solutions of poly(*N*-vinyl pyrrolidone) and PVP-iodine, 461P
Chain motion of *n*-alkanes and oligo-oxyethylenes, 471P
Chain orientation in stretched polymer from NMR anisotrophy, 315P
Chain scission, 1421C
Chain scission by UV light in PMMA, 1749P
Chain shrinking, 585C
Chain termination, 1407C
Characteristic of crystals of helical polymers, 1637P
Characterization and properties of poly(amide-ureas), 2719C
Charge mosaic membrane, 219L
Chelating ligands, 581C
Chelating resins, 309L
Chemical degradation, 1819C
Chemiluminescence in evaluating oxidative stability, 1691P
2-Chloroacrylnitrile, 591C
4-Chloroformylphthalic anhydride, 2077C
Chloromethylated polystyrene, 1267C
Chloromethylating, 1433C
Chloromethylmethyl, 1839C
Chromatographic column, 319C
Chromatographic separation, 2327C
Chrome violet (I), 255C
Chromophore-containing polymers, 591P
Cinnamic acid, 463C
Citronellol, 1517C

Closed-circuit filtration system, 2567P
Cloud point of polymer mixtures, effect of polydispersity on, 917P
Cloverleaf pattern, 2395P
^{12}C-NMR, 1373C
^{13}C-NMR spectroscopy, 1077C
Cobalt complexes, 1293C
Cocrystallization, 337C
Coextrusion drawing, 245P
Co(II)–13X molecular sieves, 2631C
Collagen, 2865C
Column elution method, 1109C
Combined anionic, 1551C
Comb-shaped polymers, 1119C
Comments on some evidence against the existence of the liquid–liquid transition, 21P
Comonomers, 2247C
Complexation of poly(ethyleneimine), 169C
Complex proton spectrum, 1649C
Composites, binary, evaluation of permeability of, 1309P
—, percolation and effective medium theories for modelling properties of, 933P
Composition ratios of, 343C
Concentrated polystyrene solutions, 575P
Conducting polymers, 305P
—, correction of *D-E* hysteresis curve in, 1513P
Conductive plastic material, 1687C
Configuration of aromatic polyester in strained network, 1235P
Conformational analysis of substituted polyacetylenes, 2021P
Conformational changes at yield point in strained polystyrene, 445P
Conformational transition of polyions influenced by tetraalkylammonium ions, 1139P
Conformation of block copolymers in solution, 991P
Conformation of wild silk fibroin films, 227P
Contact angle of molten polyethylene on a glass, 2499P
Contact angles of liquids on polyacetylene films, 1555P
Continuum rheological theory, 2243P
Conversion curves obtained, 2377C
Coplymers of styrene--sodium methacrylate, vicoelasticity of, 1145P
Copoly(amide–ester)s, 1699C
Copolyesteramides, 2851C
Copolymer, 997C
Copolymer destruction processes, 299L
Copolymerization, 2879C
Copolymer latexes, 453C
Copolymer latex particles, 453C
Copolymer mixture, 1009C
Copolymers, 125C, 2579C
—, ethylene -- butene-1, chemical composition and physical properties of, 509P
—, maleic acid - *n*-butyl vinyl ether in aqueous solution with tetraalkylammonium ions, 1139P
—, mesomorphic cholesteric phasis in, 565P
—, model ethylene, unit cell dilation in, 1563P
—, polyurethane block, effect of thermal history on, 1065P
—, random, prediction of Tg for, 1165P
Copolymer sequence distribution, 1955C
Copolymers: ethylene-vinyl acetate, branching in, 1957P
Copolymers of maleic anhydride, 2679C
Copolymers of tetrafluoroethene with chlorotrifluoroethene and with bromotrifluoroethene, 1099P
Copolymers: polystyrene - polydrimethylsiloxane blocks, solution behavior of, 991P
Copolymers: vinylidene fluoride - trifluoroethylene, analysis of *D-E* hysteresis in, 1513P
—, ferroelectricity of, 1781P
Copper(II), 169C
Copper(I) salts, 591C
Copper plates, 315C
Corn starch, 2023C
Cotton fibers, 183C
Crack formation, fracto-emission in, 873P
Craze fibril structure by low angle electron diffraction, 1353P
Crazes in polystyrene, aging of, 1353P
Crazing, energy absorption during, 683P
—, use of SAXS in study of, 1857P
Creep times, 2599P
m-Cresol, 2177C
Crosslinked epoxy resin, 1031C
Crosslinked rubbers, 2243P
Crosslinking, 105P, 517C
Cross-stream migration velocity, 89P
Crown ether, 1293C
Crown-ether resins, 2327C
Cryogenic pulverization of polymers, 1449P
Cryptands, 231P
Crystal growth, simulation studies of, 1533P
Crystalline cyanoacetates, 2341C
Crystalline orientation of tensile-drawn microwave-heated POM, 1193P
Crystalline polyethylene, 19C
Crystalline structures in nylon 6, 2549P
Crystallinity and mechanical behavior of ultradrawn polyethylene, 1759P
Crystallization, 139C, 205P
—, salt-induced, of bisphenol-A polycarbonate, 751P
—, statistical description of, 1723P
Crystallization in oriented PET fibers, 653P
Crystallization kinetics of poly(butene-1), 1369P
Crystallization of PEO, rough growth surfaces in, 1533P
Crystallization of polyoxetanes, 1597P
Crystallization; stress-induced, of 1,4-*cis*-polybutadiene, 2109P
Crystallographic changes in cryogenically pulverized polymers, 1449P
Crystals, polymer, model calculation of thermal conductivity of, 1495P
Crystal structure of poly(γ-methyl L-glutamate), effect of annealing on, 263P
Cu(oxide)-catalyzed oxidation, 2291C
Cuprous chloride, 1579C
Cyanoacetyl cure, 2341C
Cyanogen, 107C
Cyano groups, 1589C
Cyclic degradation products, 1819C
Cyclic monomers, 501C
Cyclic oligomers, 1731C
Cyclic voltammetry, 41L
Cyclic voltammetry in, 1631C
Cyclization of methacrylate–functional silane, 2227P
Cyclization tendency, 2227P
2 + 2 Cycloaddition, 1641C
Cyclohexene oxide, 411C
Cyclopolymerization, 1861C
Cytosyl grafted polyethylenimine, 2385C

Dark blue poly(copper 2,3,9,10,16,17,23,24-octacyanophthalocyanine), 1579C
(1) Deacetylation of cellulose traicetate (CTA), 1373C
Decamethylene flexible spacer, 2387P
Defect morphology, 179P
Defects, 1637P
Deformation of blends of poly(styrene-co-acrylonitrile) with other polymers, 1975P
Deformation of heat-set PET film, 405P
Deformation of polybutadiene, crystallinity and, 2109P
Deformation of polymer chains in melt, 833P
Degradation, mechanical, of epoxy resin, 1087P
—, oxidative, chemiluminescence in evaluation of, 1691P
Degradation gradients, 359C
Degree of crystallinity, 149P
Degree of polymerization, 1063C, 1853C
Dehydrochlorination, 3007C

Dehydrofluorinated materials, 1057C
Depolarization of fluorescence, 591P
Desalination membranes, 2205C
Dextran, 1395C
Diacetylene films by Langmuir–Blodgett technique, 1523P
Diacid chloride, 1797C
Diacid chlorides, 2233C
(Dialkylamino)pyridines, 575C
4-(Diallylamino)pyridine, 289L
Diamines, 2727C, 2757C
2,6(7)-Diamino-9,10-dihydro-8,10-ethanoantracene, 2779C
Dibenzo-18-crown-6 moiety, 2767C
1,9-Dibromononane, 2913C
Dicarboxylic acids, 1805C
Dichlorides, 2043C
Dichlorocarbene, 2005C
4,4′-Dichloroformyldiphenyl, 2205C
Dicumyl peroxide, 105P
Dielectric permittivity, methods for calculation of, 1505P
Dielectric relaxation and morphology of polyethylene, 2483P
Dielectric relaxation of poly(butyl methacrylate), 1505P
Dielectric relaxations in linear polyethylene, 809P
Diels–Alder cycloaddition, 2089C
Diene monomer, 2151C
Diethylzinc–trihydric phenol catalysts, 299L
Differential scanning calorimetry, 1P, 13P
Differential scanning calorimetry (DSC), 21P
Differential scanning calorimetry (DSC) of block copolyesters, 2119P
Differential scanning calorimetry (DSC) of hydrogenated polybutadienes, 509P
Differential scanning calorimetry (DSC) of irradiated polyethylene, 1681P
Differential scanning calorimetry (DSC) of mesophase copolymer system, 521P
Differential scanning calorimetry (DSC) of poly(itaconate esters) with PED sidechains, 2181P
Differential scanning calorimetry (DSC) of polyoxetanes, 1597P
Differential scanning calorimetry (DSC) of polyurethane block copolymers, 1065P
Differential scanning calorimetry (DSC) of poly(*m*-xylylene adipamide), 743P
Differential scanning calorimetry (DSC) of PVA gels in water, 1803P
Differential scanning calorimetry (DSC) simultaneously measured with SAXS, 1109P
Diffusion, 9C
—, self, in polymer–solvent systems (theory), 275P, 289P
—, self, of polyethylene and paraffin melts, 387P
Diffusion coefficients of polystyrenes in cyclohexane, 2457P
Diffusion in adhesive behavior of network copolymers, 1823P
Diffusion in polymer–solvent systems, theories for, 2469P
Diffusion in semi-dilute polymer system, optical mass transport study of, 253P
Diffusion in viscoelastic fluids, 1831P
Diffusion of acid dye in nylon 6, 1813P
Diffusion of gases in amorphous regions in polyethylene, 709P
Diffusion of penetrant molecules, 675P
Diffusion of solvent in glassy concentrated solutions of polymer, 1831P
Diffusion of toluene in oriented polyethylene, 973P
Diffusivity in methanol—poly(vinyl acetate) system, 2469P
Dihydrofuran-2-ylidene-acetate, 3053C
Dihydronicotinamide, 2165C
3,4-Dihydroxybenzaldehyde with 1,2-bis[2′-(2″-chloroethoxy)ethoxy]benzene, 2767C
4,4′-Dihydroxybiphenyl [HB], 2913C
2,6-Dihydroxy-9,10-dihydro-9,10-ethanoanthracene, 2791C
1,4-Dihydroxy-2,3-epoxybutane, 951C
Dilute polymer solutions, 499L
Dimer radical, 2255C
p-Dimethoxybenzene, 1259C
2,5-Dimethoxy-terephthaldehyde, 2757C
2,5-Dimethoxyterephthaloyl dichloride, 2757C
Dimethylaminoethyl methacrylate, 1221C
Dimethylaniline maleic acid, 1407C
Dimethylformamide, 1057C
N,N-Dimethylformamide (DMF), 2851C
Dimethylformamide solutions, 1231C
Dimethyloxetane, 2283C
3,3-Dimethyloxetane unit, 2283C
Dimethylsulfoxide, 1283C, 2561C
Diol, 9C
Diol groups, 231C
1,4-Dioxane, 1017C
Diphenyl carbonate, salt-catalyzed thermal rearrangement of, 343P
Diphenyl chlorophosphate, 69C, 1699C, 2709C
Diphenyl phosphorochloride, 1607C
3,4-Diphenylthiophene, 1797C
Diphenylzinc, 895C
Dipiperidinoethane, 1997C
Direct polyesterification, 2715C, 3095C
Dispersion polymerization, 103L
Dissociation, 585C
Dissolution of block copolymer molecules, 129P
Dissolving, 851C
Distortion, 1637P
Divalent metal ions, 2109C
Divinylbenzene copolymer, 1537C
DMSO, 125C
DMSO–ethylene glycol solvent, 879C
Dopant cation, 113P
DPCP, 69C
Drawing, gas diffusion in polyethylene affected by, 709P
Drawing of POM, effect on modulus by, 1193P
Drawn polyethylene, 2295P
Dynamic mechanical behavior and morphology of polyethylene, 2483P
Dynamic mechanical behavior of PVA gels immersed in water, 1803P
Dynamic mechanical properties of block copolyesters, 2119P
Dynamic mechanical properties of poly(itaconate esters) with PEO sidechains, 2181P
Dynamic mechanical properties of styrene copolymers with ionic groups, 1145P
Dynamic properties, 2567P

Effects of initial morphology, 59P
Effects of solvent goodness, 191P
Elastomer, 389C
Elastomeric, 337C
Elastomers, 829C, 2833C
Electrical and differential scanning calorimetry, 113P
Electrical conductive materials, 285L
Electrical conductivity, 787C
Electrically conducting polymers, 651L
Electrical properties of doped polyacetylene/polybutadiene blends, 1629P
Electrochemical copolymerization of phenylene oxide–pyrrole, 57L
Electrochemical polymerization, 1687C, 2441C
Electrodeposition, 471L
Electroinitiated polymerizations, 1631C
Electrolyte, 2441C
Electrometric titration techniques, 1009C
Electron-beam-induced fracture of polymers, 2273P
Electron bombardment, 2273P
Electron current densities, 2273P
Electron diffraction of crase fibrils, 1353P
Electron diffraction of MDI/BDO polyurethanes, 1915P
Electron donating monomers, 901C

Electron donor, 895C
Electronic spectra of lanthanide substituted ionic polysaccharides, 437P
Electron microscopy of nylon 3, 733P
Electron microscopy of radiation - sensitive polymers, 1127P
Electron microscopy study of heterogeneous polymer systems, 1485P
Electron spin resonance (ESR) study of molecular mobility in ultraoriented polypropylene, 557P
Electron transfer catalyst, 2487C
Electron transport, 223C, 409L
Electrostatic binding sites for, 279C
Emulsifier-free emulsion polymerizations, 2615C
Emulsifiers, 337C, 453C
Emulsion copolymerization, 525C, 535C
Enzyme, 319C
Epichlorohydrin, 291C
Episulfide groups, 2495C
Epitaxy, 2623P
Epoxidation, 1213C
Epoxide functional groups, 2931C
Epoxy curing agents, 2341C
Epoxy groups purification of, 319C
Epoxy polymer, 411C
Epoxy polymers, 1493C
Epoxy resin, stress degradation in fracture of, 1087P
Epoxy resins, 389C
11-Epoxyundecanoate, 673C, 703C
EPR spectra, 639L
Equilibrium dialysis, 37C
Equilibrium modulus, 2377P
Errata, 261C, 267L, 273L, 1851C
ESCA, 479C
ESCA spectra, 1445C
Ester decomposition, 343C
Ester–imide linkages, 1677C
Esters of cyanoacetic acid, 2341C
Ethanolamine, 795C
Ether–esteramide copolymers, 49P
Ether–keto–sulfones, 1231C
Ethers, 2709C
Ethyl acrylate, 2865C
Ethylene, 1771C, 2791C
Ethylene carbonate, 489C
Ethylene oxide, 895C
—, propylene oxide, 673C
Ethylene–polyethylene systems, 1771C
Ethylene polymerization, 1455C, 2117C, 3069C
Ethylene solubilities, 1771C
Ethylene terephthalate, 1819C
Ethylidene norbornene, 2151C
Ethyl methacrylate, 1917C
Ethyl orange, 1243C
Eugenol, *p*-anisyl alcohol, cinnamyl alcohol, 1517C
Evidence against the existence of the liquid–liquid transition, 1P
Evolved gas detection method, 2579C
EXAFS, 427L
Excimer fluorescence, 27C
Exciplex formation, 585C
Extra meridional reflections in the x-ray diffraction, 1637P
Extrusion-drawn poly(ethy..ne terephthalate), 59P

Fe(III) mixture, 2561C
Ferrocene, dimethylaminomethylferrocene, 507C
Ferroelectricity of polymers, 1781P
Ferroelectric polymer, analysis of *D-E* hysteresis in, 1513P
Ferrous chloride, 1723C
Fiber properties, 2339P
Fiber pullout, 121P
Fibers in polymer matrices, 121P
Fibrillar polyethylene crystals, 2339P
Fibrils, 179P
Filled polymers, fracto-emission in cracking of, 873P
—, thermal diffusivity of carbon-filled natural rubber, 451P
Film-forming amorphous polyesters, 2791C
Film water content, 175C
Flexible substituent groups, 1163C
Flexural moduli, 2023C
Flow activation energy in high temperature Arrhenius region, 2159P
Flow birefringence of rodlike polymers in solution, transient behavior in, 1275P
Flow-induced crystallization, 2359P
Fluorene, 1433C
Fluorescence anisotropy, 591P
Fluorescence polarization in statistical copolymers, 37L
Fluorescent exciplex, 27C
Fluorinated diols, 2557C
Fluorinated polyurethanes, 2557C
Fluorine elimination, 1621C
Fluorocarbon copolymers, structure-property relations in, 1099P
Fluorocarbon polymers, ionomers of, conductivity of, 933P
1-Fluoronaphthalene, 1621C
Fluoronaphthalene/hydrogen mixtures, 1621C
Formamides, 2999C
β-Forming poly-α-amino acids, 911C
Fourier transform (FT), 1649C
Fourier transform infrared, 2659C
Four-membered siloxane cycles, 2589C
Fractionation, thermal field-flow, temperature dependence of thermal diffusion in, 2443P
Fractions, 1109C
Fracture stress, molecular weight dependence of, 413P
Free-radical polymerization, 557L, 1551C
Free radicals, 105P
Free-volume theories for self-diffusion in polymer–solvent systems, 275P, 289P
Free-volume theories of diffusion, evaluation of, 2469P
Friedel–Crafts reactions, 1787C
Functional polymers, 185L
Furfuryl-alcohol polymerization, 2897C
Furil polymer from solid–gas reaction with AsF_5, 2193P
Fusion–flow mechanism of, 1P

Gamma radiolysis, 1421C
Gamma-ray, 2739C
Gamma rays, 1749C
Gas barrier, 2295P
Gas transport, of poly(vinyl acetate), 475L
Gelatin α derived protein, 2865C
Gel permeation chromatography, 1109C, 1869C
Gel permeation chromotography (GPC) of trans-1,4-polyisoprene, 1255P
Gels, 395L
$[Ge(Pc)O]_m$, crystals, 305P
Geraniol, 1517C
T_g high-molecular weight bulk-polymerized poly(methacrylate), 13P
Glass substrates, 1125C
Glass transition in blends of poly(styrene-co-acrylonitrile), 1975P
Glass transition in poly(itaconate esters) with methyl terminated PEO sidechains, 2181P
Glass transition T_g of PMMA from study of thermally stimulated current, 889P
Glass transition predicted from chemical structure, 1165P
Glassy polymers, energetics of crazing in, 683P
—, permselectivity of gas sorption in, 1611P
Glycidol, 915C
Glycidylamine moiety, 1649C
O-Glycidyl compounds, 291C
Gorham's method, 639L
Graft copolymerization, 307C, 315C, 1615C
Graft copolymers, 327C
Grafting, 851C
—, monomers to polymers, 563L

Gravimetric analysis, 33L
Gravimetric method, 1017C
Groups of *N*-acylated, 2747C
Growth pattern, 2339P

Halomethylating agents, 1839C
Halomethylating reagents, 1843C
HDPE/PS blends, 337C
Healing of fracture, molecular weight dependence of, 413P
Heat capacity of liquid linear aliphatic polyoxides, 1671P
Helical structure, 905C
Helicogenic solvent, 1255C
Helicogenic solvents, 215C
Helium permeabilities, 2947C
Helix formation, 905C
9/5 Helix model, 1637P
Heptane-soluble magnesium, 1455C
Heptane solution, 3069C
Heraclitus number, 251L
Herbicide alcohols, 1517C
Hereditary term, 2599P
Hereditary term *J*, 2599P
Hetergeneous catalysts, 2567C
Heteroaromatic ladder polymers, electrical conductivity, 137L
Heterocyclic polymer, 1137C
Heterogeneous grafting, 981C
Heterogeneous hydrolysis, 1939C
Heterogeneously dehydrochlorinated, 1193C
Heterotactic polymer, 2333C
Hexafluoroisopropanol, 1939C
Hexakis (arylisocyano), 119C
Hexamethylcyclotrisiloxane, 2425C
Hexamethyldisiloxane, 615C
Hexamethyldisiloxane vapor, 351C
Hexamethylenediamine, 2177C
Higashi reaction medium, 1907C
High crosslink densities, 1493C
Highly extended chains, 179P
High strength/high modulus polymeric fibers, 2319C
High stress concentration, 2273P
High-temperature plastics, 2077C
Himachali wool fiber, 307C
^{1}H NMR, 1333C
Hole transport property, 151L
Homogeneous Ziegler–Natta systems, 2117C
Homolytic scission, 2539C
Homopolymer films, 2947C
Homopolymerizability, 3053C
Host, 231P
Host–guest compounds, 231P
Hydrazine hydrate, 1283C
Hydrochlorination, 139C
Hydrodynamic interaction of adsorbed chains in shear flow, 695P
Hydrogenation, 19C
Hydrogen bond breaking in nylon 66, FTIR study of, 537P
Hydrogen halides, 139C
Hydrogen peroxide, 1527C, 2291C
Hydrolysis, 327C, 575C, 915C
Hydroperoxides, 437L, 1213C
Hydrophilic, 2601C
Hydrophilic films, 2601C
Hydrophobic, 279C
Hydrophobic or hydrophilic polymers, 2487C
Hydroquinone, 2405C
Hydroxybenzoic acids, 69C, 2709C, 3095C
Hydroxybutyl-terminated polydimethylsiloxane soft segments, 2319P
2-Hydroxyethyl methacrylate, 1243C, 1917C
Hydroxyl, 2931C
Hydroxyl groups, 183C, 255C
Hydroxylpropyl cellulose films from liquid–crystalline solutions, 1043P
Hydroxypropyl cellulose films from liquid–crystalline solutions, 1053P
Hydroxy-terminated sulfone oligomers, 2233C
Hygroscopic nature, 175C

I_2 doping, 2425C
Imidazole ring, 279C
Imidazoles, 265C
Imide formation, 2461C
Imide groups, 2017C
Infrared radiation, 2307P
Infrared reflection–absorption spectra of polyacrylonitrile, 1573P
Infrared spectra and stress–strain in poly(vinylidene fluoride), 2413P
Infrared spectra of acetylene–terminated sulfone resin, 845P
Infrared spectra of aqueous polymerized surfactant, 2203P
Infrared spectra of deformed PET, 405P
Infrared spectra of irradiated polyethylene, 1681P
Infrared spectra of nylon 66 and model compounds, 537P
Infrared spectra of polystyrene under strain, 445P
Infrared spectra of poly(vinylchloride-di-*n*-butylphthalate, 1187P
Infrared spectra of solid-state polymerized furil, 2193P
Infrared spectra of substituted polyacetylenes, 2031P
Infrared spectra of sulfonated polystyrenes, 1869P
Inherent viscosities, 1797C
Insoluble polypropylene, 723C
Integrated copolymer equation, 311L
Intentional incorporation, 2197C
Intercalates, 231P
Intermolecular crosslink, 1137C
Interpenetrating network of metal polymer composite, 183L
Intramolecular exciplex, 27C
Intrinsic viscosity of trans-1,4-polyisoprene, 1255P
Inverse microemulsions, 193C
Iodide ion arrays, 2369P
Iodinated nylon 6, 2369P
Iodine, 859C
Iodine doping, 1057C
Iodine–nylon 6 complexes, 2369P
Ion binding in ionic polysaccharide solutions, 437P
Ion-exchange, 49C
Ion exchange mechanism, 231C
Ion exchange membranes, permselectivity, 577L
Ionic dissociation, 585C
Ionic impurities, 2197C
Ionic species, 2197C, 2327C
Ionic strength, 1981C
Ion implantation, 609L
Ionization change, 2841C
Ionomeric structure, 525C
Ionomeric sulfonated polystyrene, 535C
Ionomers, 2135C
—, perfluorinated, reversible sorption phenomena in thermal cycling of, 2009P
—, perfluorinated, transport and elastic properties of, 933P
Iron catalysts, 1641C
Iron powder, 829C
γ-Irradiated polytetrafluoroethylene, 149P
Irradiation, 463C
γ-Irradiation-induced graft, 307C
Irradiation of PMMA, quantum yield in, 1749P
Irradiation of ultrahigh molecular weight polysthylene, 1681P
Isomeric diallyl benzene-dicarboxylates, 605C
Isomerization, 2447C
Isomerization of poly(*t*-butylacetylene), 2031P
Isomerized vinyl structures, 1343C
Isomers, 605C
Isophthaloyl, 2803C
Isoprene, 3045C
Isopropenylmetallocene monomers, 1707C
Isotactic and enriched syndiotactic poly(tributyltin methacrylate), 2333C

Isotactic fractions, 731C
Isotactic polypropylene, 105P, 635C, 1749C
Isotactic polypropylene films, 2291C
Isotactic polystyrene substrates, 2623P
Isotactic soluble polydecene, 723C
Isothermal annealing, 2539P
Isothermal crystallization, 2539P

Karl Fischer titration, 2305C
Ketone structures, 85L
Kinetics, 795C
—, polymerization, 557L
Kinetic scheme, 1615C
Kinetics for the cycloaddition of dichlorocarbene to *cis*-1,4-polybutadiene, 2005C
Kinetics of exchange of adsorbed polymer at solid/liquid interface, 1997P
Kinetics of spreading of polymer melt, 2499P
Kinetics of the surfactant-free emulsion polymerisation of styrene, 1869C

Lamellar microdomain structure, 1099C
Laser-induced degradations, 351C
Laser-induced polymerization, 569C
Laser-initiated polymerization, 411C
Latex dispersions, 2947C
Latex stabilization, 795C
Lattice imaging of radiation - sensitive polymer crystals, 1127P
Lewis acids, 63C, 2989C
Lewis–Mayo equation, 303C
Light scattering, dynamic, methods of analysis of, 1393P
—, poly(ethylene terephthalate), 2567P
—, small-angle polarized, by spherulites, 1467P
Light scattering at low angle, corrections for, 1477P
Light scattering during melting of PET, 2085P
Light scattering from solutions of trans-1,4-polyisoprene, 1255P
Light Scattering patterns for truncated spherulites, 2059P
Linear high polymers, 231P
Linear polymers, 73P, 89P
—, prediction of Tg for, 1165P
Linear segments, 2589C
para-Linked phenylene, bis(trifluoromethyl)biphenylene, 2669C
Lipid structure, spectroscopic study of, 2203P
Lipoamide, 223C
Liquid chromtography, 1175C
Liquid–crystalline cellulose derivatives, morphology of, 1043P, 1053P
Liquid crystalline polymer–diluent system, diffusion study of, 253P
Liquid crystalline polymers, phase transitions in, 521P
Liquid crystals, 379L
Liquid crystals of copolyesters, 565P
Liquid–liquid transition T_{LL}, 13P
Liquid permeability, 2425C
Liquid polydimethylsiloxane, 351C
Lithium-based initiators, 1997C
Lithium-doped polyimide films, 175C
T_{LL} as a function of $\ll ac15M^n$, 21P
Localized sharp flow, 2579P
Local stress concentration, 2579P
Low piezoelectric response, 2477P
Luminescent probe study of ion binding by ionic polysaccharides, 437P

Macromolecular chain conformational state, 1267C
Macroreticular, 1537C
Macroreticular polystyrene resin, 2165C
Macroreticular resins, 1537C
Magnesium ions, 2135C
Magnesiumoctoate–H_2O–tetrabutoxytitanium/diethylaluminumchloride, 3069C
Maleic anhydride, 411C, 1063C
Maleic anhydride comonomer, 2017C
Maleimide derivative, 2739C
Malononitrile, 2561C
Mark–Houwink–Sakurada equation in low molecular weight range, correction of, 615P
Markov processes, 1955C
Mass spectral data, 1731C
Matrix molecule to, 351C
Matrix polymers, 389C
Mean sequence lengths, 125C
Mechanical behavior of ultradrawn polyethylene, 1759P
Mechanical energy, 501C
Mechanical properties of drawn and annealed polyethylene, 1217P
Mechanical properties of polymers, effect of pressure on, 623P
Mechanical relaxations in linear polyethylene, 809P
Mechanism of molecular orientation, 2579P
Melt-crystallized nylon 11 films, 2477P
Melt flow of entangled polymers, 2159P
Melting behavior of bisphenol-A polycarbonate with added organic acid salts, 751P
Melting iron catalyst, 1641C
Melting of polyethylene oxide - water systems, 2149P
Melting of polytetrafluoroethylene, 1177P
Melting point, 149P
Melt spinning of PET, orientation and crystallization in, 653P
Membrane formation by PPO, phase separation in, 1941P
1-Menthol, borneol, β-phenethyl, 1517C
Mercapto–polymer, 1551C
Mesomorphic phase, 1043C
Metal catalysts, 1175C
Metal ion binding, 245L
Metal ions, 255C
Metallophthalocyanine, structure of polymer of, 305P
Metal polymer bond, 731C
Metal powders, 829C
Metal sulfonate units, 535C
Metathesis catalysis, 1469C
Methacrylate hydrogels, containing quadrol, 633L
Methacrylate polymers, dielectric relaxation of, 1297P
Methacrylates, 2089C
γ-Methacryloxypropyltrimethoxysilane (γ-MPS), 2227P
Methacrylic acid, 1885C
Methanol, 787C
p-Methoxy-α-methylstyrene, 1707C
p-Methoxyphenol, 1505C
Methylamino groups, 1445C
Methylation, 159C, 1203C
N,N'-Methylene bisacrylamide, 1861C
γ-Methylene-α,β-butenolide derivative, 3053C
Methylene chloride, 2177C
Methylene groups, 1433C
Methyl ω-epoxyalkanoates, 649C
Methyl ester, 3007C
N-Methylimidazole, 1361C
Methyl methacrylate, 119C, 125C, 307C, 813C, 901C, 997C, 1407C, 2377C
—, polymerization, 79L
Methyl methacrylate (MMA), 2225C
Methyl orange, 1243C
—, binding of, 329L
1-Methyl-2-pyrrolidone, 1579C
Methyl-*p*-toluate, 761C
$MgCl_2$, 761C
Mg^{2+} ions, 2165C
Micellization, 1221C
Microphases, 129P
Microphase separation in sulfonated polystyrenes, 1869P
Microsphere, 131C
Microstructure of emulsion copolymers, 1955C
Miscibility in blends of poly(styrene-co-acrylonitrile) with other polymers, 1975P

Miscible polymer blends, 305L
Mixed emulsifier system, 2973C
MMA radicals, 315C
Mo- and W-based catalysts, 2527C
Model compounds, 1175C
Model systems, 1973C
Moderate to high velocity gradients, 575P
Modified Flory equation, 1119C
Modified Kramer's matrix, 89P
Moelcular weight distribution, 723C
Moisture sorptions, 623C
Molecular conformation in polyoxymethylene crystals, 1703P
Molecular dimension, 215C
Molecular interactions of PVC with DBP, IR study of, 1187P
Molecular orbital considerations, 1631C
Molecular orbital features, 77C
Molecular oxygen absorption, 1505C
Molecular weight, effect on refractive index increments of, 925P
—, and pore radius, 191P
Molecular weight distribution, 403L, 997C, 3093C
Molecular weight distribution and cloud point in polymer mixtures, 917P
Monoclinic, 1043C
Monomer aggregates, 77C
Monomeric analogs, 2033C
Monomeric residue, 215C
Monomeric units, 2507C
Monomeric vesicles, 1089C
Monomer of polyimide, 2857C
Monomer reactivity ratios, 303C
Morphologies, 445C
Morphology, 399C
Morphology and structure of aromatic polyester films, 2387P
Morphology and thermodynamics of block copolymers, 1001P
Morphology of blends of polystyrene and PPO, 1967P
Morphology of nylon-3 crystals, 733P
Morphology of polyacetylene/polybutadiene blends, 1629P
Morphology of polyethylene, effect on dielectric and miscoelastic relaxation of, 2483P
Morphology of poly(phthalocyaninatogermoxane), 305P
Morphology of polyurethane block copolymer, thermal history and, 1065P
Mowiol, 2023C
MY720/DDS epoxy resins, 2931C

Nafion membranes, 577L
Narrow molecular weight distributions, 41P
Natural rubber, 1615C
Natural rubber (NR), 2833C
Networks, prediction of Tg for, 1165P
Networks of EPDM, thermoviscoelasticity and swelling of, 1325P
Networks of ethylene–propylene–diene terpolymer, 1823P
Networks of glycol-paraformaldehyde polymers, stress optical behavior of, 1031P
Networks of polydimethylsiloxane, sorption in, 1933P
Network structure, 1493C
Neutron scattering from polyurethane elastomers, 1883P
Neutron scattering method for estimation of crystalline Young's moduli, 1201P
New model is helix with defects, 1637P
Nickel(II) ions, 169C
Nitrile polymerization, 107C
Nitrobenzene, 2567C
Nitrobenzenes, 1723C
2-Nitrobenzyl groups, 1C
Nitrogen and thioether donar, 581C
Nitrogen elimination, 517C
Nitromethane, 1963C
Nitroxide–spin labelling, 1395C
Nitroxyl radical moiety, 1527C
Nitroxyl radical structure, 2487C
Nonequilibrium thermodynamics, 2243P
Nonhomogeneous flow fields, 73P, 89P
Nonintegral indices, 1637P
Nonlinear regression analysis, 2377P
Nonmesogenic bisphenol, 2913C
Notched polymeric material, 2273P
Novel aromatic polyamide-imides, 2077C
Novel graft copolymers, 349L
Novel poly(copper 2,3,9,10,16,17,23,24-octacyanophthalocyanine), 1589C
6NT6 homopolymer chain folding, 49P
Nuclear magentic resonance (NMR) of tetramethyl bisphenol-A polycarbonate, 1793P
Nuclear magnetic resonance (NMR) of cellulose nitrates, 483P
Nuclear magnetic resonance (NMR) of comblike polyesters, 2611P
Nuclear magnetic resonance (NMR) of polyethylene and paraffin melts, 387P
Nuclear magnetic resonance (NMR) of poly(*N*-vinyl pyrrolidone) and PVP-iodine, 461P
Nuclear magnetic resonance (NMR) of stretched polyvinyl alcohol, 315P
Nuclear magnetic resonance (NMR) of substituted polyacetylenes, 2031P
Nuclear magnetic resonance (NMR) study of relaxation parameters in amorphous and semicrystalline polymers, 367P
Nuclear Magnetic Resonance (NMR) study of relaxations in linear polyethylene, 787P
Nuclear magnetic resonance spectroscopy, 1649C
Nucleation of spherulites, statistics of, 1723P
Nucleation time analysis, 2359P
Nucleic acid bases, 879C
Nucleophile, 981C
Nucleophilic groups, 575C
Nucleophilic substitution, 1077C
Number density, 1869C
Nylon 3, polymorphism of, 733P
Nylon 6, crystalline structures of, 2549P
—, salt effect on sorption of acid dye in, 1813P
Nylon 12, 1109C
Nylon 66 and model compounds, hydrogen bonding in, 537P
Nylon 6 films, 2369P
Nylon 4,T, 1599C

Octadecyl amine, 2279C
Olefins, 1213C
Oligomer, 2819C
Oligomeric oxoalane, 2117C
Oligomerization, 843C
Oligomers, 159C, 615C, 1203C, 1641C
Open-dimer, 77C
Optical constants for polyacrylonitrile film in the infrared, 1573P
Optically active side chain, 1981C
Optical mass transport study of diffusion in cholesteric/nematic system, 253P
Ordered amide-amide-ester-ester (—AAEE—), 3031C
Organoaluminum compound, 1455C
Organogermane homopolymer, 2099C
Organosilane copolymers, 2099C
Organosilane polymers, 429L
Orientation and crystallization in PET fibers, 653P
Orientation distribution functions, 213L
Oriented fibril domains and voids, 2579P
Oriented polypropylene, 2623P
—, polybutene-1, 2623P
Oriented systems, 179P
1,4-Oxathian-2-one, 843C
1,4-oxathian-2-one-4,4-dioxide, 843C
2-Oxazoline monomers, 1307C
Oxetane, 649C

Oxidative degradation, 359C
Oxidative polymerization, 1259C
Oxirane copolymers, 649C
Oxiranes, 649C
Oxoalane cocatalysts, 2117C
Oxygen-absorption measurements, 2291C

Paraffin, 2623P
Particle nucleation, 193C, 1869C
Particulate clay, 2227P
Pendant cyclic iminoethers, 1805C
Pendent ethynyl groups, 2233C
Pending side chain, 1321C
Penultimate pyridine ring, 159C
Perbromotere, 2043C
Percent grafting, 2865C
Perchlorate, 859C
Perchloroterephthaloyl, 2043C
Perfluoro-2-alkynenitriles, 1853C
Perfluorocarbons hydrocarbons, 87C
Perfume alcohols, 1517C
Permeability of binary composites, evaluation of, 1309P
Permeability of gases in polyethylene, 709P
Permeation, in viscous media, 171L
Permeation of gases in glassy polymers, 1611P
Peroxides, 437L
PET, HFIP, 2567P
PGA in water, 1939C
Phase equilibria in polyethylene oxide - water systems, 2149P
Phase equilibria of polydisperse rods in solution, 327P
Phase separation in solutions of PPO in ternary solvent mixture, 1941P
Phase transfer catalysis, 623L
Phase transfer catalyst, 1893C
Phase-transfer catalysts, 2327C
Phase transitions, 1043C
Phase transitions in mesophase polymers, 521P
Phase transitions in thermotropic mesogenic copolyesters, 565P
Phenolic copolymers, 1009C
Phenolic cosolutes, 2073C
Phenolic hydroxyl groups, 37C
Phenolic resins, 403L
Phenolic solvents, 1699C
Phenols, 1517C
Phenothiazine, 1505C
4-Phenoxybenzoyl chloride, 2205C
p-Phenylenebis(butadiene carboxylic acid), 2361C
N-Phenyl imide, 2857C
Phenylmethacrylate, 2879C
2-Phenyl-3-vinyloxirane derivatives, 1931C
Phosphine imines, 1671C
Phosphonium salts, 49C, 581C
Phosphorylation reaction, 1907C
Photochemical compounding, 383L
Photochemical properties, 3059C
Photocrosslinkable polyesters, 2361C
Photocrosslinking of poly(2,3-epithiopropyl methacrylate) (PETMA), 2495C
Photodimerizable groups, 463C
Photoenergy conversion, 629L
Photogeneration, 1C
Photografting, 365L
Photografting, of vinyl monomers on cellulose, 15L
Photoinitiator, 569C, 3045C
Photoionization, 1621C
Photolysis, of aqueous polyvinyl alcohol solution, 141L
Photolytic events, 635C
Photon correlation spectroscopy, data analysis, 1393P
Photopolymeric plates, 569C
Photopolymerized monolayer films of poly bis(*p*-toluene sulfonate) diacetylene, 1523P
Photoscission, 2099C
Photosensitizer, 2361C
Photostabilization, 1477C
Photostabilization of polymers, 2747C
Phthalic anhydride, 489C
Phthalocyanine concentrations, 801C
Piezodialysis, 1099C
Piezoelectric and pyroelectric properties of nylon 11, 2477P
Piezoelectric quartz crystal resonators, 583L
Piperidyl substituents, 425L
Plana-configuration, 2579P
Planar orientation, 2369P
Plasma initiated PMMA, 2377C
Plasma initiation, 2377C
Plasma polymer, 615C
Plasma polymerization, 87C, 2425C
Plasma polymerizations, 1445C
Plasma-polymerized films, 479C
Plasma polymers, 507C
Plasticity term, 2599P
Plasticized poly(vinyl chloride), 951C
Plasticizer distribution in PVC, electron microscopic analysis of, 1485P
Plastograph, 2279C
Plasto-viscoelasticity, 2599P
Platinum strip, 2441C
Polar aprotic comonomers, 2413C
Polar vinyl monomers, 901C
Polyacetylene, 129L, 859C
—, synthesis, 167L
Polyacetylene films, 2601C
—, melting properties of, 1555P
Polyacetylenes, subsituted, conformational analysis of, 2021P
—, substituted, geometric structures and isomerization of, 2031P
Poly[*S*-(2-9′-acridinylethyl)-L-cysteine], 787C
Polyacrolein, 131C
Polyacrylonitrile, 1589C
—, infrared spectra of, 1573P
Poly(*N*-acyldehydroalanine), 1981C
Polyaldoles, 2757C
Polyamide–esters, 1369C
Polyamides, 971C, 2727C
—, with *anti* head-to-head coumarin dimer components, 617L
Poly(amide-ureas), 2719C
Poly-α-aminoacids, 1145C
Poly(amino-p-benzoquinone)amides, 2803C
Poly(*sec*-amyl methacrylate), 343C
Poly- and bis(thiacrown ether), 2033C
Polyaniline, 453L
Polyanions, 3021C
Polyaromatic ether–ketones, 1231C, 2205C
Poly(arylene ethyne)s, characterization, 587L
—, synthesis, 587L
Polyarylethers, formation, 551L
Polybismaleimide, 1661C
Poly(bismethylene hydroquinone) (PBHQ), 2659C
Poly bis(*p*-toluene sulfonate) diacetylene in oriented films, 1523P
Polybrominated polyamides, 2043C
Polybutadiene, 2833C
—, fracto-emission in crack growth in, 873P
—, hydrogenated, structure and properties of, 509P
1,4-*cis*-Polybutadiene, stress-induced crystallization of, 2109P
Polybutadienes, hydrogenated, crystal morphology of, 1563P
Poly(butene-1), crystallization kinetics of, 1369P
Polybutyl methacrylate, 121L
—, dielectric permittivity of, 1505P
Poly[*S*-(2-*N*-carbazolylethyl)-L-cysteine], 911C
Poly(2-*N*-carbazolylethyl methacrylate), hole transport property, 151L
Polycarbonate, methyl substituted, chain motion in, 1793P
Polycarboxylic acids, 703C
Poly(2-chloroethyl vinyl ether) (PCEVE), 1893C
Polychloroprenes, 1333C, 1343C

Poly(chloro-*para*-xylylene), 2255C
Polycondensation, 2803C, 3093C
Polycyclohexylmethylsilylene, oxidation of, 419L
Polydiacetylenes, 1175C
Poly(dichlorphenylene oxide), molecular weight effect on dn/dc of, 925P
Poly(dicyanoacetylene) (PDCA), 1383C
Poly(di-*n*-hexyl silane) rod-to-coil transition, 209L
Poly(2,5-dimethoxy-1,4-phenylene), 1259C
Poly(2,6-dimethylphenylene oxide) (PPO), blends of polystyrene with, 1967P
Poly(2,6-dimethyl-1,4-phenyleneoxide) (PPO), phase separation phenomena in ternary solvent mixtures of, 1941P
Polydimethylsiloxane networks, extraction and sorption studies in, 1933P
Polydimethylsiloxane–polyurethane elastomers, 2319P
Polydiolefins, 139C
Polydisperse polymers, 159P
1,4-Poly(e-hydroxyoxetane), 915C
Polyelectrolyes, 703C
Polyelectrolyte complexes, 487L
Polyelectrolyte membrane, 2841C
Polyelectrolytes, conformational transition of, 1139P
Polyelectrolyte solutions, 439L
Poly(epichlorohydrin) (PECH), 1893C
Polyesters, comblike aromatic, NMR of, 2611P
Polyetherimide, 317L
Polyethylene, correlation of dielectric, mechanical and NMR relaxation in, 809P
—, effect of morphology on dielectric and dynamic mechanical behavior of, 2483P
—, molten, kinetics of wetting of glass by, 2499P
—, NMR study of relaxations in, 787P
—, permeability of gases in and draw ratio of, 709P
—, sorption and diffusion of toluene in, 973P
—, time dependence of transport and mechanical properties after drawing and annealing, 1217P
—, ultradrawn, elastic moduli of, 1759P
—, ultrahigh molecular weight, irradiation of, 1681P
Polyethylene fiber formation, 2339P, 2359P
Poly(ethylene glycol), 379C
—, molecular weight effect on dn/dc of, 925P
Polyethyleneimine, 879C
Polyethyleneimine-based polymers, 2507C
Polyethylene oxide, amorphous phases of, 261L
—, rough surface crystallization of, 1533P
—, thermal decomposition, 257L
Poly(ethylene oxide) ionomers, 703C
Poly(ethylene oxide/isoprene/styrene/isoprene/ethylene oxide) block copolymers, 399C
Poly(ethylene oxide) (PEO), 113P
Polyethylene oxide - water systems, melting of, 2149P
Polyethylenepolyamine side chain, 1537C
Polyethylene terephthalate, 109L
—, crystallization in fibers of, 653P
—, infrared spectra in deformation of, 405P
—, light scattering during melting of, 2085P
Poly(ethylene terephthalate) (PET) fibers, 613L
Polyethylenimine, 37C, 575C, 2109C, 2385C, 2875C
Polyfunctional aromatic isocyanate, 9C
Poly(hexamethylene sebacamide)(nylon 610), 3093C
Polyhydroxamic acid, synthesis, 73L
Poly(hydroxyethyl methacrylate), dielectric relaxation of, 1297P
Polyimides, 971C
Polyisoprene, trans-1,4, dilute solution properties of, 1255P
Poly(itaconate esters), substituted, Tg of, 2181P
ϵ-Poly(L-lysine), 329L
Polymer-anchored vanadium catalyst, 1213C
Polymer-assisted displacement in, 379C
Polymer blends, 395L
Polymer crystals, 205P
Polymer decoration, 205P
Polymer folds, 205P
Polymeric azides, 1671C
Polymeric complexes, 1293C
Polymeric crowns, 231C
Polymeric materials, 359C
Polymeric membrane, 223C
Polymerizable methacrylate, 2767C
Polymerization, 193C
—, of methyl methacrylate, 79L
—, by microwave dielectrometry, 5L
—, photoinitiated, 5L
—, plasma-state, 69L
Polymerization of acrylamide, 2647C
Polymerization of butadiene, 1997C
Polymerization of ethylene with vinyl acetate, chain branching in, 1957P
Polymer matrix, 569C
Polymer membrane, 2841C
Polymer membranes, 481L
Polymer powders, 1231C
Polymer reactivity, 1395C
Polymer single crystal, 1137C
Polymer solutions, 2947C
Polymer syntheses, 413L
Polymer vapors, 205P
Poly(metal phthalocyanine)imide copolymers, 801C
Poly(methacrylic acid), 2333C
—, effect of tacticity, 99L
Poly(2-methoxy)cyanurate of 1,1′-bis(4-hydroxy phenyl)cyclohexane, 199P
Poly(γ-methyl L-glutamate), crystal structure at high temperature of, 263P
Polymethyl methacrylate, thermal decomposition, 257L
Poly(methyl methacrylate) quantum yield for chain scission in, 1749P
Poly(methyl methacrylates), thermally stimulated current study of transitions in, 889P
Poly(methyl vinyl-alt-maleimide), 2017C
Poly-4-methyl-4′-vinyl-2,2′-bipyridine)Cl_2, 3059C
Polynucleotide analogs, 2385C
Polyolefin plates, 365L
Polyolefin radicals, photoinduced formation of, 21L
Polyolefins, amide blends imperfections in blown films, 241L
Poly(ortho esters) from ketene acetals and mixed diols, chain conformation and solution thermodynamics, 2217P
Polyoxetanes, crystallization behavior of, 1597P
Polyoxyethylene, liquid, heat capacity of, 1671P
Polyoxymethylene, liquid, heat capacity of, 1671P
—, molecular conformation in crystals of, 1703P
—, orientation by microwave heating and drawing of, 1193P
Polyoxymethylene (POM) crystal, 1637P
Polyoxytrimethylene glycols, 429C
Polypeptide blend, 1255C
Polypeptide chains, 911C
Polypeptides, 215C
Poly(*p*-phenylene benzobisthiazole) films, 2307P
Poly(1,4-phenylene-2,6-benzobisthiazole) (PBT), transient behavior in rheology of solutions of, 1275P
Poly(phenylene chalcogenide)s, 323L
Poly(*p*-phenylene) (PPP), 403L
Poly(*p*-phenylene sulfide), 245P
Polypropylene, 1125C, 1477C
—, ESR study of molecular mobility in, 557P
Poly(propylene glycol), molecular weight effect on dn/dc of, 925P
Poly(propylene glycol adipate), 2135C
Polypropylene-glycol adipates, 2305C
Poly(4-*N*-pyrrolidinopyridine) copolymers, as supernucleophilic catalysts, 147L
Polysaccharides, ion binding by ionic complexes of, 437P
Polysaccharides: configuration of amylose chains, 1657P
Polysiloxanes, 447L
Polystyrene, blends of PPO with, 1967P

—, hydrodynamic radii of low molecular weights in cyclohexane, 2457P
—, molecular weight effect on dn/dc of, 925P
—, properties of, 1L
—, ring, dilute solution properties of, 1117P
—, SAXS study of crazing in, 1857P
—, sulfate functionality, 63L
—, thermal field-flow fractionation of, 2443P
Polystyrene model latexes, 2819C
Polystyrenes, 41P
—, sulfonated, microphase separation in, 1869P
Polystyrene under strain, IR study of conformational changes in, 445P
Poly(tetrafluorethylene), chain orientation in crystals of, 771P
Polytetrafluoroethylene, melting behavior of, 1177P
—, viscoelastic properties of, 45L
Poly(triethylene glycol terephthalate), strain birefringence in, 1235P
Polyureas, 1293C
Polyurethane block polymers, 2319P
Polyurethane elastomers, microdomain structure of, 1883P
Polyurethanes, MDI/BDO based, structure of, 1915P
Poly(vinyl acetate), 1119C
—, amorphous, Raman spectra of, 609P
Poly(vinyl alcohol), 2023C
—, stretched, molecular orientation in, 315P
Poly(vinyl alcohol) gels, rheological and DSC changes on water immersion of, 1803P
Poly(vinyl alcohol) (PVA), 1321C
Poly(vinyl alcohol) (PVA)-iodine complex, 905C
Poly(vinyl alcohol)s of, 327C
Polyvinylamine (PVA), 345L
Poly(vinyl benzyl chloride) latex, 795C
Polyvinylchloride, 981C, 1077C, 1687C
—, thermal dehydrochlorination, 85L
Poly(vinylchloride)-di-*n*-butylphthalate, IR spectra of, 1187P
Poly(vinyl chloride) (PVC), 1833C
Polyvinylidene chloride, 1193C
Poly(vinylidene fluoride), 1057C
—, ferroelectricity of, 1781P
—, kink motion in, 2505P, 2517P
—, rheo-optical FTIR spectroscopy of, 2413P
Polyvinylpyrolidone, 2073C
Poly(*N*-vinyl pyrrolidone) and PVP-iodine, solution dynamics of, 461P
Poly(*m*-xylylene adipamide), crystallization and water sorption in, 743P
Postcondensation, 1599C
Potassium persulfate, 851C
Potentiometric titration behavior, 1063C
Power and substrate temperature, 479C
PPS, 245P
Precipitation from solution, 2897C
Precursor formation, 2359P
Preirradiation, 1749C
Prepolymerization, 1599C
Pressure effects on mechanical properties, 623P
Primary amine, 2109C
Pristine polymer, 1383C
Problem of polydispersity, 159P
Propagation, 2715C
Propagation mechanisms, 1343C
Propagation step, 1861C, 2255C
Propylene polymerizations, 761C
Propyl orange, 1243C
Protic comonomers, 2413C
Protic compounds, 2495C
PTBC, dielectric properties, 661L
PTBM, dielectric relaxations, 661L
Pullulan-*g*-poly(*p*-acetoxystyrene), 1283C
Pulsed NMR study, 59P
Pure poly(vinyl chloride), 1687C
Pyridine, 2715C, 3095C
Pyridine-2-carbaldehyde (PCA), 2165C
Pyridylthio group, 581C
Pyrolysates, 2589C
Pyrolysis, 107C
Pyrolysis–Mass Spectrometry, 1145C
Pyrolysis of polymethyl acrylate, 2539C
Pyrolytic breakdown, 1145C
Pyromellitic species, 971C
Pyrrole, 1687C

Quadrol, 633L
Quasielastic light scattering, methods of interpretation of, 1393P
Quasi fracture, 2579P
Quenchers, 27C
Quinonoid form, 2255C

Racemic di-isotactic, 951C
Radiation damage of polymer crystals, 1127P
Radiation-induced changes, 2407P
Radiation-induced grafting, 563L
Radiation polymerization of, 131C
Radical mechanism, 2405C
Radical polymerization, 119C
Radical ring-opening polymerization, 1931C
Radical–tin tetrachloride complex, 93L
Radioquenching, 731C
Radiotagging, 761C
Radius of gyration of polydisperse Gaussian coils, 1477P
Raman Scattering method for estimation of crystalline Young's moduli, 1201P
Raman spectra, of polyethylene terephthalate, 109L
Raman spectra in solutions of α- and β-phase isotactic and of atactic polypropylene, 2043P
Raman spectra of aqueous polymerized surfactant, 2203P
Raman spectra of oligo-oxyethylenes, 471P
Raman spectra of poly(vinylacetate), 609P
Raman spectrum, 905C
Reaction products, 2579C
Reactivity ratios, 311L
Rebuttal to comments on some evidence against the existence of the liquid–liquid transition, 13P, 41P
Redox initiator, 1861C
Redox reaction, 223C
Redox system, 2063C
Reductive amination procedure, 1395C
Refractive index increments of polystyrene, poly(ethylene glycol), poly(propylene glycol) and poly(dichlorophenylene oxide), 925P
Regiospecifically substituted polyphenylacetylenes, 2197C
Rejection of polystyrene, 191P
Related Zwitterionomers, 2319P
β relaxation, 371L
Relaxation in comb-branch poly(itaconate esters), 2181P
Relaxation in entangled polymers, model for, 2423P
Relaxation in linear polyethylene, 787P
Relaxation modulus, incremental, for polyisobutylene solution, 1647P
Relaxation of chemical potential and a generalized diffusion equation, 675P
Relaxations, picosecond, in hydrated polyamide-6, 1247P
Relaxations in linear polyethylene, 809P
Reptation, 159P
Resistivity–temperature, 175C
Responses of polymeric liquids to transient flows, 575P
Rheology, theory of, for polymer migration in nonhomogeneous flow fields, 955P
Rheology of rodlike polymers in solution, transient behavior in, 1275P
Rice straw, 1569C
Ring-opening polymerization, 895C, 1469C
Ring polystyrenes, dilute solution properties of, 1117P
Ring transition state, 343C
Rodlike polymers, phase equilibria of, 327P

Rod-to-coil transition, 209L
Rotating sector technique, 3045C
Rubber, Monte Carlo simulations relevant to modulus at high elongations in, 2629P
—, natural, thermal diffusivity of, 451P
Rubber networks, 2377P
Ruthenium, in hypochlorite, 421L

Salt-coordination mechanism, 231C
Saturated liquid densities, 1771C
Saturation doping, 1383C
Scattering, elastic, of long chains in melts, 833P
Schottky junction, 629L
Sebacyl bisketene, 2177C
Second irrial coefficient of ring polystyrenes, 1117P
Segmented copolymers, 2319P
Seize distributions from qualielastic light scattering data, 1393P
Semicrystalline polymers, 2395P
Semiflexible polymethylene units, 971C
Semirigid poly(amide-ester)s, 3031C
Sequence distribution in statistical copolymers, 37L
Sequential copolymers, 185L
Shear viscosity, 41P
Short side chains, 279C
Side chains, 1307C
Simple theoretical treatment, 129P
Simultaneous propagation, 2631C
Single monomer, 2819C
Single radical cations, 2413C
Small-angle light, 2395P
Small-angle ray scattering (SAXS), 2539P
Small-angle scattering observations near the melting point, 2539P
Small pores, 191P
Sodium acrylamidostearate (NaAAS), 2225C
Sodium borohydride, 1723C
Sodium lauryl, 2973C
Sodium *p*-styrenesulfinate, 1963C
Sodium styrene sulfonate, 535C
Sodium thiophenate, 1077C
Solar energy conversion, 2319C
Solid–liquid two-phase system, 1893C
Solid matrices, 813C
Solid sodium hydroxide–chloroform mixtures, 2005C
Solid-state coextrusion, 245P
Solid-state coextrusion technique, 245P
Solid-state polymerization, 1137C, 2739C
Solid state polymerization of furil with AsF_5, 2193P
Solubility, 2669C
Solubility of polymer mixtures, 917P
Soluble magnesium, 3069C
Soluble polymers, 1853C
Soluble Ziegler catalyst, 2151C
Solution-cast films (α form), 2477P
Solution ultraviolet spectra, 2385C
Solvent effects, 49C
Solvents, 1333C
Solvolytic displacement, 379C
Sorption, in viscous media, 171L
Sorption–desorption of water in thermal cycling of perfluorinated ionomers, 2009P
Sorption in polydimethylsiloxane networks, 1933P
Sorption of acid dye in nylon 6 membrane, 1813P
Sorption of gases in polymers, solubility selectivity of, 1611P
Sorption of solvent into concentrated polymer solutions, 1831P
Sorption of toluene in oriented polyethylene, 973P
Sorption of water by poly(*m*-xylylene adipamide), 743P
sp^3 Carbon vibrations, 2447C
Spectral pattern, 2283C
Spectroscopic, 37C
Spectroscopic analysis, 2307P
Spectroscopic interpretation, 615C
Spectroscopy, internal reflection, study of polymer surface with, 861P
—, millimeter-wave, of dried and hydrated polyamide-6, 1247P
Spherulite melting in PET, DSC and light scattering of, 2085P
Spherulite nucleation and growth, computer simulation of, 2059P
Spherulites, small-angle polarized light scattering, 1467P
Spherulite sizes, 2395P
Spherulite structure, statistical description of, 1723P
Spherulitic growth rates, temperature dependence of, 1369P
Spheru..itic truncation, effect on light scattering, 2059P
Spin–spin relaxation, 59P
S–PS ionomer, 549C
Statistical mechanics: elastic scattering of chain in polymer melts, 833P
Statistical mechanics - polymer migration in nonhomogeneous flow fields, 955P
Steady and nonsteady state diffusion theories, 9C
Stereochemistry, 159C
Steric hindrance between the CH_2 groups of the neighboring molecules, 1637P
Steric overcrowding, 119C
Sterilization, 2407P
Stilbene copolyamides, 2669C
Stoichiometric proportions, 1009C
Stoichiometry, 1433C
Strain energy absorption by polymer crazing, 683P
Stress mass spectrometric study of mechanochemical reactions, 1087P
Stress optical behavior of networks of glycol-paraformaldehyde polymers, 1031P
Stress relaxation in torsion under pressure, 623P
Stress relaxation of styrene copolymers with ionic groups, 1145P
Stress–strain and IR spectra in poly(vinylidene fluoride), 2413P
Stress–strain at high elongations in rubber, Monte Carlo simulations of, 2629P
Structure changes, 1043C
Structure of silk, 227P
Structure-property relations for copolymers of TFE with CTFE, and TFE with BTFE, 1099P
Styrene, 303C, 851C, 997C, 2615C, 3053C
Styrene and maleic anhydride, copolymerization of, 233L
Styrene–butadiene copolymer, 829C
Styrene miniemulsions, 2973C
Styrene sulfonate, 549C
p-Styrenesulfonate esters, 1517C
α-Substituted alkanone, 2481C
N-Substituted benzamides, 1973C
N-Substituted polyethylenimines, 1307C
Substrate temperature, 87C
Succinic acid, 1805C
Sulfonated polystyrene, 525C
Sulfonate ionomers, 549C
Sulfonation, 525C
Sulfone/ester polymers, 2233C
Sulfone resin, acetylene–terminated, FTIR study of curing of, 845P
Sulfonium salt, 1361C
Sulfur atoms, 2033C
Surface active comonomer, undecylenic isethionate sodium salt, 2615C
Surface chemistry, 1125C
Surface composition of polymer from internal reflection spectroscopy, 861P
Swelling of EPDM networks, 1325P
Synthesis, of polyacetylene, 167L
Synthesis of allyl and diallyl vesicle-forming quaternary ammonium salts, 1089C
Synthesis of crosslinked polydiacetylenes, 1163C
Synthesis of polyacetylene, 2447C
Synthetic carriers, 467L
Szwarc's process, 639L

Tacticity of PMMA, influence on transitions by, 889P
Tail-to-tail additions, 1343C
TCNQ anion radical salt, 787C
Temperature dependence, crystal structures of nylon 11, 2477P
Temperature dependence of shear viscosity, 21P
Temperature dependence of viscosity, 41P
Temperature invariant point, 353L
Tensile load, 121P
Terephthalic, 1599C
Terephthaloyl, 2803C
Terpolymerization, 2081C
Terpolymerization composition equation, 2247C
Terpolymers, 2151C, 2247C
Tertiary hindered amines, 1477C
Tetraamines, 389C
2,3,5,6-Tetraamino-p-hydroquinone, 2803C
Tetrabromophthalic anhydride, 2043C
1,2,4,5-Tetracyanobenzene, 1579C
Tetrahydrofuran, 399C, 1099C, 2283C
Tetrakis(phenoxy)cyclotriphosphazene, 1661C
Tetramethylenediamine, 1599C
T_g, 113P
Thallium(III) perchlorate, 2647C
Thermal and radical-induced polymerizations, 2089C
Thermal behavior, 199P, 1569C
Thermal conductivity of polymer crystals, model calculation of, 1495P
Thermal decomposition, 343C
Thermal degradation, 1833C
Thermal degradation rates, polymers, 567L
Thermal diffusion, temperature dependence of, 2443P
Thermal diffusivity of natural rubber, 451P
Thermal elimination, 2779C
Thermal expansion techniques, 2295P
Thermal fragmentation, 1145C, 1731C
Thermal gravimetric analysis, 1569C
Thermally isomerized *trans*[CH]$_x$, 2447C
Thermally stable polymers, 595C
Thermal polymerization, 1017C
Thermal rearrangements of bisphenol-A polycarbonate, influence of alkaline metal organic salts on, 493P
Thermal stability, 801C
Thermal stability of PMCBC, 199P
Thermal treatment, 1589C
Thermodynamic models for block copolymers, 1001P
Thermodynamics of solutions of poly(ortho esters) from ketene acetals and mixed diols, 2217P
Thermogravimetric analyses, 595C, 843C
Thermogravimetric analysis, 1661C
Thermogravimetric methods, 1749C
Thermoplastic, 245P
Thermoplastic elastomers, 49P
Thermotropic liquid crystalline (LC) copolyethers, 2913C
1,3,4-Thiadiazole moieties, 337L
Three-phase reaction, 1193C
Titanium catalyst, 3069C
Titanium compounds, 1455C
Toluene, 2099C, 2631C
α,ω-*p*-Toluenesulfonic acid, 445C
Torsional braid anaysis (TBA), 21P
Tosyl chloride, 1361C, 2715C, 2851C, 2999C, 3095C
Transcrystallinity, 121P
Transition metal catalysts, 19C
Transitions in amorphous and semicrystalline polymers, NMR study of, 367P
Translational diffusion coefficient, 73P
Transport properties of drawn and annealed polyethylene, 1217P
Triad ester mesogenic group, 2387P
Triazine-2,4-dithiol monosodium salts, 315C
Tri-block copolymers, 399C
Tribromophenyl methacrylate, 1421C
Tributyltin oxide, 2333C
Tricarboxylic acid, 595C
Trichlorophenyl methacrylate, 1421C
Trimethylene oxide, 429C
Trimethylsilyldimethylamine, 1445C
Tri-phase conditions, 49C
Triphenyl phosphite, 1907C
Tris(bipyridine)ruthenium(II) complex-containing polymer, 3059C
Tris(triphenyl phosphine) chlororhodium (Wilkinson's catalyst), 19C
Tube enlargement, 159P
Tubular flow, 2359P
Tubular flow geometry, 2339P
Two-color flow birefringence, 575P
Two-component interpenetrating polymer networks, 1163C
Two-function minimization algorithms, 2377P
Two-phase systems, 1493C

Ultrahigh-molecular-weight polyethylene, 2407P
Ultrahigh-molecular-weight polyethylene (UHMWPE), 2599P
Ultrahigh-molecular-weight polymers, solution properties, 121L
Ultrasonic measurement of elastic moduli, 1759P
Uniaxial stress, 2243P
Unsaturated bicyclic lactam, 2 azabicyclo-[2,2,1]-hept-5-en-one (ABHEO), 1469C

Variation of the anisotropy of the material, 2579P
Vibratory milling, 501C
Vilsmeier adduct, 2851C
Vinyl acetate, 2481C
Vinyl addition, 1203C
Vinyl alcohol/vinyl acetate copolymers, 2579C
4-*O*-Vinylbenzyl-2,2,6,6-tetramethylpiperidine, 1527C
N-Vinylcarbazole, 2567C, 2631C
N-Vinylcarbazoles, 387L
Vinyl-ester resin, 1885C
Vinylferrocene, 507C
Vinylic groups, 1885C
Vinyl ketone, 2081C
Vinyl monomer, 307C
2-Vinyl-2-oxazoline, 1805C
p-Vinylphenylsulfonylnitromethane, 1963C
Vinyl polymerization, 593L
Vinyl polymers, 567L
2-Vinylpyridine, 1203C
Vinylpyridinium salts, polymerization behavior, 655L
Vinyl pyrrolidone, 2481C
Vinylpyrrolidone–divinylbenzene copolymers, 495L
N-Vinyl-2-pyrrolidone (VPy) copolymers, 1243C
Vinylsulfonylethyl (VSE) derivatives, 879C
Vinyl viologens, 2413C
Viscoelasticity of entangled polymeric media, 2423P
Viscoelasticity of EPDM networks, 1325P
Viscoelasticity of polyisobutylene solution, 1647P
Viscoelasticity of poly(styrene-co-sodium styrene-*p*-carboxylat), 1145P
Viscometry, 549C
Viscosities, 2135C
Viscosity -- molecular weight relation in low molecular weight region, 615P
Viton material, 359C
Volatile-component evaporation mechanism, 1P
Volume relaxation, 433L
Vulcanization of natural rubber, 2833C

Warner–Flory model for phase behavior of polydisperse rods, 327P
Water-in-oil (w/o) microemulsions, 2225C
Water-soluble compounds, 2841C
Water-soluble grafts, 265C
Water-soluble siloxanes, 415L
Water sorption in perfluorinated ionomer membranes, 2009P
Weibull coefficient, 59P
Weight elastomer, 673C

Wetting of glass by molten polyethylene, 2499P
Wetting properties of polyacetylene films, 1555P
Wholly aliphatic type, 2719C
Wood, thermal properties, 647L

XANES, 427L
X-ray diffraction, 813C
X-ray diffraction of craze carck structure, 1857P
X-ray diffraction of hydrogenated polybutadienes, 1563P
X-ray diffraction of kink bands in poly(vinylidene fluoride), 2505P, 2517P
X-ray diffraction of MDI/BDO polyurethanes, 1915P
X-ray diffraction of nylon 3, 733P
X-ray diffraction of nylon 6, 2549P
X-ray diffraction of oligoethylene glycol di-*n*-alkyl ethers, 1585P
X-ray diffraction of poly(γ-methyl L-glutamate) at high temperature, 263P
X-ray diffraction of polyoxetanes, 1597P
X-ray diffraction of polyoxymethylene, 1703P
X-ray diffraction of polyurethane elastomers, 1883P
X-ray diffraction study, nonlinear polyethylene, 2539P
X-ray diffusion study of heterogeneous polymer systems, 1485P
X-ray scattering and DSC, simultaneous measurement of, 1109P

Ylide, 2405C
Young's moduli from neutron and Raman scattering, 1201P

Ziegler catalysts, 2527C
Ziegler–Natta catalyst, 427L, 723C
Zimm dynamics, of polymers, 11L
Zinc chloride, 2081C
Zn^{2+} ion transport, 467L